

Car model	Chassis code	Model year	STRUCTURE	Model number	Suggested retail price (Tax Included)	UPPERMOUT STRUCTURE	remarks	standard spring rate			recommended spring rate (kgf/mm)	
								diameter (mm)	length (mm)	rate (kgf/mm)		
<b>TOYOTA</b>												
86	ZN6	2012/04 ~	MONO TUBE	HS-T80S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount	Rear: Interior cut adjustment required	F	65	150	6	6 ~ 10
Aristo	JZS147	1991/10 ~ 1997/08	TWIN TUBE	HS-T18DT	155,100yen (141,000yen)	F:Rubber mount	Build-to-order manufacturing 1.5-2 months	F	65	200	14	12 ~ 18
						R:Rubber mount		R	65	200	10	8 ~ 14
	JZS161	1997/08 ~ 2004/12	MONO TUBE	HS-T03S	155,100yen (141,000yen)	F:Rubber mount		F	65	200	14	12 ~ 18
						R:Rubber mount	R	65	200	10	8 ~ 14	
Altezza	SXE10 GXE10	1998/10 ~ 2005/07	TWIN TUBE	HS-T02DT	155,100yen (141,000yen)	F:Rubber mount		F	65	200	12	10 ~ 16
						R:Rubber mount	R	65	200	10	8 ~ 14	
Verossa	JZX110	2001/07 ~ 2004/04	TWIN TUBE	HS-T28DT	155,100yen (141,000yen)	F:Rubber mount		F	65	200	12	10 ~ 16
						R:Rubber mount	R	65	200	10	8 ~ 14	
	JZX110	2001/07 ~ 2004/04	MONO TUBE	HS-T28S-D	155,100yen (141,000yen)	F:Rubber mount	TYPE-D( Drift spec )	F	65	175	18	16 ~ 18
						R:Rubber mount		R	65	200	12	10 ~ 16
Crown	GRS18#	2003/12 ~ 2008/03	MONO TUBE	HS-T40S	155,100yen (141,000yen)	F:Rubber mount	Rear: Interior cut adjustment required , in order to change the damping force.	F	65	200	16	14 ~ 20
						R:Rubber mount		R	65	200	14	12 ~ 18
	GRS20#	2008/04 ~ 2012/04	MONO TUBE	HS-T40S	155,100yen (141,000yen)	F:Rubber mount	Rear: Interior cut adjustment required , in order to change the damping force.	F	65	200	16	14 ~ 20
						R:Rubber mount		R	65	200	14	12 ~ 18
	GRS210/4 ARS210	2012/12 ~ 2018/06	MONO TUBE	HS-T40S	155,100yen (141,000yen)	F:Rubber mount	Rear: Interior cut adjustment required , in order to change the damping force.	F	65	200	16	14 ~ 20
						R:Rubber mount		R	65	200	14	12 ~ 18
GR86	ZN8	2021/10 ~	MONO TUBE	HS-T86S	155,100yen (141,000yen)	F:Pillow ball mount	Rear: Interior removal is required when adjusting the damping force.	F	65	150	6	6 ~ 10
						R:Rubber mount		R	65	150	6	6 ~ 10
GR Corolla	GZEA14	2022/12 ~	MONO TUBE	HS-T95S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	200	6	6 ~ 10
						Genuine/OEM upper mount required	R	65	250	6	6 ~ 10	
GR Yaris	GXPA16	2020/09 ~	MONO TUBE	HS-T87S	155,100yen (141,000yen)	Genuine/OEM upper mount required		F	65	200	6	6 ~ 10
						Genuine/OEM upper mount required	R	65	225	6	Unchangeable	
Supra	JZA70	1989/08 ~ 1993/05	TWIN TUBE	HS-T15DT	155,100yen (141,000yen)	F:Rubber mount		F	65	200	14	12 ~ 18
						R:Rubber mount	R	65	200	12	10 ~ 16	
	JZA80	1993/05 ~ 2002/07	TWIN TUBE	HS-T13DT	155,100yen (141,000yen)	F:Rubber mount		F	65	200	18	16 ~ 22
						R:Rubber mount	R	65	200	10	8 ~ 14	
MARK II , CHASER, CRESTA	JZX90	1992/10 ~ 1996/09	MONO TUBE	HS-T10S	155,100yen (141,000yen)	F:Rubber mount		F	65	200	12	10 ~ 16
						R:Rubber mount	R	65	200	8	6 ~ 12	
	JZX90	1992/10 ~ 2001/10	MONO TUBE	HS-T10S-D	155,100yen (141,000yen)	F:Rubber mount	TYPE-D( Drift spec )	F	65	175	18	14 ~ 18
						R:Rubber mount		R	65	200	8	6 ~ 12
	JZX100	1996/09 ~ 2001/10	MONO TUBE	HS-T10S	155,100yen (141,000yen)	F:Rubber mount		F	65	200	12	10 ~ 16
						R:Rubber mount	R	65	200	8	6 ~ 12	
	JZX100	1992/10 ~ 2001/10	MONO TUBE	HS-T10S-D	155,100yen (141,000yen)	F:Rubber mount	TYPE-D( Drift spec )	F	65	175	18	14 ~ 18
						R:Rubber mount		R	65	200	8	6 ~ 12
MARK II ,VEROSSA	JZX110	2000/10 ~ 2004/11	TWIN TUBE	HS-T28DT	155,100yen (141,000yen)	F:Rubber mount		F	65	200	12	10 ~ 16
						R:Rubber mount	R	65	200	10	8 ~ 14	
	JZX110	2001/07 ~ 2004/04	MONO TUBE	HS-T28S-D	155,100yen (141,000yen)	F:Rubber mount	TYPE-D( Drift spec )	F	65	175	18	16 ~ 18
						R:Rubber mount		R	65	200	12	10 ~ 16

Car model	Chassis code	Model year	STRUCTURE	Model number	Suggested retail price (Tax Included)	UPPERMOUT STRUCTURE	remarks	standard spring rate			recommended spring rate (kgf/mm)	
								diameter (mm)	length (mm)	rate (kgf/mm)		
<b>TOYOTA</b>												
MARK II BLIT	JZX110W	2002/01 ~ 2007/05	TWIN TUBE	HS-T02DT	155,100yen (141,000yen)	F:Rubber mount		F	65	200	12	10 ~ 16
						R:Rubber mount		R	65	200	10	8 ~ 14
Yaris	MXPA10 KSP210 MXP10	2020/02 ~	MONO TUBE	HS-T85S	155,100yen (141,000yen)	Genuine/OEM upper mount required		F	65	200	5	6 ~ 8
						Genuine/OEM upper mount required		R	64-65	205	2.5	Unchangeable
<b>NISSAN</b>												
180SX	R(P)S13	1989/03 ~ 1999/01	MONO TUBE	HS-N01S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	200	6	6 ~ 10
Silvia	S13	1988/05 ~ 1993/10	MONO TUBE	HS-N01S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	200	6	6 ~ 10
	S13	1988/05 ~ 1993/10	MONO TUBE	HS-N01S-D	155,100yen (141,000yen)	F:Pillow ball mount	TYPE-D( Drift spec )	F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	200	5	6 ~ 10
	S14	1993/10 ~ 1999/01	MONO TUBE	HS-N02S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	200	6	6 ~ 10
S14	1993/10 ~ 1999/01	MONO TUBE	HS-N02S-D	155,100yen (141,000yen)	F:Pillow ball mount	TYPE-D( Drift spec )	F	65	200	8	6 ~ 12	
					R:Rubber mount		R	65	200	5	6 ~ 10	
S15	1999/01 ~ 2002/11	MONO TUBE	HS-N03S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	200	8	6 ~ 12	
					R:Rubber mount		R	65	200	6	6 ~ 10	
Skyline	BNR32	1989/08 ~ 1993/08	TWIN TUBE	HS-N21DT	155,100yen (141,000yen)	F:Rubber mount	Build-to-order manufacturing 1.5~2 months	F	65	200	10	8 ~ 14
						R:Rubber mount		R	65	200	8	6 ~ 12
	HCR32	1989/05 ~ 1993/08	TWIN TUBE	HS-N27DT	155,100yen (141,000yen)	F:Rubber mount	*Cannot be installed in the cold region specifications	F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	200	6	6 ~ 10
	ER34	1998/05 ~ 2002/08	TWIN TUBE	HS-N24DT	155,100yen (141,000yen)	F:Rubber mount	Rear lower mounting shape needs to be checked (Uses a U-shaped rear flange. If it is round shaped flange on the vehicle side., needs checking.	F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	250	8	6 ~ 12
CPV35	2001/06 ~ 2007/10	TWIN TUBE	HS-N12DT	155,100yen (141,000yen)	F:Rubber mount	Rear: The coilover must be removed when adjusting the damping force The rear spring cannot be changed as it is a special product for the rear spring.	F	65	200	12	10 ~ 16	
					R:Rubber mount		R	101-109	190	11	Unchangeable	
Stagia	WGC34	1996/09 ~ 2001/10	TWIN TUBE	HS-N52S	155,100yen (141,000yen)	F:Pillow ball mount	Build-to-order manufacturing 1.5~2 months	F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	250	6	6 ~ 10
Fairlady Z	Z33 HZ33	2002/07 ~ 2008/12	TWIN TUBE	HS-N12DT	155,100yen (141,000yen)	F:Rubber mount	Rear: The coilover must be removed when adjusting the damping force The rear spring Cannot be changed as it is a special product for the rear spring.	F	65	200	12	10 ~ 16
						R:Rubber mount		R	101-109	190	11	Unchangeable
	Z34	2008/12 ~	MONO TUBE	HS-N28S	155,100yen (141,000yen)	F:Rubber mount	Rear: The coilover must be removed when adjusting the damping force The rear spring Cannot be changed as it is a special product for the rear spring.	F	65	200	12	10 ~ 16
						R:Rubber mount		R	101-109	190	11	Unchangeable

Car model	Chassis code	Model year	STRUCTURE	Model number	Suggested retail price (Tax Included)	UPPERMOUT STRUCTURE	remarks	standard spring rate			recommended spring rate (kgf/mm)	
								diameter (mm)	length (mm)	rate (kgf/mm)		
<b>HONDA</b>												
NSX	NA1.2	1990/09 ~ 2005/12	TWIN TUBE	HS-H23DT	155,100yen (141,000yen)	F:Rubber mount	Build-to-order manufacturing 1.5~2 months	F	65	200	12	10 ~ 16
						R:Rubber mount		R	65	175	10	8 ~ 14
S2000	AP1.2	1999/04 ~ 2009/09	MONO TUBE	HS-H21S	155,100yen (141,000yen)	F:Rubber mount		F	65	200	10	8 ~ 14
						R:Rubber mount		R	65	175	10	8 ~ 14
Accord euroR	CL1	1997/09 ~ 2002/10	MONO TUBE	HS-H17S	155,100yen (141,000yen)	F:Rubber mount		F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	200	8	6 ~ 12
	CL7	2002/12 ~ 2008/12	TWIN TUBE	HS-H18DT	155,100yen (141,000yen)	F:Rubber mount		F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	250	4	4 ~ 8
Integra/Integra type R	DC2.DB8	1993/05 ~ 2001/07	MONO TUBE	HS-H09S	155,100yen (141,000yen)	F:Rubber mount		F	65	175	10	8 ~ 14
						R:Rubber mount		R	65	200	8	6 ~ 12
Integra type R	DC5	2001/07 ~ 2007/02	MONO TUBE	HS-A03S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	150	10	8 ~ 14
						R:Rubber mount		R	65	150	14	12 ~ 16
Civic	EF9	1989/03 ~ 1991/09	MONO TUBE	HS-H10S	155,100yen (141,000yen)	F:Rubber mount		F	65	150	12	10 ~ 16
						R:Rubber mount		R	65	150	8	6 ~ 12
	EG6	1991/09 ~ 1995/09	MONO TUBE	HS-H09S	155,100yen (141,000yen)	F:Rubber mount		F	65	175	10	8 ~ 14
						R:Rubber mount		R	65	200	8	6 ~ 12
	EK4.9	1995/09 ~ 2000/09	MONO TUBE	HS-H05S	155,100yen (141,000yen)	F:Rubber mount		F	65	175	12	10 ~ 16
						R:Rubber mount		R	65	200	8	6 ~ 12
	EP3	2001/12 ~ 2005/8	MONO TUBE	HS-A04S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	150	10	8 ~ 14
						R:Rubber mount		R	65	150	14	12 ~ 16
	FC1/FK7	2017/09 ~	MONO TUBE	HS-H81S	155,100yen (141,000yen)	F:Pillow ball mount	Front: Compatible with a car with a knuckle arm installation diameter of 52mm. Rear Spring is a dedicated design. Rear genuine spring rubber sear needs adjusting.	F	65	175	6	6 ~ 10
						R:Rubber mount		R	65-56	210	3.7	Unchangeable
Civic type R	FD2	2007/03 ~ 2010/08	MONO TUBE	HS-H19S	155,100yen (141,000yen)	F:Pillow ball mount	Rear: Spring cannot be changed as its shape is a dedicated design.	F	65	175	12	10 ~ 16
						-		R	109-65	160	8	Unchangeable
Torneo euroR	CL1	2000/06 ~ 2002/10	MONO TUBE	HS-H17S	155,100yen (141,000yen)	F:Rubber mount		F	65	200	8	6 ~ 12
						R:Rubber mount		R	65	200	8	6 ~ 12
Beat	PP1	1991/05 ~ 1995/10	MONO TUBE	HS-H33S	155,100yen (141,000yen)	F:Pillow ball mount		F	60	150	4	Unchangeable
						R:Pillow ball mount		R	60	180	6	Unchangeable
Fit	GE6.8 GP1.4	2007/10 ~ 2013/09	MONO TUBE	HS-H28S	155,100yen (141,000yen)	Genuine/OEM upper mount required	Rear: Interior panel needs to be cut, or removed. Rear: Spring cannot be changed as its shape is a dedicated design. Build-to-order manufacturing 1.5~2 months	F	65	175	6	6 ~ 10
						Genuine/OEM upper mount required		R	65-88	200	3.5	Unchangeable
	GK3.5 GP5	2013/09 ~ 2020/02	MONO TUBE	HS-H61S	155,100yen (141,000yen)	Genuine/OEM upper mount required	Rear: Interior panel needs to be cut, or removed. Rear: Spring cannot be changed as its shape is a dedicated design.	F	65	175	6	6 ~ 10
						Genuine/OEM upper mount required		R	65-89	200	3.5	Unchangeable
	GR3	2020/02 ~	MONO TUBE	HS-H84S	155,100yen (141,000yen)	Genuine/OEM upper mount required	Rear: The rubber bushing on the spring must be cut. Rear: Shock needs to be removed when changing damping force. Genuine upper mout cover can't be reused.	F	65	175	4	4 ~ 8
						Genuine/OEM upper mount required		R	65-89	200	3.2	Unchangeable

Car model	Chassis code	Model year	STRUCTURE	Model number	Suggested retail price (Tax Included)	UPPERMOUT STRUCTURE	remarks	standard spring rate			recommended spring rate (kgf/mm)	
								diameter (mm)	length (mm)	rate (kgf/mm)		
<b>SUBARU</b>												
BRZ	ZC6	2012/03 ~ 2021/03	MONO TUBE	HS-T80S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount	Rear: Interior cut adjustment required	F	65	150	6	6 ~ 10
	ZD8	2021/08 ~	MONO TUBE	HS-T86S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount	Rear: Interior removal is required when adjusting the damping force.	F	65	150	6	6 ~ 10
Imprezza	GC8	1992/11 ~ 2000/08	MONO TUBE	HS-S01S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount	Build-to-order manufacturing 1.5-2 months	F	65	200	8	6 ~ 12
	GDB(~D型) GDA,GD9	2001/09 ~ 2004/05	MONO TUBE	HS-S02S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount		F	65	200	6	6 ~ 10
	GDB(E~型)	2004/06 ~ 2007/05	MONO TUBE	HS-S08S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount		F	65	200	6	6 ~ 10
	GRB GRF,GVB,GV F	2007/10 ~ 2014/08	MONO TUBE	HS-S32S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount		F	65	250	4	6 ~ 8
WRX STI	VAB	2014/08 ~ 2019/12	MONO TUBE	HS-S30S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount		F	65	200	8	6 ~ 12
Legacy	BP5 BL5,BPE	2003/05 ~ 2009/05	MONO TUBE	HS-S12S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount		F	65	200	6	6 ~ 10
						F:Pillow ball mount R:Rubber mount		R	65	150	6	6 ~ 10
Vivio	KK3	1992/03 ~ 1998/11	MONO TUBE	HS-S15S	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount	Spring cannot be changed (diameter 60mm)	F	60	180	4	Unchangeable
Levorg	VM4 VMG	2014/06 ~	TWIN TUBE	HS-S29DT	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount	Rear: Spring cannot be changed as its shape is a dedicated design.	F	65	200	8	6 ~ 12
						F:Pillow ball mount R:Rubber mount		R	65	275	6	Unchangeable
<b>MAZDA</b>												
RX-7	FC3S	1989/04 ~ 1992/10	TWIN TUBE	HS-MA01DT	155,100yen (141,000yen)	F:Pillow ball mount R:Rubber mount		F	65	200	10	8 ~ 14
	FD3S	1991/12 ~ 2003/04	TWIN TUBE	HS-MA02DT	155,100yen (141,000yen)	F:Rubber mount R:Rubber mount		R	65	200	8	6 ~ 12
RX-8	SE3P	2003/04 ~ 2013/04	TWIN TUBE	HS-MA03DT	155,100yen (141,000yen)	F:Rubber mount R:Rubber mount		F	65	200	10	8 ~ 14
						F:Rubber mount R:Rubber mount		R	65	175	10	8 ~ 14
Roadster/Miata	NA/NB6C,8C	1989/09 ~ 2005/08	MONO TUBE	HS-MA05S	155,100yen (141,000yen)	F:Rubber mount R:Rubber mount		F	65	175	10	8 ~ 14
						F:Rubber mount R:Rubber mount		R	65	125	6	8 ~ 10
	NCEC	2005/08 ~ 2015/05	TWIN TUBE	HS-MA04DT	155,100yen (141,000yen)	F:Rubber mount R:Rubber mount		F	65	200	10	8 ~ 14
						F:Rubber mount R:Rubber mount		R	65	175	8	6 ~ 12
ND5RC	2015/05 ~	TWIN TUBE	HS-MA06DT	155,100yen (141,000yen)	F:Rubber mount R:Rubber mount		F	65	200	6	6 ~ 10	
					F:Rubber mount R:Rubber mount		R	65	200	4	6 ~ 8	

Car model	Chassis code	Model year	STRUCTURE	Model number	Suggested retail price (Tax Included)	UPPERMOUT STRUCTURE	remarks	standard spring rate			recommended spring rate (kgf/mm)	
								diameter (mm)	length (mm)	rate (kgf/mm)		
<b>MITUBISHI</b>												
Lancer EVOLution IV. V. VI	CP9A CN9A	1998/01 ~ 2001/02	MONO TUBE	HS-MI02S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	200	10	8 ~ 14
						R:Rubber mount		R	65	200	8	6 ~ 12
Lancer EVOLution VII. VIII. IX	CT9A	2001/02 ~ 2007/10	MONO TUBE	HS-MI01S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	200	10	8 ~ 14
						R:Rubber mount		R	65	200	8	6 ~ 12
Lancer EVOLution wago	CT9W	2005/09 ~ 2006/12	MONO TUBE	HS-MI01S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	200	10	8 ~ 14
						R:Rubber mount		R	65	200	8	6 ~ 12
<b>SUZUKI</b>												
Cappuccino	EA11R	1991/11 ~ 1998/10	MONO TUBE	HS-SZ53S	155,100yen (141,000yen)	F:Pillow ball mount		F	65	150	6	6 ~ 10
						R:Pillow ball mount		R	65	150	4	6 ~ 8
Swift	ZC33S	2017/09 ~	MONO TUBE	HS-SZ07S	155,100yen (141,000yen)	Genuine/OEM upper mount required		F	65	175	6	6 ~ 10
						-		R	60-65	125	3.6	Unchangeable
<b>DAIHATSU</b>												
Copen	L880K	2002/6 ~ 2012/09	MONO TUBE	HS-DA57S	155,100yen (141,000yen)	F:Pillow ball mount	Spring cannot be changed (diameter 60mm)	F	60	180	4	Unchangeable
						R:Rubber mount		R	120-97	165	2.7	Unchangeable
Naked	L750S	1999/11 ~ 2004/4	MONO TUBE	HS-DA57S	155,100yen (141,000yen)	F:Pillow ball mount	Spring cannot be changed (diameter 60mm)	F	60	180	4	Unchangeable
						R:Rubber mount		R	120-97	165	2.7	Unchangeable

\*For vehicles produced after January 2006, the height to the lower edge of the fog lamp must be less than 250 mm and the height to the lower edge of the turn signal is less than 350 mm when lowered.

\*If "The height to the lower edge of the headlights (headlights/low beams) is less than 500 mm",

It violates safety standards and will not comply with vehicle inspection, so please check the height of the current vehicle.

\*When the product is installed, the radar, camera, sensor, etc. recognition range may differ from the standard vehicle height, which may cause malfunctions.

We cannot be held responsible for any damage caused by malfunctions of safety devices, collision avoidance support devices, or driving support devices provided by automobile manufacturers, or accidents caused by such malfunctions.

\*Product materials, specifications, down amount, and price are subject to change without notice.

\*Even with minor vehicle changes (same model), some vehicles may have lowered specifications as standard.

In that case, please note that the amount of down may differ from the description.

\*Some models require genuine parts to be reused for installation. Please be careful when installing from other than genuine suspension.

\*Due to individual vehicle differences, if the rear inner fender and spring interfere, cutting is required.