■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

ΤΟΥΟΤΑ											
Model name	Year Model	Model	Genuine bulb					c	halogen ompatib	e	Remarks
IQ			Hi *H	Lo IR2	Lens Resin	Fog H11	Lens Glass	Hi	Lo <	Fog O	*HI/LO No HIR2 setting
	H20.11-	KGJ10		45	Resin	н11	Glass	_	_	0	
bB	H12.2-			14	Resin	HB4	Resin		<u> </u>	0	
	H15.4-H18.1	NCP3#series	HB3	D2R	Resin	HB4	Resin	0		0	
				14							
	H18.1-	QNC20.21.25			Resin	H11	Glass			0	
	H18.1-		H9	D4R	Resin	H11	Glass	-		0	
bB Open Deck	H13.6-	NCP3#series	H		Resin	HB4	Resin	(		0	
C-HR	H28.12-	ZYX10.NGX50		R2	Resin Resin	LED	Resin Resin	× ,	× 	×	
								^ (			
ist	H14.5-H17.4	NCP60,65			Resin	HB4	Resin			0	
			H1	D2R	Resin	HB4	Resin	0		0	
	H17.5-H19.6	NCP60,65	H		Resin	_	-	(		-	
		NCP61.65	H7	D2R	Resin	-	-	0	_	-	
	H19.7-H28.4	NCP110.115 ZSP110	Η	14 I	Resin	H11	Glass	0	> 	0	
-			H7	D4R	Resin	H11	Glass	0	-	0	
MIRAI	H26.11-R2.11	JPD10	LED	LED		_		×	×	-	
	R2.12~	JPD20	LED	LED		-		×	×	-	
MR2	H1.10-H11.10	SW20series	H	14	Glass	H3	Glass	0		0	
MR-S	H11.10-H14.8	ZZW30series	H	14	Resin	HB4	Resin	0	<u> </u>	0	
	H14.8-		HB3	H7	Resin	HB4	Resin	0	0	0	
SAI	H21.12-	AZK10	HB3	D4S	Resin	H11	Resin	0	-	0	
			HB3	LED	Resin	H11	Resin	0	-	0	
RAV4	H6.5-H9.8	SXA11series	H	14	Glass	-	-	0	2	_	
	H9.9-H12.5	SXA15,16series	HB3	HB4	Glass	-	-	0	0	-	
	H12.5-H17.10	ACA2#,ZCA2#series	H	14	Resin	HB4	Resin	C	2	0	
	H15.8-H17.10	AGAZ#,2GAZ#Series	D	2R	Resin	HB4	Resin	-	-	0	
RAV4	H17.11-H28.7	ACA31W ACA36W	HB3	D4S	Resin	H11	Glass	0	-	0	
	H31.4-	MXAA52.54 AXAH52.54	LED	LED	Resin	H16	Resin	×	×		
RAV4 PHV	R2.6-	AXAP54	LED	LED	Resin	H16	Resin	×	×		
Will Vi	H12.1-H13.1	NCP19series	Ŧ	14	Resin	-	-	C	C	-	
Will Vs	H13.4-	NZE,ZZE12#series	HB3	HB4	Resin	HB4	Glass	0	0	0	
Will Cipher	H14.10-	NCP70,75	HB3	H7	Resin	-	-	0	0	-	
Isis	LI 16 10-LI 10 5		HB3	HB4	Resin	HB4	Resin	0	0	0	
	H16.10-H19.5		HB3	D2R	Resin	HB4	Resin	0	_	0	
		ANM,ZNM1#series	HB3	H11	Resin	H11	Resin	0	0	0	
	H19.5-		HB3	D4S	Resin	H11	Resin	0	-	0	
			HB3	H11	Resin	H11	Resin	0	0	0	
	H21.9-H25.9	ZGM1#G,ZGM11W	HB3	D4S	Resin	H11	Resin	0	_	0	
		ZGM15G	HB3	H11	Resin	H16	Resin	0	0	×	
H25.10-H	H25.10-H29.12		HB3	D4S	Resin	H16	Resin	0	_	×	
	1										1

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

I low co read the compatibility											
Aqua	H23.12-H26.11		HB3	H11	Resin	H16	Resin	0	0	×	
	1120.12 1120.11		HB3	LED	Resin	H16	Resin	0	-	×	
			HB3	H11	Resin	H16	Resin	0	0	×	
	H26.12-H29.5	NHP10	HB3	LED	Resin	LED	Resin	0	-	_	
			LED	LED	Resin	LED	Resin	×	×	_	
			HI	R2	Resin	LED	Resin	;	×	_	
	H29.6-R3.6		LE	Ð	Resin	LED	Resin	;	×	_	
	R3.7-	MXPK10,11,15,16	LED	LED	Resin	LED	Resin	×	×	_	
	H7.3-H9.9	Movia	н	4	Resin	*H3C	Resin	(	C	×	*Fog is yellow lens
Avalon	H9.9-H12.3	MCX10	HB3	HB4	Resin	H3	Resin	0	0	0	
Avensis (wagon)			H1	H7	Resin	HB4	Resin	0	0	0	
	H15.10-H18.6	A 7705# ·	D	2S	Resin	HB4	Resin	-	_	0	
	1110.7	AZT25#series	H1	H7	Resin	H11	Resin	0	0	0	
	H18.7-		D	4S	Resin	H11	Resin	-	-	0	
Avensis	H23.9-H24.3		D	4S	Resin	H11	Resin	;	×	0	
	H24.4-H27.9	ZRT272W	D	4S	Resin	H11or H16	Resin	;	×		
	H27.10-H30.4		LE	ED	Resin	H11or H16	Resin	;	×		
Allion			н	14	Resin	_	_	C	C	_	
	H13.12-H16.11 H16.12-		D	D2R		_	-	-	-	-	
			н	H4		_	_	(	C	_	
			HB3	D4S	Resin	_	-	0	-	_	
			HB3	H11	Resin	H11	Resin	0	0	0	
	H19.6-H24.11	ZRT26#	HB3	D4R	Resin	H11	Resin	0	-	0	
		NZT26#	HB3	H11	Resin	H16	Resin	0	0	×	
	H24.12-H28.5		HB3	D4S	Resin	H16	Resin	0	-	×	
Aristo	H3.10-H9.8	ZS140series	9005J	9006J	Resin	*H3	Resin	×	×	×	*Fog is yellow lens
		ZS160series(S300)	HB3	HB4	Resin	HB4	Glass	0	0	0	
	H9.8-	(V300)	HB3	D2R	Resin	HB4	Glass	0	-	0	
Altezza (Zeta)	H10.10-H13.4		HB3	HB4	Resin	*HB4	Glass	0	0	0	
		SXE10, GXE10series JCE1#series	HB3	HB4	Resin	*HB4	Glass	0	0	0	
	H13.5-		HB3	D2R	Resin	*HB4	Glass	0	-	0	*Fog: Option H3 is not available (yellow lens)
Alphard			н	4	Resin	*H3d	Resin	(	D	×	*No Fog H3d setting
	H14.5-H17.4		HB3	D2R	Resin	*H3d	Resin	0	-	×	*No Fog H3d setting
Intelligent ATS available		ANH1#,MNH1#series	HB3	D2S	Resin	HB4	Resin	0	-	0	
Without intelligent ATS	H17.4-		HB3	D2R	Resin	HB4	Resin	0	-	0	
	H20.5-	ANH2#	HB3	D4S	Resin	HB4	Resin	0	_	0	
	H23.11-H26.12	GGH2#	HB3	D4S	Resin	H11	Resin	0	-	0	
		AGH3#.GGH3#	LED	LED	Resin	LED	Resin	_	-	-	
	H27.1-H29.12		LED	LED	Resin	H16	Resin	_	-	×	
	H30.1-	AGH3#.GGH3#	LED	LED	Resin	LED	Resin	_	_	_	
İ.	L	1					I		I	I	I

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Alphard Hybrid	H15.7-H17.4	ATH1#	НВ3	D2R	Resin	H3	Resin	0	-	0	
	H17.4-		HB3	D2R	Resin	НЗ	Resin	0	-	0	
	H23.11-H26.11	ATH20W	HB3	D4S	Resin	H11	Resin	0	-	0	
			LED	LED	Resin	LED	Resin	-	-	_	
	H27.1-H29.12	АҮН3#	LED	LED	Resin	H16	Resin	-	-	×	
	H30.1-		LED	LED	Resin	LED	Resin	-	-	_	
Alex	H13.1-H14.8		н	14	Resin	HB4	Resin	C	)	0	
		NZE.ZZE12#series	H7	H7	Resin	_	-	0	0	-	
	H14.9-		H7	D2R	Resin	_	-	0		-	
Ipsum	H8.5-H10.3	SXM10Gseries	HB3	H7	Glass	НЗ	Glass	0	0	0	
	H10.4-H13.4	SXM10,15Gseries	HB3	HB4	Resin	*H3	Glass	0	0	×	*Fog is yellow lens
	11105	A 01401 06W	HB3	HB4	Resin	HB4	Resin	0	0	0	
	H13.5-	ACM21.26W	HB3	D2R	Resin	HB4	Resin	0	-	0	
Vanguard	H19.8-	ACA.GSA3#	HB3	D4S	Resin	H11	Resin	0	_	0	
Vitz	H11.1-H17.1	CP1#series	H	14	Resin	-	-	C	)	-	
	H14.12-H17.1	CP1#series	D	2R	Resin	-	-	-	-	-	
	H17.2-H19.7	KSP,NCP,SCP9#	н	H4		H11	Glass	C	)	0	
RS included		K3F,NOF,30F9#	H7	D2R	Resin	H11	Glass	0	-	0	
			F	14	Resin	H11	Glass	C	)	0	
	H19.8-	KSP,NCP,SCP9#	H11	D4R	Resin	H11	Glass	0	-	0	
RS			H7	D2R	Resin	H11	Glass	0	-	0	
RS	H20.9-	NCP9#	H11	D4R	Resin	H11	Glass	0	-	0	
	H22.12-H26.4	KSP130	н	14	Resin	H11	Glass	C	)	0	
	n22.12-n20.4	NSP130.131.135	H11	D4R	Resin	H11	Glass	0	-	0	
			H	14	Resin	H16	Resin	(	)	×	
	H26.4-H28.12	KSP130.NSP13# NCP131	HB3	LED	Resin	H16	Resin	0	-	×	
			H11	D4R	Resin	H16	Resin	0	-	×	
	H29.1-	KSP130.NSP13#	н	14	Resin	H16	Resin	C	)	×	
	129.1-	K3F130.N3F13#	LE	ED	Resin	H16	Resin	-	-	×	
Vitz Hybrid	H29.1-	NHP130	HI	R2	Resin	H16	Resin	;	<b>‹</b>	×	
	1123.1	1111-130	LE	ED	Resin	H16	Resin	-	-	×	
Wyndham	H3.10-H8.7	VCV1#series	HB3	9006J	Resin	H3	Glass	0	×	0	*LO 9006J not set
	H8.8-H11.7	MCV2#series	HB3	H7	Resin	H3	Resin	0	0	0	
	H11.8-H13.7	MCV2#series	HB3	D2R	Resin	H3	Glass	0	-	0	
	H13.8-H16.7	MCV3#series	HB3	D2R	Resin	H3	Resin	0	I	0	
	H16.8-	WOV 0#SELIES	HB3	D2S	Resin	HB4	Resin	0	-	0	
						-		-	-		

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Tion to Toda allo bompatibili					uniter b	o modan	<u> </u>				1
Wish	H15.1-H17.9			HB4	Resin	HB4	Resin	0	0	0	
	1110.1 1117.0	ZNE1#G	HB3	D2R	Resin	HB4	Resin	0	-	0	
		ZNET#G	HB3	H11	Resin	HB4	Resin	0	0	0	
	H17.9-H21.3		HB3	D2S	Resin	HB4	Resin	0	-	0	
			HB3	H11	Resin	H11	Resin	0	0	0	
	H21.4-H24.3		HB3	D4S	Resin	H11	Resin	0	_	0	
		ZGE2#	НВ3	H11	Resin	H16	Resin	0	0	×	
	H24.4-H29.10		HB3	D4S	Resin	H16	Resin	0	_	×	
Vellfire	H20.5-	GGH20.25W	HB3	D4S	Resin	HB4	Resin	0	_	0	
	H23.11-H26.12		HB3	D4S	Resin	H11	Resin	0	_	0	
			LED	LED	Resin	LED	Resin	_	_	_	
	H27.1-H29.12	AGH3#.GGH3#	LED	LED	Resin	H16	Resin	_	_	×	
	H30.1-	AGH3#.GGH3#	LED	LED	Resin	LED	Resin	_	_	_	
Verossa	H13.7-	GX.JZX11#	HIR2	D2R	Resin	_	_	×	_	_	*HI No HIR2 setting
		GX.02X11#		14					 >		-
Voxy	H13.11-H16.8				Resin	*H3d	Resin		1	×	*Fog bulbs are 35W
		AZR60.65G	HB3	D2R	Resin	*H3d	Resin	0	×	-	*No Fog H3d setting
	H16.8-H19.6		HB3	D4R	Resin	HB4	Resin	0	-	0	
			HB3	H11	Resin	HB4 H11or	Resin	0	0	0	
	H19.7-	ZRR70.75W	HB3	H11	Resin	HB4	Resin	0	0	0	
			HB3	D4S	Resin	H11or HB4	Resin	0	-	0	
Voxy	H26.1-H29.6	ZRR8#W.G	HB3	H11	Resin	H16	Resin	0	0	×	
· <b>,</b>			HB3	LED	Resin	H16	Resin	0	-	×	
Voxy Hybrid	H26.2-H29.6	ZWR80G	HB3	LED	Resin	H16	Resin	0	-	×	
Voxy Hybrid	H29.7-	ZRR8#W.G	LED	LED	Resin	LED	Resin	_	-	-	
	1123.7	ZWR80G	HB3	LED	Resin	LED	Resin	0	-	-	
Volz	H14.8-H16.10	ZZE136,137,138	н	14	Resin	HB4	Resin	(	C	0	
Esquire	H26.10-H29.6	ZRR8#G	HB3	LED	Resin	H16 or LED	Resin	0	-	×	
Esquire Hybrid	H26.10-H29.6	ZWR80G	HB3	LED	Resin	H16 or LED	Resin	0	-	×	
Esquire Hybrid	H29.7-	ZRR8#G ZWR80G	LED	LED	Resin	LED	Resin	-	-	_	
Estima	H2.5-H10.1		н	14	Glass	*H3C	Resin	(	C	×	*Fog is yellow lens
	H10.1-H11.12	TCR10,20series	H	14	Resin	HB4	Resin	(	C	0	
			H	14	Resin	HB4	Resin	C	C	0	
	H12.1-H15.4	MCR,ACR30.40	HB3	D2R	Resin	HB4	Resin	0	-	0	
		MCR,ACR30series	HB3	HIR2	Resin	HB4	Resin	0	×	0	*LO No HIR2 setting
	H15.5-H17.12	MCR40series	HB3	D2R	Resin	HB4	Resin	0	_	0	
			НВЗ	H11	Resin	*H11	Resin	0	0	0	*Aeras fog lights are HB4. H3 fog lights available
	H18.1-H24.4		HB3	D4S	Resin	*H11	Resin	0	_	0	as dealer option. *Aeras fog lights are HB4. H3 fog lights available as dealer option.
			HB3	H11	Resin	H11	Resin	0	0	0	
		ACR.GSR50.55W	HB3	H11	Resin	H16	Resin	0	0	×	
		1						-			
	H24.5-H28.5		HB3	D4S	Resin	H11	Resin	0	-	0	
	H24.5-H28.5		НВ3 НВ3	D4S D4S	Resin Resin	H11 H16	Resin	0	_	×	

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Tiow to read the compatibility	onarc. O. oan be ma		01100			e matair	ou .				
Estima Hybrid	H13.6-H17.12 AF	AHR10W	НВ3	H7	Resin	HB4	Resin	0	0	0	
			HB3	D2S	Resin	HB4	Resin	0	-	0	
	H18.6-H24.4		HB3	D4S	Resin	HB4	Resin	0	-	0	
	H24.5-H28-5	AHR20W	HB3	D4S	Resin	H16	Resin	0	-	×	
	H28.6-		LE	ED	Resin	LED	Resin	-	-	-	
Estima Emina	H4.1-H7.1		HB3	HB4	Resin	*H3a	Resin	0	0	0	*Fog bulbs are 35W
	H7.1-H8.7	TCR.CXR10,20series	H	14	Resin	*H3d	Resin	C	C	×	*No Fog H3d setting
	H8.8-H11.2		H	14	Resin	*H3d	Resin	C	C	×	*No Fog H3d setting
Estima Lucida	H4.1-H8.7	TCR.CXR10,20series	F	14	Resin	*H3a	Resin	C	C	0	*Fog bulbs are 35W
	H8.8-H11.12	TON:OXITTO,2036Hes	H	14	Resin	*H3d	Resin	C	C	×	*No Fog H3d setting
Ора	H12.4-	#CT10series	F	14	Resin	*H3d	Resin	C	C	×	*No Fog H3d setting
Auris	1110.10		HB3	H11	Resin	H11	Resin	0	0	0	
	H18.10-	NZE.ZRE15#H	HB3	D4S	Resin	H11	Resin	0	-	0	
	H24.8-	NZE181.184H	HI	R2	Resin	H16	Resin	-	_	×	
	1124.0	ZRE186H	D	4S	Resin	H16	Resin	-	-	×	
	H27.4-H30.3	NRE.NZE.ZRE	н	R2	Resin	H16	Resin	-	_	×	
	H27.4-H30.3	18#H	LE	ED	Resin	H16	Resin	-	_	×	
Auris Hybrid	H28.4-H30.3	ZWE186H	LE	ED	Resin	H16	Resin	-	_	×	
origin	H12.11-	JCG17	F	14	Resin	-	-	C	C	-	
Gaia	H10.5-H13.3		HB3	HB4	Resin	НЗ	Resin	0	0	0	
		SXM10Gseries	HB3	HB4	Resin	H3	Resin	0	0	0	
	H13.4-H16.7		HB3	D2S	Resin	H3	Resin	0	-	0	
Camry	H2.7-H6.6	CV.SV.VZV3#	F	14	Resin	*H3	Glass	C	D C	×	*Fog is yellow lens
	H6.7-H10.6	CV.SV4#	F	14	Resin	H3	Resin	C	C	0	
	H13.9-H16.6	10/0#	HB3	HIR2	Resin	HB4	Resin	0	-	0	
	H16.7-H17.12	ACV3#	HB3	H7	Resin	HB4	Resin	0	0	0	
	H18.1-H23.8	ACV4#	HB3	D4S	Resin	H11	Resin	0	-	0	
		110/50	НВ3	D4S	Resin	H11	Resin	0	-	0	
	H23.9-H29.6	AVV50	НВ3	D4S	Resin	LED	Resin	0	-	-	
	H29.7-	AXVH70	LED	LED	Resin	LED	Resin	-	-	-	
Camry (Gracia)	H8.12-H11.7		F	14	Resin	НЗ	Resin	C	2	0	
	H11.8-H13.8	MCV.SXV2#series	HB3	HB4	Resin	НЗ	Resin	0	0	0	Cannot be installed as it interferes with the light shield.
	H13.9-H16.6		HB3	HIR2	Resin	HB4	Resin	0	×	0	*LO No HIR2 setting
	H16.7-H18.1	ACV3#series	HB3	Н7	Resin	HB4	Resin	0	0	0	
	H18.1-	ACV40.45	HB3	D4S	Resin	H11	Resin	0	-	0	
		1		HB4	Resin	НЗ	Resin	0	0	0	
Gracia (Camry name change)	H11.8-	V21,SXV20series	HB3	1104	11000111						
Gracia (Camry name change) Karina	H11.8- H8.8-	V21,SXV20series AT,CT,ST21#		14	Resin	*H3	Resin	C	с С	×	*Fog is yellow lens
			ŀ			*H3 *H3C			2 2 2	×	*Fog is yellow lens *Fog is yellow lens

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Caldina											
		T190series	H4		Glass	H3	Resin	n O		0	
	H9.9-H12.1	ST210series early period	H7	H7	Glass	H3	Resin	0	0	0	
			HB3	Н7	Resin	HB4	Resin	0	0	0	
	H12.1-H14.8	ST210series late period	HB3	D2R	Resin	HB4	Resin	0	_	0	
			HB3	H7		_	_	0		-	
	H14.9-H16.12				Resin				0		
		ATZ,ST,ZZT24#series	HB3	D2R	Resin	HB4	Resin	0	-	0	
	H17.1-H19.5		HB3	H7	Resin	HB4	Resin	0	0	0	
			HB3	D4S	Resin	-	-	0	-	-	
Karen	H6.1-H10.8	ST20#series	н	14	Resin	*H3C	Resin	C	2	×	*Fog is yellow lens
Corolla	H3.6-H7.5	AE100,CE100series	н	14	Resin	-	-	C	2	-	
	H7.5-H12.8	AE110series	н	14	Resin	_	-	C	C	_	
	H12.8-H16.4		н	14	Resin	_	-	C	)	-	
	H14.9-H16.4		HB3	D2R	Resin	_	_	0	_	_	
		NZE12#series	HB3	H7	Resin	_	_	0	0	_	
	H16.5-								_		
		NRE210.ZRE212.	HB3	D2R	Resin	-	-	0		-	
<u> </u>	R1.10-	ZWE211.214	LED	LED	Resin	LED	Resin	-	-	-	
Corolla Axio	H18.10-H24.4	ZRE.NZE14#Gseries	н	14	Resin	H11	Resin	C	) 	0	
			HB3	D4S	Resin	H11	Resin	0	-	0	
	H24.5-H29.9		н	14	Resin	H16	Resin	C	2	×	
			HB3	D4S	Resin	H16	Resin	0	-	×	
		NRE160 NZE161.164	LE	ED	Resin	H16	Resin	-	_	×	
_			HB3	H11	Resin	LED	Resin	0	0	_	
	H29.10-		LE		Resin	LED	Resin		_	_	
Corolla Touring	R1.10-	NRE210W.ZRE212W	LED	LED	Resin	LED	Resin	_	_	_	
	H2.9-H6.9	ZWE211.214W EL,NL4#series		14		_	-	0	0	_	
Corolla II				14	Resin						
	H6.6-H10.12	EL,NL5#series			Resin	_	-			-	
Corolla Spacio	H9.1-H13.4	AE111Nseries	н	14 I	Resin	H3C	Resin	0		×	
	H13.5-	NZE.ZZE121Nseries	HB3	HB4	Resin	-	-	0	0	-	
			HB3	D2R	Resin	-	-	0	-	-	
Corolla Sport	H30.6-	NRE.ZWE21#	LED	LED	Resin	LED	Resin	-	-	-	
Corolla Runx	H13.1-H14.8		н	14	Resin	-	-	C	5	-	
		NZE.ZZE12#series	H7	H7	Resin	_	-	0	0	_	
	H14.9-H18.9		H7	D2R	Resin	_	_	0	_	_	
· · · · · · · · · · · · · · · · · · ·	H12.8-H14.9	ZZE12#series		14	Resin	_	_		 >	_	
Corolla Fielder			H7	H7	Resin	_	_	0	0	_	
Corolla Fielder		ZZE.NZE12#series									
Corolla Fielder	H14.9-H16.4	22E.NEETE#SCHOS		D2R	Resin	-	-	0	-	-	
Corolla Fielder	H14.9-H16.4		HB3		- · ·						
Corolla Fielder	H14.9-H16.4 H16.5-H18.9	NZE,ZZE12#series	HB3	H7	Resin	-	-	0	0	-	
Corolla Fielder					Resin Resin	-	-	0	-	-	
Corolla Fielder	H16.5-H18.9	NZE,ZZE12#series	HB3 HB3	H7					_		
Corolla Fielder			HB3 HB3	H7 D2R	Resin	-	_	0	_	-	
Corolla Fielder	H16.5-H18.9	NZE,ZZE12#series	HB3 HB3 HB3	H7 D2R	Resin Resin	– H11	— Resin	0	- ) -	-	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

now conous and compatibility						- modali					
Corolla Fielder	H27.4-H29.9		HB3 H11		Resin	H16	Resin	0	0	×	
	NZ7.4-NZ9.9		LE	ED	Resin	H16	Resin	-	-	×	
	1100.10	NRE.NZE16#G	HB3	H11	Resin	LED	Resin	0	0	-	
	H29.10-		LED		Resin	LED	Resin	-		-	
Corolla Rumion			HB3	HB4	Resin	H11	Resin	0	0	0	
	H19.10-	ZRE15#N	HB3	D4S	Resin	H11	Resin	0	_	0	
Corolla Levin	S59.5-S62.5	AE85,86	H	14	Glass	_	-	C	)	_	
	S62.5-H3.5	AE91.92	H	14	Glass	НЗС	Glass	C	)	×	
	H3.6-H7.5	AE100,101	H	14	Resin	*H3a	Resin	C	)	0	*Fog bulbs are 35W
	H7.5-H9.4	AE111 early period	н	14	Resin	*H3a	Resin	C	)	0	*Fog bulbs are 35W
	H9.5-H12.8	AE111 late period	HB3	H7	Resin	*H3d	Resin	0	0	×	*No Fog H3d setting
Corolla Wagon	H3.9-H9.4		H	14	Resin	НЗ	Resin	(	)	0	
	H9.5-H12.7	AE100series	H	14	Resin	*H3a	Resin	(	)	0	*Fog bulbs are 35W
Cavalier	H8.1-H11.11		HB3	HB4	Resin	_	_	0	0	_	
	H11.11-	TJG00series		14	Resin	_	_	-		_	
Cami	H11.5-H12.5			14	Glass	*H3a	Resin	(		0	*Fog bulbs are 35W
	H12.5-	J10#.12#E	НВЗ	НВ4	Resin	_	_	0	0	_	
Crown	H3.10-H7.7	GS,JZS14#series		14	Glass	*H3C	Resin	0		×	*Fog is yellow lens
UTOWIT	H7.8-H9.6	00,02014#361163		14	Glass	*H3C	Resin	(		×	*Fog is yellow lens
	117.0 113.0	GS,JZS15#series	НВ3	НВ4	Resin	*HB4	Resin	0	0	×	
	H9.7-H11.8		HB3	D2R		*HB4		0	-		*Fog is yellow lens
		GWS.ARS22#			Resin		Resin	-		× _	*Fog is yellow lens
	H30.6-	AZSH2#	LED	LED	Resin	LED	Resin				
Crown Royal	H11.9-H15.11	00.17017#		14	Resin	*HB4	Resin	(		×	*Fog is yellow lens
	H13.8-H15.11	GS,JZS17#series	HB3	HB4	Resin	*HB4	Resin	0	0	×	*Fog is yellow lens
			HB3	D2R	Resin	*HB4	Resin	0	-	×	*Fog is yellow lens
	H15.12-H20.1	GRS18#series	HB3	D2R	Resin	HB4	Resin	0	-	0	Vehicles without Night View System
			H11	D2R	Resin	HB4	Resin	0	-	0	Vehicles equipped with Night View System
	H20.2-	GRS20#	HB3	D4S	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
	H24.12-H27.5	GRS210.211	D	4S	Resin	LED	Resin	-	-	-	
	H27.6-H30.5		LED	LED	Resin	LED	Resin	-	-	-	
Crown Athlete	H11.9-H15.11	JZS17#series	H7	D2R	Resin	*HB4	Resin	0	-	×	*Fog is yellow lens
	H15.12-H20.1	GRS19#series	HB3	D2R	Resin	HB4	Resin	0	-	0	
	1110.12 1120.1	and 19#series	H11	D2R	Resin	HB4	Resin	0	-	0	Vehicles equipped with Night View System
	H20.2-	GRS20#	HB3	D4S	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
	H24.12-H27.5	GRS210.211.214	D	4S	Resin	LED	Resin	-	-	-	
	H27.6-H30.5	GRS210.211.214	LED	LED	Resin	LED	Resin		_	_	
Crown Hybrid	1100 5	014/0004	HB3	D4S	Resin	H8	Resin	0	-	0	
	H20.5-	GWS204	H11	D4S	Resin	H8	Resin	0	_	0	
	H25.1-H27.5 H27.6-H30.5	D	4S	Resin	LED	Resin	-	_	_		

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

How to read the compatibility	Chart. O. Can be ins						50				
Crown Majesta	H3.10-H7.8	UZS,JZS14#series	н	14	Resin	-	-	C	)	-	
	H7.8-H9.6		н	14	Resin	*H3C	Resin	C	>	×	*Fog is yellow lens
	H9.7-H11.8	JZS,UZS15#series	H1	HB4	Resin	*HB4	Resin	0	0	×	*Fog is yellow lens
			H1	D2R	Resin	*HB4	Resin	0	×	-	*Fog is yellow lens
	H11.9-H16.7	JZS,UZS17#series	H7	D2R	Resin	*HB4	Resin	0	×	-	*Fog is yellow lens
	H16.7-H21.2	UZS18#series	HB3	D2S	Resin	HB4	Resin	0	-	0	Vehicles without Night View System
	1110.7 1121.2	02310#series	H11	D2S	Resin	HB4	Resin	0	-	0	Vehicles equipped with Night View System
	H21.3-	UZS206/207	HB3/ H11	D4S	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
	H25.9-H30.5	GWS214.AWS215	LED	LED	Resin	LED	Resin	Ι	_	-	
Crown Estate	H11.12-H17.12	JZS171.173.175W	H7	D2R	Resin	HB4	Resin	0	_	0	
Crown Sedan	S62.9-H7.11	GS.JZS.LS13#series	н	14	Glass	-	-	C	)	-	
	H7.12-H13.7	GS.JZS.LS15#	н	14	Glass	*H3C	Resin	C	)	×	*Fog is yellow lens
	H13.8-	GBS.GXS.YXS10.12	н	14	Glass	H3	Resin	C	)	0	
Crown Wagon	S62.9-H11.11	GS.JZS.LS13#series	н	14	Glass	-	-	C	)	-	
Grand Hiace	H11.8-H14.5	CH1#series	н	14	Resin	HB4	Resin	C	)	0	
Grand Ace	R1.12-	GDH303W	LE	ED	Resin	LED	Resin	-	-	-	
Gran Via	H7.8-H11.8	CH1#Wseries	н	14	Glass	нзс	Resin	C	)	0	
	H11.8-H14.5	CH1#series	н	14	Resin	HB4	HB4 Resin		0		
Cresta	H2.8-H4.9	JZX8#,GX80series	H	14	Glass	Glass H3 G		0		0	
	H4.10-H8.9	JZX9#,X90series	н	14	Resin	_	-	0		-	
		JZX10#series	н	14	Resin	HB4	Resin	C	0		
Rullarn	H8.9-H13.6	JZX10#,GX100series	HB3	D2R	Resin	*H3C	Resin	0	_	×	*Fog is yellow lens
Kruger L		4.011.14.01.10#	HB3	HB4	Resin	HB4	Resin	0	0	0	
	H15.8-	ACU,MCU2#	HB3	D2R	Resin	HB4	Resin	0	_	0	
Kruger V			HB3	HB4	Resin	*H3d	Resin	0	0	×	*No Fog H3d setting
	H12.11-H15.7		HB3	D2R	Resin	*H3d	Resin	0	-	×	*No Fog H3d setting
		ACU,MCU2#	HB3	HB4	Resin	HB4	Resin	0	0	0	
	H15.8-		HB3	D2R	Resin	HB4	Resin	0	_	0	
Kruger Hybrid	H17.3-	MHU28W	HB3	D4S	Resin	-	-	0	_	_	
Corsa/Tercel	H6.9-H9.12		н	14	Resin	-	-	Ċ	)	-	
	H9.12-H11.7	EL.NL5	н	14	Resin	-	-	C	)	_	
corona	H4.2-H8.1	AT.CT.ST19#series	н	14	Resin	H3	Resin	C	>	0	
Corona Exxive	H5.10-H10.4	ST20#	н	14	Resin	-	-	C	)	-	
Corona Premio	H8.1-H9.11		н	14	Glass	_	-	C	)	-	
	H9.12-H13.11	CT,ST,AT21#series	н	14	Resin	-	-	C	)	-	
Comfort	H7.12-	LXS.SXS.YXS	н	14	Glass	НЗ	Resin	C	)	0	
Cynos	H3.1-H7.8	EL44	н	14	Resin	*H3d	Resin	C	)	×	*No Fog H3d setting
	H7.9-H11.12	EL52.54	н	14	Resin	*9006J	Resin	C	)	×	*9006J not set
·					I						
Succeed (wagon/van)	H14.7-H17.7	NCP.NLP5#	н	14	Resin	HB4	-	C	)	-	
Succeed (wagon/van)	H14.7-H17.7 H17.8-H26.7	NCP.NLP5#		14	Resin Resin	HB4 H11	– Resin			-	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

The compacibility		A. 110000 11080 L									1
Sienta	H15.9-H18.4	NCP81.85G	н	4	Resin	HB4	Resin	C	2	0	
			Dź	2R	Resin	HB4	Resin	-	-	0	
	H18.5-		н	4	Resin	H11	Resin	C	)	0	
	110.5		D2	2R	Resin	H11	Resin	-	-	0	
	H23.6-		D4	4S	Resin	H11	Resin	-	_	0	
			HI	R2	Resin	H11	Resin	-	-	0	
	H25.9-H27.6		D4	4S	Resin	H11	Resin	-	_	0	
	H27.7-H30.10		HB3	H11	Resin	H16	Resin	0	0	×	
	H27.7-H30.10		LED	LED	Resin	H16	Resin	×	×	×	
	1120.10	NHP.NSP17#	HB3	H11	Resin	LED	Resin	0	0	×	
	H30.10-		LED	LED	Resin	LED	Resin	×	×	×	
			н	14	Resin	H16	Resin	C	)	×	
JPN TAXI	H29.10-	NTP10	LE	Đ	Resin	LED	Resin	>	<	×	
_	S63.9-H5.5	GA,MA,JZA70series	н	4	Glass	*H3a	Glass	C	)	0	*Fog bulbs are 35W
Supra	H5.5-H8.4	174.00	9005J	9006J	Resin	H3	Resin	×	×	0	*HI/LO 9005J/9006J not set
	H8.4-H14.8	JZA80series	HB3	9006J	Resin	H3	Resin	0	×	0	*LO 9006J not set
	H6.5-H7.12	EP82	9005J	9006J	Resin	*H3a	Resin	×	×	0	*HI/LO 9005J/9006J not set
Starlet GT Gi	H8.1-H11.1	EP,NP9#series	н	4	Resin	*H3a	Resin	C	)	0	*Fog bulbs are 35W
Sparky	H12.9-	S2#1Eseries	н	4	Resin	_	_	C	)	-	
Sprinter Carib	H7.8-H14.8	AE110series	н	4	Resin	*H3a	Resin	C	)	0	*Fog bulbs are 35W
	S59.5-S62.5	AE85,86	H4		Glass	_	_	0		-	
	S62.5-H3.5	AE9#series	н	4	Glass	H3C	Glass	C	>	0	
Sprinter Trueno	H3.6-H7.5	AE100,101	H1	H3	Resin	*H3a	Resin	0	0	0	*Fog bulbs are 35W
	H7.5-H9.5	AE11#series	н	4	Resin	*H3a	Resin	C	)	0	*Fog bulbs are 35W
	H9.5-H12.8	AE11#series	HB3	H7	Resin	*H3d	Resin	0	0	×	*No Fog H3d setting
Sprinter Marino	H4.5-H10.8	AE100series	H1	нзс	Resin	*H3	Resin	0	0	0	*Fog is yellow lens
Spade	1104.7		HB3	H11	Resin	-	-	0	0	-	
	H24.7-	NCP.NSP14#	HB3	D4S	Resin	-	-	0	×	-	
Sera	H2.3-H5.12	EXY10series	H1	нзс	Resin	_	-	0	0	0	
Scepter (including wagon and coupe)	H4.8-H8.12	SXV.VCV15series	н	4	Resin	H3C	Resin	C	)	0	
	H1.9-H5.10	ST18#series	н	4	Glass	*H3	Resin	C	)	×	*Fog is yellow lens
	H5.10-H9.12	ST20#series early period	HB3	HB4	Resin	H3	Resin	0	0	0	
Celica	H9.12-H11.9	ST20#series late period	HB3	H1	Glass	H3	Resin	0	0	0	
	H11.9-H14.8		HB3	H7	Resin	_	_	0	0	-	
	H14.8-	ZZT230,231	HIR	D2S	Resin	H3	Resin	0	-	0	
	H1.10-H6.10	UCF1#series	н	4	Glass	*H3C	Resin	C	)	×	*Fog is yellow lens
	H6.10-H9.7	UCF2#series early period	HB3	H4	Glass	HB4	Resin	0	0	0	
Celsior	H9.7-H12.8	UCF2#series late period	HB3	D2R	Resin	*HB4	Resin	0	_	×	*Fog is yellow lens
		UCF3#series early	HB3	D2R	Resin	*HB4	Resin	0	_	×	*Fog is yellow lens
	H12.8-H15.8	period									
	H12.8-H15.8 H15.8-	UCF3#series late	HB3	D2S	Resin	*HB4	Resin	0	-	×	*Fog is yellow lens
Century			HB3 HB3	D2S H4	Resin Glass	*HB4 HB4	Resin Resin	0	-	×	*Fog is yellow lens

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

now to read the compatibility	onart. O. oan be mat						bu -				
	S61.1-H3.5	GZ,MZ2#series	нзс	H4	Resin	*H3	Glass	0	0	×	*Fog is yellow lens
Soarer	H3.5-H13.4	JZZ,UZZ3#series	9005J	9006J	Resin	*H3	Resin	×	×	×	*9006J not set *Fog lamps may cause discoloration of the shade
	H13.4-	UZZ40series	HIR	D2S	Resin	*H3	Resin	×	-	×	*No HI HIR settings *Fog lamps may cause discoloration of the shade
Town Ace	H4.1-H8.10	TR,CR,KR2#,3#series	н	4	Resin	*H3d	Resin	0		×	*No Fog H3d setting
Town Ace Truck/Van	H20.2-	S402	н	4	Resin	-	-	C	)	-	
Town Ace Noah	H8.10-H10.11		н	4	Resin	H3	Resin	0		0	
	H10.12-H13.10	SR,CR40,50Gseries	н	4	Resin	HB4	Resin	C	)	0	
American Billet	H8.10-H13.11	SR50G	Sealed	l Beam	Glass	_	_	>	<	_	Cannot be installed on sealed beam vehicles
Noah			н	4	Resin	*H3d	_	C	)	×	*No Fog H3d setting
	H13.11-H16.8		HB3	D2R	Resin	*H3d	_	0	_	×	*No Fog H3d setting
		AZR60,65G	HB3	D4R	Resin	HB4	Resin	0	_	0	
	H16.8-H19.6		HB3	HB4	Resin	HB4	Resin	0	0	0	
		70070 750	HB3	H11	Resin	HB4or	Resin	0	0	0	
	H19.6-H22.3	ZRR70.75G ZRR70.75W	HB3	D4S	Resin	H11 HB4or	Resin	0	_	0	
			HB3	H11	Resin	H11 H11	Resin	0	0	0	
	H22.4-H25.12	ZRR70.75G ZRR70.75W	HB3	D4S	Resin	н11	Resin	0	×	0	
								0			
	H26.1-H29.6	7000000	HB3	H11	Resin	H16	Resin		0	×	
		ZRR8#W.G	HB3	LED	Resin	H16	Resin	0	×	×	
	H29.7-		LED	LED	Resin	LED	Resin	×	×	×	
Noah Hybrid	H26.2-H29.6	ZWR80G	HB3	LED	Resin	H16	Resin	0	×	×	
	H29.7-		LED	LED	Resin	LED	Resin	×	×	×	
	H4.10-H8.9	JZX9#,GX90series	н	4	Resin	H3C	Resin	C	)	0	
Chaser	H8.9-H13.6	JZS10#,GX100series	HB3	HB4	Resin	*H3C	Resin	0	0	×	*Fog is yellow lens
			HB3	D2R	Resin	*H3C	Resin	0	-	×	*Fog is yellow lens
Touring Hiace	H11.8-H14.5	KCH,RCH4#Wseries	н	4	Resin	HB4	Resin	C	)	0	
duet	H10.9-	M10#A,11#A	н	4	Resin	-	-	C	)	-	
Nadia	H10.8-H13.8	SXN10,15series	н	4	Resin	-	-	C	>	-	
	H13.8-	CAN,SXN10,15series	D2	2R	Resin	-	-	-	-	-	
Hiace	H1.8-H8.8	H10#,11#,12#series	н	4	Glass	*H3d	Resin	C	)	×	*No Fog H3d setting
	H8.9-H11.6	H10#,11#,12#series	н	4	Glass	нзс	Glass	C	)	0	
	H11.7-H16.8	KZH10#,12#series	н	4	Resin	-	-	C	)	-	
	H16.8-H22.7	TRH2##,KDH2##serie	н	4	Resin	HB4	Resin	C	)	0	
	H17.2-H22.7	s	н	4	Resin	HB4	Resin	C	)	0	
	H22.7-H24.4		HB3	D4S	Resin	HB4	Resin	0	×	0	
			н	4	Resin	PSX 26W	Resin	C	)	×	
	H24.5-H25.11		HB3	D4S	Resin	PSX 26W	Resin	0	×	×	
			н	4	Resin	PSX26W	Resin	C	)	×	
	H25.12-H29.11		HB3	LED	Resin	PSX26W	Resin	0	×	×	
			н	4	Resin	PSX26W		C	)	×	
	H29.11-	GDH.TRH2##	HB3	LED		PSX26W		0	×	×	
Hiace Regius	H9.4-H11.7	CH40series	Н	4	Glass	*H3	Glass	C	)	×	*Fog may cause discoloration of the shade

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

now consad the compatibility											
Hilux Surf	S63.9-H7.11	LN,YN8,10series	н	14	Glass	-	-	C	>	-	
	H7.12-H14.11	ZN18#	н	14	Glass	-	-	C	)	-	
	H14.11-H17.7	KZN,RZN,VZN21#	HB3	HB4	Resin	HB4	Resin	0	0	0	
projector	H17.8-	TRN,GRN	HB3	H11	Resin	HB4	Resin	0	0	0	
Harrier			HB3	HB4	Resin	HB4	Resin	0	0	0	
	H9.12-H15.2	U10W,15Wseries	HB3	D2R	Resin	HB4	Resin	0	-	0	
			НВ3	H11	Resin	HB4	Resin	0	0	0	Fog H3 setting is also available as dealer option
	H15.2-	ACU,MCU3#Wseries	НВ3	D2S	Resin	HB4	Resin	0	-	0	Fog H3 setting is also available as dealer option
	H25.12-H29.5	ZSU60.65W	HB3	LED	Resin	LED	Resin	0	_	-	
			HB3	LED	Resin	LED	Resin	0	_	_	
	H29.6-R2.6	ASU.ZSU6#	LED	LED	Resin	LED	Resin	_	_	_	
	R2.6-	MXUA80.85	LED	LED	Resin	LED	Resin	-	_	_	
Harrier Hybrid	H17.3-	MHU38W	НВ3	D2S	Resin	H11	Resin	0	-	0	
Passo			н	14	Resin	HB4	Resin	C	)	0	
	H16.11-H18.12		H7	D2R	Resin	HB4	Resin	0	_	0	
		KGC,QNC1#	н	14	Resin	*H8	Resin	0	)	0	*Fog bulbs are 35W
	H18.12-H22.2		H7	D4R	Resin	*H8	Resin	0	_	0	*Fog bulbs are 35W
			н	14	Resin	*H8	Resin	0	)	0	*Fog bulbs are 35W
	H22.2-H26.3	KGC30/35 NGC30	НВ3	H7	Resin	*H8	Resin	0	0	0	*Fog bulbs are 35W
			НВ3	D4S	Resin	*H8	Resin	0	_	0	*Fog bulbs are 35W
			н	14	Resin	H16	Resin	C	)	×	
		KGC30.35	НВЗ	D4R	Resin	H16	Resin	0	_	×	
	H26.4-H28.3	NGC30	HB3	Н7	Resin	H16	Resin	0	0	×	
			HB3	D4S	Resin	H16	Resin	0	_	×	
			н	I I4	Resin	LED	Resin	0	 >	_	
	H28.4-H30.9		НВЗ	LED	Resin	LED	Resin	0	_	_	
			LE	L ED	Resin	LED	Resin	_	_	_	
		M700S.710S	н	14	Resin	LED	Resin	0	)	_	
	H30.10-		НВЗ	LED	Resin	LED	Resin	0	_	_	
				ED	Resin	LED	Resin	-		_	
Passo Sette				14	Resin	*H8	Resin	C	<u>ר</u>	0	*Fog bulbs are 35W
	H20.12-	M502.512E	Н7	D4R	Resin	*H8	Resin	0	_	0	*Fog bulbs are 35W
Vista	H10.7-	ZZV,SV5#	нвз	HIR2	Resin	H3	Resin	0	×	0	*LO No HIR2 setting
Vista Ardeo	H10.8-	ZZV,SV5#G	нвз	HIR2	Resin	НЗ	Resin	0	×	0	*LO No HIR2 setting
Fun Cargo		221,010#0		14	Resin	-		0		-	
	H10.8-H17.9	CP2#series		2R	Resin	_	_	-		_	
Plotz	H11.8-	CP1#series		2R  4	Resin	_	_			_	
Platz	1111.0-	OF T#Series			Resin		_		,		

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Prius	H9.10-H15.9	NHW10series	н	4	Resin	*H3	Resin	C	)	×	*Fog may cause discoloration of the shade
			н	4	Resin	HB4	Resin	0		0	
	H15.9-H17.10		Dź	2R	Resin	HB4	Resin	-	-	_	
		NHW20series	н	4	Resin	HB4	Resin	C	)	0	
	H17.10-		D4	4R	Resin	HB4	Resin	-		0	
		71 84/00	нвз	H11	Resin	H11	Glass	0	0	0	
Touring Selection	H21.5-	ZVW30	НВ3	LED	Resin	H11	Glass	0	-	0	
	H30.12	ZVW50	LED	LED	Resin	LED	Resin	-	-	_	
Prius PHV			HB3	D4S	Resin	H16	Resin	0	_	×	
Leather Package	H24.1-H29.1	ZVW35	HB3	LED	Resin	H16	Resin	0	_	×	
	H29.2-	ZVW52	LED	LED	Resin	LED	Resin	_	_	_	
Prius Alpha			НВЗ	H11	Resin	H11	Resin	0	0	0	
G. Touring Selection	H23.5-H26.10		НВ3	LED	Resin	H11	Resin	0	_	0	
		ZVW41.40W	HB3	H11	Resin	LED	Resin	0	0	_	
	H26.11-			ED	Resin	LED	Resin	_	_	_	
Blade			HB3	H11	Resin	H11	Resin	0	0	0	
	H18.12-	AZE156H	НВЗ	D4S	Resin	H11	Resin	0	-	0	
Brevis	H13.6-H17.12		HB3	D2R	Resin	_	_	0	_	_	
Brovis	H17.12-	JCG10.11.15	НВЗ	D4R	Resin	_	_	0		_	
Premio	1117.12				Resin	_	_			_	
Freinio	H13.12-H16.11	#ZT24#				_	_	-			
				14	Resin			C			
	H16.12-H19.5				Resin	HB4	Resin			0	
			HB3	D4S	Resin	HB4	Resin	0	-	0	
	H19.5-H24.11		HB3	H11	Resin	H11	Resin	0	0	0	
		-	HB3	D4R	Resin	H11	Resin	0	-	0	
	H24.12-H28.5	NZT260,ZRT26#	HB3	H11	Resin	H16	Resin	0	0	×	
		-	HB3	D4R	Resin	H16	Resin	0	-	×	
	H28.6-			R2	Resin	H16	Resin		-	×	
			LED	LED	Resin	LED	Resin	-		-	
Progressive	H10.5-H17.12		HB3	HB4	Resin	-	-	0	0	-	
		JCG1#series	HB3	D2R	Resin	-	-	0	-	-	
	H17.12-		HB3	D4R	Resin	-	-	0	-	-	
Pronard	H12.4-	MCX20	HB3	HB4	Resin	HB4	Resin	0	0	0	
			HB3	D2R	Resin	HB4	Resin	0	-	0	
Probox	H14.7-H17.7	NLP.NCP5#series	н	14	Resin	HB4	-	C	)	0	
	H17.8-		н	14	Resin	H11	-	C	)	0	
	H26.8-	NHP.NCP16#V	н	14	Resin	H16	-	C	)	×	
Berta	H17.11-	KSP.#CP92.96	н	14	Resin	-	-	C	2	0	
			D4	4R	Resin	-	-	-	-	-	
Porte	H16.7-	NNP1#series	н	14	Resin	HB4	Resin	C	>	0	
		1414F 1#501(85	D4	4R	Resin	HB4	Resin	-	-	0	
	1104.7		н	14	Resin	H16	Resin	C	>	×	
	H24.7-	NCP.NSP14#	HB3	D4R	Resin	H16	Resin	0	-	×	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

	1110.11 1110.10		HB3	D4S	Resin	HB4	Resin	0	_	0	
		GRX12#series									
	H18.11-H21.9		HB3	H7	Resin	*H8	Resin	0	0	0	*Fog bulbs are 35W
			HB3	D4S	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
	H21.10-H24.8	GRX13#	HB3	H11	Resin	H11	Glass	0	0	0	
		_	HB3	D4S	Resin	H11	Glass	0	-	0	
	H24.9-H28.10		D	4S	Resin	H16	Resin		-	×	
	H24.9-H28.10		D	4S	Resin	H16	Resin		_	×	
	1100 11		D	4S	Resin	LED	Resin		-	-	
	H28.11-		LI	ED	Resin	LED	Resin		_	_	
Mark X Zio			HB3	H11	Resin	H11	Resin	0	-	0	
	H19.9-	AW##K	HB3	D4S	Resin	H11	Resin	0	_	0	
Mark II	H4.10-H8.8	JZX9#,GX90series	н	I I4	Resin	*9006J	Resin	(	Г С	×	*9006J not set
			F	14	Resin	HB4	Resin			0	
	H8.9-H12.10	JZX10#,GX100series									
			HB3	D2R	Resin	*H3C	Resin	0		×	*Fog is yellow lens
	H12.10-H16.10	JZX11#,GX110series	H4	HB4	Resin	*H4	Resin	0	0	0	
			H4	D2R	Resin	*H4	Resin	0	-	0	
Mark II Qualis	H9.4-H13.12	V2#W,V#Wseries	HB3	HB4	Resin	HB4	Resin	0	0	0	
			HB3	D2R	Resin	H3	Resin	0	-	0	
Mark II Bullitt	H14.1-H16.12	JZX11#,GX110series	HB3	H7	Resin	HB4	Resin	0	0	0	
	H16.12-	SZATT#,GATTOSeries	HB3	D2S	Resin	HB4	Resin	0	-	0	
		KSP210	LI	ED	Resin	LED	Resin		_	-	
Yaris	R2.2-	MXPA10.15 MXPH10.15	н	R2	Resin	LED	Resin	-		_	
			LI	ED	Resin	LED	Resin		_	_	
Yaris Cross	R2.9-	MXPJ1# MXPB1#	н	R2	Resin	LED	Resin		_	_	
Rise	R1.11-	A200A.A210A		ED	Resin	LED	Resin		_	_	
						-	–		о С	_	
Lite Ace	H4.1-H8.9	CR,YR,KR2#,3#series		14	Resin						
LiteAce Truck/Van	H20.2-	S402		14	Resin	-	-		C	-	
Lite Ace Noah	H8.10-H10.11	SR,CR40,50Gseries	*	-14	Glass	H3	Glass	(	C	0	*Not compatible with sealed beam vehicles.
	H10.12-H13.10		*	-14	Resin	HB4	Resin	(	C	0	*Not compatible with sealed beam vehicles.
Raum	H9.5-H15.5	EXZ10series	H	14	Resin	-	-	(	C	-	
	H15.5-	NCZ20,25	H	14	Resin	HB4	Resin	(	C	0	
	H15.5-	NG220,25	H7	D2R	Resin	HB4	Resin	0	-	0	
Ractis			н	14	Resin	*H11	Resin	C	C	0	*Fog lights are manufacturer's option
	H17.10-H19.11		Н7	D4R	Resin	*H11	Resin	0	_	0	*Fog lights are manufacturer's option
		NCP,SCP10#	HB3	H11	Resin	H11	Glass	0	0	0	· · · · · · · · · · · · · · · · · · ·
	H19.12-H22.10		HB3	D4S	Resin	H11	Glass	0	_	0	
				14	Resin	H11	Glass		 >	0	
	H22.11-H23.9								1		
		-	H11	D4R	Resin	H11	Glass	0		0	
	H23.10-H26.4	NCP12# NSP12#		14 I	Resin	H11	Resin		С Г	0	
			H11 D4R	Resin	H11	Resin	0	-	0		
	H26.5-H28.8		HIR2 I	Resin	H11	Resin	-		0		
			D	4S	Resin	H11	Resin	-	-	0	
rush		10#05	HB3	H11	Resin	*H8	Resin	0	0	0	*Fog bulbs are 35W
	H18.1-	J2#0E	HB3	D2S	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
L			L	L	I	L	L		I	L	1

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID. How to read the compatibility chart: O: Can be installed  $\Delta$ : Notes must be checked × Cannot be installed

Land Cruiser 80 H2.2-H9.12 J80series \*H3C Glass 0 × \*Fog is yellow lens H4 Glass Land Cruiser 100 H10.1-H17.4 HB4 Glass \*HB4 0 \*Fog may cause discoloration of the shade HB3 Glass Ο × J100series H17.4-H19.8 HB3 HB4 Resin HB4 Resin 0 0 0 Land Cruiser 200 H19.9-H21.3 UZJ200W HB3 H11 Resin HB4 Resin 0 0 0 H21.4-H23.12 HB3 H11 Resin HR4 Resin 0 0 0 UZJ.URJ202W H23.12-H24.12 HB3 H11 Resin H16 Resin Ο Ο × H16 0 0 × HB3 H11 Resin Resin H25.1-H27.7 HB3 H16 D4S Ο Resin Resin \_ × URJ202W HB3 LED LED 0 \_ Resin Resin H27.8-R3.7 \_ LED LED Resin LED Resin \_ FJA300W \_ \_ Land Cruiser 300 R3.8-LED LED Resin LED \_ Resin VJA300W Land Cruiser Prado H8.5-H14.9 J90series H4 Glass 0 TRJ,KDJ,RZJ,VZJ12 H14.10-H21.8 Η4 0 0 Resin HB4 Resin H21.9-H25.8 GRJ.TRJ15# HB3 H11 Resin H11 Resin 0 0 0 HB3 H11 Resin H16 Resin 0 0 × H25.9-H27.5 GRJ.TRJ15# HB3 LED Resin H16 Resin 0 \_ × HB3 H11 Resin H16 Resin Ο 0 × H27.6-H29.8 GDJ.TRJ15#W \_ × HB3 LED Resin H16 Resin 0 H29.9-LED LED Resin LED Resin \_ \_ \_ 0 \_ H4 LED Resin Resin Roomy H28.11-M900A.910A LED LED Resin LED \_ Resin \_ \_

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

EXUS Model name Year Model Model Genuine bulb Commotibile Remarks													
Model name	Year Model	Model		Ge	enuine bi	ulb			halogen compatibl		Remarks		
			Hi	Lo	Lens	Fog	Lens	Hi	Lo	Fog			
ES300h	H30.11-	AXZH10	LED	LED	Resin	LED	Resin	-	-	-			
GS430/350	H17.8-	UZS.GRS19#	*HIR	D4S	Resin	HB4• D2S	Resin	×	-	0	*HI HIR not set		
GS450h	H18.3-	GWS191	HIR	D4S	Resin	-	Resin	×	-	-	*HI HIR not set		
GS460	H19.9-	URS190	HB3	D4S	Resin	HB4	Resin	0	-	0			
1100504	H21.7-		HB3	LED	Resin	H11	Resin	0	-	0			
HS250h	H25.1-	ANF10	HB3	LED	Resin	LED	Resin	0	-	-			
IS350/250	H17.9-H20.8		HB3	H11	Resin	HB4	Resin	0	0	0			
		-GSE2#	нвз	D4S	Resin	HB4	Resin	0	-	0			
	H20.9-H22.7	-	HB3	D4S	Resin	HB4	Resin	0	_	0			
	H22.8-H25.8		HB3	D4S	Resin	H11	Resin	0	_	0			
	H25.5-H28.9	GSE30.35	D4S		Resin	H16	Resin	-	-	×			
		GSE31	LED		Resin	H16	Resin	-	-	×			
IS350/200t	H27.8-	ASE30.GSE31	LE	ED	Resin	LED	Resin	_	_	_			
	H25.5-H27.7	AVE30		4S	Resin	H16	Resin	-	-	×			
IS300h	H27.8-	AVE30.35	LE		Resin Resin	H16 LED	Resin Resin	-	-	× _			
IS350C/250C (convertible)	H21.5-	GSE20	НВЗ	D4S	Resin	H11	Resin	0	_	0			
IS F	H19.10-	-USE20	HB3	D4S	Resin	H11	Resin	0	_	0			
	H22.8-		LE	ED	Resin	H11	Resin	-	-	-			
LS460/460L	H18.9-H21.9		HIR	D4S	Resin	HB4	Resin	×	-	0	*HI No HIR setting		
		USF4#	НВ3	D4S	Resin	HB4	Resin	0	-	0			
	H21.10-H24.9		Н9	D4S	Resin	HB4	Resin	×	-	0			
LS600h/600hl (Hybrid)	H19.5-H21.10		H9	LED	Resin	HB4	Resin	×	-	0	*HI H9 not set		
	H21.11-H24.9	UVF4#	H9	LED	Resin	HB4	Resin	×	-	0			
	H26.10-		LED	LED	Resin	LED	Resin	-	-	-			
LX570	H27.9-	URJ201W	LED	LED	Resin	LED	Resin	-	-	-			
RX350/270	H21.1-	GGL1#W	HB3	D4S	Resin	H11	Resin	0	-	0			
		-		•	•	•	•		•		•		

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

	H24.4-	AGL1#W	H9	LED	Resin	H11	Resin	-	-	0	
RX450h (Hybrid)	H21.4-H24.3	GYL1#W	HB3	LED	Resin	H11	Resin	0	-	0	
	H24.4-H27.9	GILI#W	H9	LED	Resin	H11	Resin	-	-	0	
	H27.10-	GYL20.25W	LED	LED	Resin	LED	Resin	-	-	-	
RX200t	H27.10-	AGL20.25W	LED	LED	Resin	LED	Resin	I	Ι	-	
SC430	H17.8-	UZZ40	HIR	D4S	Resin	H3	Resin	×	-	0	*HI HIR not set

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

NISSAN											
Model name	Year Model	Model		Ge	enuine bu	ılb			halogen ompatibl		Remarks
			Hi	Lo	Lens	Fog	Lens	Hi	Lo	Fog	-
180SX	H1.4-H11.2	S13series	н		Glass	H3	Glass	(		0	
AD Wagon	H2.10-H11.5	Y10series		14	Glass	-	-		)	-	
AD Van	H2.9-H11.5	Y10series	Sealed	d Beam	Glass	H3	Glass		×	0	*Not compatible with HI/LO shield beam vehicles.
			H	14	Glass	H4	Glass	0	>	0	
	H11.6-H18.11	Y11series	H	14	Resin	_	-	C	2	-	
AD (Expert)	H18.12-	Y12series	н	14	Resin	-	-	C	>	-	
GT-R	H19.12-	R35	H9	D2S	Resin	-	-	×	-	-	*HI H9 not set
X-TRAIL	LI 10 11_LI 10 7	T20	H	14	Resin	H11	Resin	C	2	0	
	H12.11-H19.7	Т30	H1	D2R	Resin	H11	Resin	0	-	0	
			HB3	H4	Resin	*H8	Resin	0	0	0	*Fog bulbs are 35W
	H19.8-H22.6		HB3	D2S	Resin	*H8	Resin	0	_	0	*Fog bulbs are 35W
		T31	H1	H11	Resin	*H8	Resin	0	0	0	*Fog bulbs are 35W
	H22.7-H25.11		H1	D2S	Resin	*H8	Resin	0	_	0	*Fog bulbs are 35W
			H9	H11	Resin	H11or	Resin	×	0	0	
	H25.12-H29.5		LED	LED	Resin	LED H11or	Resin	_	_	0	
		#T32	H9	H11	Resin	LED H8or	Resin	×	0	0	
	H29.6-		LED	LED	Resin	LED H8or	Resin	_	_	0	
A				H4 GI		LED H3		(		0	
Avenir Aero Express	H2.5-H10.8	W10series	H1			НЗ	Glass Glass	0	0	0	
					Glass	пэ —	- Giass			_	
Avenir Salut	H10.8-	W11series	H1	H1	Resin			0	0		
			H1	D2R	Resin	-	-	0	-	-	
Infiniti Q45	H5.6-H8.9	G50series	H3C	H4	Glass	H3	Glass	0	0	0	
Wing Road	H8.5-H11.4	Y10series		14 I	Glass	H3	Glass	0	1	0	
Aero Express			*H2	H1	Glass	_	-	×	0	0	*HI H2 not set
	H11.5-H13.11	Y11series	Specia	I (IH01)	Resin	H3	Glass	>	к г	0	*HI/LO IH01 not set
	H13.11-H17.10	WFY11	HB3	HB4	Resin	H3	Glass	0	0	0	
			HB3	D2R	Resin	H3	Glass	0	-	0	
	H17.11-	Y12series	HB3	HB4	Resin	-	-	0	0	-	
		Tizseries	HB3	D2S	Resin	-	-	0	-	-	
NV200 Vanette	H21.5-	#M20	н	4	Resin	H8	Resin	C	5	0	
e-NV200 Van	H26.6-	VME0	н	14	Resin	H11	Resin	C	C	0	
e-NV200 Wagon	H26.6-	ME0	н	14	Resin	H11	Resin	C	2	0	
NT100 Clipper	H25.12-	DR16T	н	14	Resin	H8	Resin	C	)	0	
	H25.12-H27.2	DR64V	н	14	Resin	H8	Resin	C	2	0	
NV100 Clipper	H27.3-	DR17V	н	14	Resin	H16	Resin	C	)	×	
			н	14	Resin	H8	Resin	C	5	0	
NV100 Clipper Rio	H25.12-H27.2	DR64W	H1	D2R	Resin	H8	Resin	0		0	
				14	Resin	H16	Resin	0		×	
н	H27.3-	DR17W		D4R		H16			-	×	
			H1		Resin	1110	Resin	0	_		

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

The compacibility	onal c. O. oan be ma		00 011000		annoco	5 motali	ou				
Elgrand	H9.5-H12.7		H4		Resin	H3	Resin	n O		0	
	H12.8-H14.5	E50series	HB3	HB4	Resin	H1	Glass	0	0	0	
	1112.0 1114.0		HB3	D2R	Resin	H1	Glass	0	-	0	
	H14.5-H16.8		HB3	H7	Resin	H11	Resin	0	0	0	
	1114.5 1110.8	E51series	HB3	D2R	Resin	H11	Resin	0	-	0	
	H16.8-H22.8	LUISenes	HB3	D2R	Resin	H11	Resin	0	-	0	
projector	1110.0 1122.0		HB3	D2S	Resin	H11	Resin	0	-	0	With active AFS
	H22.8-H25.12		Н9	D2S	Resin	*H8	Resin	×		0	*Fog bulbs are 35W
	H26.1-	#E52	H9	D2S	Resin	H8	Resin	×	-	0	
	1120.1		LE	ED	Resin	H11	Resin	-	-	0	
Otti	H17.6-H18.9	H91W	н	14	Resin	-	-	C	)	-	
	1117.0 1110.5	1.51	HB3	D2S	Resin	-	-	0	-	-	
	H18.10-	H92W	н	14	Resin	-	-	C	)	-	
	110.10-	1921	HB3	D2S	Resin	—	-	0	-	-	
Kicks	H20.10-	H59A	н	14	Resin	H11	Resin	C	)	0	
Kicks (e-POWER)	R2.6-	P15	LED	LED	Resin	LED	Resin	-	1	-	
Caravan/Homy	S61.9-H13.4	E24series	н	14	Glass	*H3	Glass	C	)	×	*Fog is yellow lens
caravan	H13.5-H17.11	#E25	н	14	Resin	H3a	0	C	2	0	
	H17.12-H24.6	#E23	н	14	Resin	H11	Resin	0		0	
NV350 Caravan	LI24 6_LI20 6		н	H4		H11	Resin	0		0	
	H24.6-H29.6	#E00	D	2R	Resin	H11	Resin	-	-	0	
	H29.7-	#E26	н	14	Resin	H11	Resin	C	)	0	
	H29.7-		LE	ED	Resin	H11	Resin	-	_	0	
Cube	H10.2-H14.9	710	н	14	Resin	-	-	C	)	-	
	n10.2-n14.9	Z10series	D	2R	Resin	-	-	-	-	-	
	1114.10	711	н	14	Resin	HB4	Resin	C	)	-	
	H14.10-	Z11series	D	2R	Resin	HB4	Resin	-	-	0	
			н	14	Resin	HB4	Resin	C	)	-	
	H18.12-H22.11	710	D	2R	Resin	HB4	Resin	-	-	0	
	1100.11	Z12series	н	14	Resin	*H8	Resin	C	)	0	*Fog bulbs are 35W
	H20.11-		D	2R	Resin	*H8	Resin	-	-	0	*Fog bulbs are 35W
Cube Cubic		#711	н	14	Resin	HB4	Resin	C	)	0	
	H15.9-H20.10	#Z11	D	2R	Resin	HB4	Resin	-	-	0	
Clipper Van	H15.10-	U71V.U72V	н	14	Resin	-	-	C	)	_	
Clipper Rio	H19.6-	U71W.U72W	н	14	Resin	-	-	C	)	_	
Gloria Brougham series	H3.6-H7.6	Y32series	н	14	Glass	H3	Glass	C	)	0	
	H7.6-H11.6	Y33series	н	14	Resin	H3	Resin	C	)	0	
Gloria G Turismo	H3.6-H7.6	Y32series	нзс	H4	Glass	H3	Glass	0	0	0	
	H7.6-H11.5	Y33series	H1	H4	Glass	H3	Glass	0	0	0	
	H9.6-H11.5	Y33series	H1	D2R	Glass	H3	Resin	0	_	0	
1	L	1	!							· · · · · ·	l

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

now to read the compatibility	onarc. O. oan be ma						ou .				
Gloria/Cedric	H11.6-H13.11		HB3	H1	Resin	НЗ	Glass	0	0	0	
		#Y34	HB3	D2R	Resin	НЗ	Glass	0	-	0	
	H13.12-H16.10		HB3	H1	Resin	HB4	Resin	0	0	0	
	1110.12 1110.10		HB3	D2R	Resin	HB4	Resin	0	-	0	
Sunny	H6.1-H10.10	B14series	H	14	Resin	*H3a	Resin	C	C	0	*Fog bulbs are 35W
	H10.10-H14.4	B15series	Specia	I (IH01)	Resin	H3	Resin	;	×	0	*HI/LO IH01 No setting
	H14.5-	Disseries	Specia	I (IH01)	Resin	H11	Resin	;	×	0	*HI/LO IH01 No setting
Safari (12V version)	H9.10-	Y61series	н	14	Glass	-	-	Ċ	C	-	
Cima	S63.1-H8.6	Y31series Y32series	н	14	Glass	-	-	C	C	-	
	H8.6-H12.12	Y33series	H1	H4	Resin	НЗ	Resin	0	0	0	
	H9.9-H13.1		H1	D2R	Resin	НЗ	Resin	0	-	0	
		F50	H	14	Resin	_	-	C	C	_	
	H13.1-	F50series	H1	D2S	Resin	_	-	0	-	_	
	H24.5-	HGY51	D	25	Resin	H11	Resin	-	_	0	
Silvia	S63.5-H5.9		H3C	H4	Glass	НЗ	Glass	0	0	0	
	S63.5-H2.12	S13series	H3	нзс	Glass	*H3C	Glass	0	×	×	*Fog is yellow lens
projector	H3.1-H5.10		Н3	H1	Glass	нзс	Glass	0	0	0	
	H5.10-H8.6		НЗС	H4	Resin	НЗ	Resin	0	0	0	
	H8.6-H11.1	S14series	H1	H1	Resin	НЗ	Resin	0	0	0	
			HB3	H1	Resin	НЗ	Glass	0	0	0	
	H11.1-H14.8	S15series	HB3	D2S	Resin	НЗ	Glass	0	-	0	
Juke			H	14	Resin	*H8	Resin	(	с	0	*Fog bulbs are 35W
	H22.6-	F15	H1	D2R	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
Skyline (excluding GT-R)	S60.8-H1.5		H1	H4	Glass	-	-	0	0	_	
projector	S62.8-H1.5	R31series	Н3	нзс	Glass	_	-	0	0	-	
		R32series early	н	14	Glass	нзс	Glass	(	2	0	
projector	H1.5-H3.8	period	H3	нзс	Glass	НЗ	Glass	0	0	0	
			H	14	Glass	_	-	C	2	_	
projector	H3.8-H5.8	R32series late period	H3	H1	Glass	НЗ	Glass	0	0	0	
	H5.8-H8.1		H1	H1	Resin	H3	Resin	0	0	0	
2DR	H8.1-H10.5	R33series	H1	H1	Resin	НЗ	Resin	0	0	0	
4DR	H8.1-H10.5		н	14	Resin	НЗ	Resin	(	D	0	
		204	HIR	D2R	Resin	_	-	×	-	_	*HI No HIR setting
	H10.5-H13.6	R34series	HB3	H1	Resin	_	-	0	0	_	4Dr car
4Dr	H13.6-H18.10	V05	H4	D2R	Resin	H4	Resin	0	-	0	4Dr car
2Dr	H15.1-	V35series	H4	D2R	Resin	H4	Resin	0	-	0	2D car
4Dr	H18.11-H21.12		D	2S	Resin	HB4	Resin	-	_	0	Bi-Xenon
	H22.1-	V36series	D	2S	Resin	*H8	Resin	-	_	0	*Fog bulbs are 35W
			023			I				L	

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

How to read the compatibility	onale C. Oan be ma										1
Skyline GT-R	H1.8-H3.7		НЗ	нзс	Glass	НЗ	Glass	0	0	0	
(Vehicles with N1 headlights)	H1.8-H6.12	R32series	H	14	Glass	H3C	Glass	C	<b>D</b>	0	
	H3.8-H6.12		НЗ	H1	Glass	НЗ	Glass	0	0	0	
	H7.1-H9.3	R33series	H1	H1	Resin	-	-	0	0	-	
	H9.3-H11.1	R33series	H1	D2S	Resin	-	-	0	-	-	
	H11.1-H14.8	R34series	HIR	D2R	Resin	H3	Resin	0	-	0	
GT-R	H19.12-	R35	Н9	D2S	Resin	-	-	-	-	_	
Skyline Crossover	H21.7-	J50	Н9	D2S	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
Stagea	H8.9-H10.9		H	14	Glass	*H3C	Glass	C	) )	×	*Fog is yellow lens
		C34series	HB3	H1	Resin	*H3C	Resin	0	0	0	
	H10.9-H13.10		НВ3	D2R	Resin	*H3C	Resin	0	-	0	
			H4	H1	Resin	H4	Resin	0	0	0	
	H13.10-H16.8	M35series	H4	D2R	Resin	H4	Resin	0	-	0	
	H16.8-		H4	D2R	Resin	H4	Resin	0	-	0	
Cedric Brougham series	H3.6-H7.5	Y32series	H	14	Glass	*H3	Glass	(	2	×	*Fog is yellow lens
	H7.6-H11.6	Y33series	H	14	Resin	НЗ	Resin	(	C	0	
Cedric G Turismo	H3.6-H7.5	Y32series	нзс	H4	Glass	*H3	Glass	0	0	×	*Fog is yellow lens
	H7.6-H11.5	Y33series	H1	H4	Glass	НЗ	Resin	0	0	0	
	H9.6-H11.5	Y33series	H1	D2R	Glass	НЗ	Resin	0	_	0	
Cedric			НВЗ	H1	Resin	НЗ	Resin	0	0	0	
	H11.6-	Y34series	НВЗ	D2R	Resin	НЗ	Resin	0	_	0	
Cefiro	S63.9-H6.8		H	14	Glass	*H3C	Glass	(	Г С	×	*Fog is yellow lens
	S63.9-H2.6	A31series	НЗ	НЗС	Glass	*H3C	Glass	0	0	×	*Fog is yellow lens
	H2.7-H6.8		НЗ	H1	Glass	НЗ	Glass	0	0	0	
	H6.8-H10.12	A32series	H	I  4	Resin	НЗ	Resin	(	і <u> </u>	0	
	H10.12-H15.3		HB3	HB4	Resin	НЗ	Resin	0	0	0	
	H10.12-H11.12	#A33	HIR1	D2R	Resin	НЗ	Resin	0	_	0	
	H12.1-H15.3		HB3	D2R	Resin	НЗ	Resin	0	_	0	
Cefiro Wagon	H9.6-H11.8		H	I I4	Resin	НЗ	Resin	(	 Э	0	
	H11.9-H12.7	A32series	H1	H1	Resin	_	_	0	0	_	
Serena	H3.6-H11.5	C23series		I I4	Glass	*H3C	Glass		і Э	×	*Fog is yellow lens
			Specia	I (IH01)	Resin	НЗ	Resin	;	×	×	*HI/LO IH01 No setting
	H11.6-H13.11		H1	D2R	Resin	НЗ	Resin	0	_	0	
		C24series		I I4	Resin	НЗ	Resin		L D	0	
	H13.12-H17.5		H1	D2R	Resin	НЗ	Resin	0	_	0	
				I I4	Resin	*H8	Resin		і Э	0	*Fog bulbs are 35W
	H17.6-H19.11		D	2R	Resin	*H8	Resin	-	_	0	*Fog bulbs are 35W
		C25series	НВ3	H11	Resin	*H8	Resin	0	0	0	*Fog bulbs are 35W
	H19.12-H22.11		H11	D2S	Resin	*H8	Resin	0	_	0	*Fog bulbs are 35W
			НВЗ	HB4	Resin	*H8	Resin	0	0	0	*Fog bulbs are 35W
	H22.11-H24.7	#C26	НВЗ	D2R	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
		C26.NC26	HB3	HB4	Resin	*H8	Resin	0	0	0	-
	H24.8-H28.7	HC26.HFC26	HB3	D2R	Resin	*H8	Resin	0	-	0	
Serena		NC26.FNC26	H9	H11	Resin	H11	Resin	-	0	0	
	H28.8-	C27.GC27.GNC27									

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

How to read the compatibility					annoube	s install					
	H30.2-	HC27.HFC27	H9	LED	Resin	H11	Resin	-	-	0	
Datsun Pickup	S60.8-H8.12	D21	н	4	Glass	-	-	C	>	-	
	H9.1-	D22	н	4	Glass	-	-	C	)	-	
Tiida	H16.9-		н	4	Resin	*H8	Resin	C	)	0	*Fog bulbs are 35W
	H16.10-H19.12		D	2R	Resin	*H8	Resin	-	-	0	*Fog bulbs are 35W
	H16.9-H19.12	C11	H11	D2S	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W For cars with AFS
	H16.9-H19.12		H11	D2R	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
	H20.1-H24.10		H11	D2S	Resin	*H8	Resin	0	_	0	*Fog bulbs are 35W
Tiida Latio	H16.10-		н	4	Resin	*H8	Resin	C	)	0	*Fog bulbs are 35W
	H16.10-H19.12		D	2R	Resin	*H8	Resin	-	-	0	*Fog bulbs are 35W
	H16.9-H19.12	C11	H11	D2S	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W For cars with AFS
	H16.9-H19.12		H11	D2R	Resin	*H8	Resin	0	_	0	*Fog bulbs are 35W
	H20.1-H24.10	1	H11	D2S	Resin	*H8	Resin	0	_	0	*Fog bulbs are 35W
Tino	H10.12-H15.5	V10series	HB3	H1	Resin	H3	Resin	0	0	0	
Terrano	H7.9-H8.9		н	4	Glass	_	_	C	)	-	
		R50series	н	4	Glass	_	-	C	)	_	
	H8.10-		HB3	D2S	Glass	_	_	0	_	_	HID option vehicle
Terrano Regulus			н	4	Glass	_	_	C	)	_	
	H8.8-H14.8	JR50	HB3	D2S	Glass	_	_	0	_	_	
Tiana			H7	H1	Resin	H11	Resin	0	0	0	
	H15.2-H17.11		H7	D2R	Resin	H11	Resin	0	_	0	
		J31	H7	H11	Resin	*H8	_	0	0	0	*Fog bulbs are 35W
	H17.12-H20.5		H7	D2R	Resin	*H8	_	0	_	0	*Fog bulbs are 35W
				L 2R	Resin	H11	Glass	-	_	0	
	H20.6-	J32	Н9	H11	Resin	*H8	Resin	×	0	0	*Fog bulbs are 35W
Axis			H9	D2S	Resin	*H8	Resin	×	_	0	*Fog bulbs are 35W
			н		Resin	H16	Resin		)	×	
	H25.6-H31.3	B21W		4S	Resin	H16	Resin	_		×	
Dayz				19	Resin	H16	Resin	×	<pre></pre>	×	
	H31.3-	B4#W	LED	LED	Resin	H16	Resin	_		×	
			н		Resin	H16	Resin		)	×	
	H26.2-H28.11			4S	Resin	H16	Resin	-		×	
Dayz roox		B21A	н			H16	Resin	C		×	
	H28.12-R2.2		LE		Resin Resin	H16	Resin	-		×	
Dualla											
Dualis	H19.5-	J10	H7	H7	Resin	H11	Glass	0	0	0	
N .			H7	D2R	Resin	H11	Glass	0		0	
Note	H17.1-	E11	н		Resin	*H8	Resin	C		0	*Fog bulbs are 35W
				2R	Resin	*H8	Resin	-		0	*Fog bulbs are 35W
	H24.9-H28.10	#E12	н		Resin	-	-	C		-	
		{	HB3	LED	Resin	H11	Resin	0	-	0	
	H28.11-R2.11		HB3	H11	Resin	H8	Resin	0	0	0	
			HB3	LED	Resin	H8	Resin	0		0	
Note	R2.12-	E13, SNE13	н		Resin	LED	Resin	C	נ	-	
			LED	LED	Resin	LED	Resin	-	-	-	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Them do Found and Comparishing	y onara O. oan bo me										
Pao	H1.1-H2.10	PK10	ŀ	14	Glass	-	-	(	C	-	
Basara		1) (20	HB3	H1	Resin	-	-	0	0	-	
	H11.11-	JV30series	HB3	D2R	Resin	-	-	0	-	_	
Pulsar	H2.8-H6.12	N14series	ŀ	14	Glass	H3	Glass	(	) C	0	
	H7.1-H12.9	N15series	F	14	Glass	*H3a	Resin	(	C	0	*Fog bulbs are 35W
Pulsar S-RV	H8.5-H9.8	N15series	ŀ	14	Glass	-	-	(	C	-	
Pino	H19.1-	HC24S	ŀ	14	Resin	-	-	(	C	-	
Figaro	H3.2-H3.12	FK10	ŀ	14	Glass	-	-	(	C	_	
Fairlady Z	S61.10-H1.6	Z31series	ŀ	14	Glass	НЗ	Glass	(	C	0	
	H1.7-H10.10	700	H1	НЗС	Glass	*H3a	Glass	0	0	0	*Fog bulbs are 35W
	H10.10-H14.9	Z32series	H1	D2S	Glass	НЗ	Glass	0	-	0	
	H14.7-	700	H7	D2R	Resin	-	-	0	-	-	
	H17.9-	-Z33series	D	2S	Resin	-	-	-	_	-	Bi-Xenon
	H20.12-	Z34series	D	2S	Resin	_	-	-	_	_	
Primera	H2.2-H7.8	P10series	F	14	Glass	НЗ	Glass	(	C	-	
	H7.9-H9.9		ŀ	14	Resin	H3	Resin	C	C	0	
		P11series	H1	H1	Resin	H3	Resin	0	0	0	
	H9.9-H13.1		H1	D2R	Resin	НЗ	Resin	0	-	0	
			HB3	HB4	Resin	_	-	0	0	_	
	H13.1-	P12series	H1	D2S	Resin	_	-	0	-	_	
Primera Wagon			H1	H1	Resin	НЗ	Resin	0	0	0	
	H9.9-H12.12	P11series	H1	D2R	Resin	НЗ	Resin	0	-	0	
			HB3	HB4	Resin	НЗ	Resin	0	0	0	
	H13.1-	P12series	HB3	D2R	Resin	НЗ	Resin	0	-	0	
Primera Camino	H7.9-H9.9		ŀ	14	Resin	НЗ	Resin	(	C	0	
		P11series	H1	H1	Resin	НЗ	Resin	0	0	0	
	H9.9-		H1	D2R	Resin	НЗ	Resin	0	-	0	
Primera Camino Wagon			H1	H1	Resin	НЗ	Resin	0	0	0	
	H9.9-H12.12	P11series	H1	D2R	Resin	НЗ	Resin	0	-	0	
			HB3	HB4	Resin	НЗ	Resin	0	0	0	
	H13.1-H15.6		HB3	D2R	Resin	НЗ	Resin	0	-	0	
		-#P12	HB3	HB4	Resin	H11	Resin	0	0	0	
	H15.7-H17.12		НВ3	D2R	Resin	H11	Resin	0	_	0	
Bluebird	H8.1-H13.8		ŀ	14	Resin	НЗ	Resin	(	с	0	
ss	S H8.1-H10.8	1	HB3	H1	Resin	НЗ	Resin	0	0	0	
ss		-U14series	H1	H1	Resin	НЗ	Resin	0	0	0	
ss	H10.9-H13.8 S		H1	D2R	Resin	НЗ	Resin	0	-	0	
Bluebird Sylphy			IH	101	Resin	_	-		×	_	*HI/LO IH01 No setting
	H12.8-H17.11	#G10	H1	H1	Resin	H11	Resin	0	0	0	
			H1	D2R	Resin	H11	Resin	0	_	0	
l	L	l	I	I	· · ·	I	· · ·	-		-	I

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID. How to read the compatibility chart: O: Can be installed  $\Delta$ : Notes must be checked × Cannot be installed

0 0 Bluebird Sylphy HB3 HB4 Resin H17.12-#G11 HB3 D2R Resin \_ Ο \_ \_ Prairie S63.9-H7.7 H4 Glass НЗ Glass 0 0 M11 Prairie JOY (vehicle name H7.8-H10.10 H4 Glass H3 Glass 0 0 changed) Prairie Libertv H10.11-H13.4 H1 H1 Glass H3 Glass 0 0 0 M12 Liberty (name changed) H13 5-H4 HB4 Resin H4 Resin Ο Ο 0 0 Presage HB3 H1 Resin H3 Resin 0 0 H10.6-H15.7 U30series HB3 D2R 0 0 Resin H3 Resin \_ H4 0 0 Resin H11 Resin H15.7-D2R Resin H11 Resin 0 U31series H7 H11 Resin \_ \_ 0 0 \_ H18.5-Н7 D2S Resin 0 \_ 0 \_ President S57.10-H2.9 H252series H4 Glass \_ H2.10-H10.12 H4 Glass \*H3 Glass  $\cap$ 0 H10.12-H15.10 G50series H1 D2R Resin H3 Resin 0 \_ 0 H15 10-HB3 D2S Resin \_ \_ 0 \_ \_ HB3 H1 Resin H11 Resin Ο 0 0 fugue H16.10-H21.10 Y50 HB3 D2S Resin H11 Resin 0 \_ 0 H21.11-Y51 D2S Resin \*H8 Resin 0 \*Fog bulbs are 35W LED H26 12-\_ Resin I FD Resin H22.11-HY51 D2S \*H8 0 \*Fog bulbs are 35W Fuga Hvbrid Resin Resin LED \_ \_ H26.12-Resin LED Resin March H4.1-H6.12 H4 Resin 0 0 H3 Glass K11series 0 H6.12-H14.2 H4 Resin H3 0 Glass H4 Resin H11 Resin 0 0 H14.3-H19.5 D2R Resin 0 H11 Resin \_ K12series H1 H11 Resin \_ \_ 0 0 \_ H19.6-H22.7 H1 D2R Resin \_ 0 \_ \_ \_ H22.7-K13series H4 Resin \*H8 Resin 0 0 \*Fog bulbs are 35W (dealer option) Н4 0 Mistral H6.6-H11.2 R20 Glass H3 Glass 0 \_ Murano H16.9-Z50 D2S Resin HB4 Resin 0 D2S H20.9-Z51 Resin \*H8 Resin 0 \*Fog bulbs are 35W H4 0 0 Moko H14.4-H18.1 MG21S Resin \*H8 Resin \*Fog bulbs are 35W H18.2-MG22S H4 Resin \*H8 0 0 \*Fog bulbs are 35W Resin Н4 0 H23.2-Resin 0 MG33S H8 Resin 0 H6.12-H12.8 H4 Glass Racine B14series Forza H9.1-H12.8 HB3 HB4 Glass \_ \_ 0 0 \_ Lafesta Resin \*H8 Resin 0 0 \*Fog bulbs are 35W H4 H16.12-H19.4 D2R Resin \*H8 0 0 H1 Resin \_ \*Fog bulbs are 35W B30 H1 HB3 Resin \*H8 Resin 0 0 0 \*Fog bulbs are 35W H19.5-H23.5 HB3 D2R Resin \*H8 Resin 0 \_ 0 \*Fog bulbs are 35W 0 \_ 0 Lafesta Highway Star HB3 D2S Resin H11 Resin CWE#WN H23.6-H30.3 HB3 H11 Resin H11 Resin 0 Ο Ο 0 0 Largo H5.5-H11.6 H4 Resin H3C Glass W30ceries

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

	H9.10-H11.6	110050105	HB3	H1	Glass	H3	Glass	0	0	0	Highway Star Touring
LEAF	H22.12-	ZAA-ZEO	н	14	Resin	H11	Resin	0		0	
			H9	LED	Resin	H11	Resin	×	-	0	
	H29.10-H30.6		HB3	H11	Resin	H8	Resin	0	0	0	
	H29.10-H30.0	ZE1	LED	LED	Resin	H8	Resin	-	-	0	
	H30.7-		LED	LED	Resin	H8	Resin	-	-	0	
Luchino	H6.5-H11.4	B14series (Coupe)	H	14	Resin	*H3a	Resin	C	5	0	*Fog bulbs are 35W
R'nessa	H9.10-H13.7	PNN30series	H1	H1	Resin	H3	Resin	0	0	0	
	H9.10-H13.7	Finingoseries	H1	D2R	Resin	H3	Resin	0	-	0	
Roox	H21.12-	ML21S	F	14	Resin	*H8	Resin	0		0	*Fog bulbs are 35W
	nz1.1z-	MLZIS	D	2S	Resin	*H8	Resin	-	-	0	*Fog bulbs are 35W
	R2.3-	B44A.B45A.B47A	LE	ED	Resin	H16	Resin	-	-	-	
	R2.3-	D44A.D43A.D47A	н	19	Resin	H16	Resin	>	×	-	
Leopard	H8.3-H11.6	Y33series	F	14	Resin	*H3	Resin	C	2	×	*Fog is yellow lens
Laurel	H1.1-H4.12	C33series	F	14	Glass	*H3C	Glass	C	2	×	*Fog is yellow lens
	H5.1-H9.6	C34series	F	14	Resin	*H3a	Resin	C	2	0	*Fog bulbs are 35W
medalist	H9.6-H11.8		F	H4		H3	Resin	C	C	0	
Club S	H9.6-H11.7	C35series	H1	H1	Resin	H3	Resin	0	0	0	
Club S HID			H1	D2R	Resin	n H3 Resin O		-	0		

■Please be sure to read this before purchasing/installing the valve.

HONDA

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

HONDA					Genuine bulb						
Model name	Year Model	Model	Hi	Ge Lo	Enuine bu	ulb Fog	Lens		halogen ompatib Lo		Remarks
CR-V	H7.10-H13.8	RD1.2		14	Resin	HB4	Resin		)	0	
			F	14	Resin	HB4	Resin	(	2	0	
	H13.9-H16.9	RD4.5	D	2R	Resin	_	-	-	-	_	
	H16.9-H18.9	RD6.7	H1	D2R	Resin	HB4	Resin	0	_	0	
	H18.10-H23.11	RE3.4	НВЗ	D2S	Resin	H11	Glass	0	_	0	
	H23.12-H28.8	RM1.4	НВЗ	D4S	Resin	H11	Resin	0	_	0	
	H30.9-	RT5.6	LED	LED	Resin	LED	Resin	_	_	_	
CR-X	S62.9-H4.2	RW1.2 EFseries		1 12K	Resin	_	_	;	۱ ۲	_	*HI/LO 702K not set
CR-X Del Sol	H4.2-H9.7	EG.EJseries		2K	Resin	_	_	;	×	_	*HI/LO 702K not set
CR-Z			нвз	H11	Resin	H11	Resin	0	0	0	β
	H22.2-	ZF1	НВЗ	D4S		н11		0	_	0	α
					Resin		Resin				<i>α</i>
	H24.9-H27.7	750	HB3	H11	Resin	H8	Resin	0	0	0	
		ZF2	HB3	D4S	Resin	H8	Resin	0	-	0	
	H27.8-H29.1		LED	LED	Resin	H8	Resin	-	-	0	
HR-V	H8.9-	GH1.2.3.4series	H1	H1	Resin	H3	Resin	0	0	0	
JAZZ	H5.10-	UCSseries	Seale	d Beam	Glass	-	-	;	× I	-	Cannot be installed on sealed beam vehicles
MDX	H15.3-	YD1	HB3	HB4	Resin	HB4	Resin	0	0	0	
NSX	H2.9-H9.2	NA1	H1	H1	Glass	H3	Glass	0	0	0	
	H9.2-H13.12	NA1.2	H1	H1	Glass	H3	Resin	0	0	0	
			HB3	D2S	Glass	H3	Resin	0	-	0	(NSX-S•T3200CC)
	H29.2-	NC1	LED	LED	Resin	-	Resin	-	-	-	
N-VAN	H30.7-	JJ1.2	F	14	Resin	H8or LED	Resin	(	<u> </u>	0	
		001.2	LED	LED	Resin	H8or LED	Resin	-	-	0	
N BOX	H23.12-	JF1.2	ŀ	14	Resin	H8	Resin	(	C	0	
	H25.12-H29.7	JF1.2	D	2R	Resin	H8	Resin	-	-	0	
	H29.8-	JF3.4	LED	LED	Resin	LED	Resin	-	-	-	
N-BOX Custom			НВ3	D2S	Resin	H8	Resin	0	-	0	
Turbo Package	H23.12-H29.7	JF1.2	НВ3	D2S	Resin	H8	Resin	0	_	0	
N BOX+	H24.7-H25.11		ŀ	14	Resin	H8	Resin	(	)	0	
	H25.12-H30.3	-JF1.2	D	2R	Resin	H8	Resin	-	-	0	
N BOX+ Custom	H24.7-	JF1.2	НВЗ	D2S	Resin	H8	Resin	0	_	0	
Turbo Package			НВ3	D2S	Resin	H8	Resin	0	_	0	
	H29.8-	JF3.4	LED	LED	Resin	LED	Resin	_	_	_	
N-BOX SLASH				1 2R	Resin	H8	Resin	-	-	0	
	H26.12-H27.11		D	2R	Resin	LED	Resin	-	_	_	
		-JF1.2		14	Resin	H8	Resin	(	>	0	
	H27.12-			2R	Resin	LED	Resin		-	_	
N-ONE				R2	Resin	H8	Resin		<b>&lt;</b>	0	
	H24.11-H27.11	JG1.2		4S	Resin	H8	Resin		_	0	
				R2	Resin	LED	Resin		<	-	
	H27.12-	JG1.2		4S						_	
					Resin	LED	Resin				
	H25 11-H28 11		H4		Resin	H16	Resin		2	×	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

	1120.11 1120.11		H7	D4R	Resin	H16	Resin	0	_	×	
		JH1.2	н	14	Resin	LED	Resin	C	)	_	
N-WGN	H28.12-R1.7		H7	D4R	Resin	LED	Resin	0	_	_	
				I I4	Resin	LED	Resin	- (	)	_	
	R1.8-	JH3.4	LED	LED	Resin	LED	Resin	_	_		
	LI25 11_LI20 11			4S		H16				×	
N WON Queters	H25.11-H28.11	JH1.2			Resin	LED	Resin	_			
N-WGN Custom	H28.12-R1.7			4S	Resin	*1	Resin			_	
	R1.8-	JH3.4	LED	LED	Resin	LED	Resin	-	-	_	
S-MX	H8.11-H14.1	RH1.2series		14 I	Resin	H3	Glass	C		0	
S660	H27.4-	JW5	HB3	LED	Resin	-	-	0	-	-	
S2000	H11.4-	AP1	H1	D2S	Resin	-	-	0	-	-	
Z	H10.10-H14.1	PA1	н	14	Resin	*H3a	Resin	C	)	0	*Fog bulbs are 35W
Avancia	H11.9-H15.7	TA1.2.3series	H1	D2R	Resin	H1	Resin	0	-	0	
A . T .	H11.5-H21.12	HA6.7	H	14	Resin	-	-	C	)	-	
Acty Truck	H21.12-	HA8.9	H	14	Resin	-	-	C	)	-	
Acti	H11.6-		н	14	Resin	_	_	C	)	_	
Hobio	H15.4-	HH6series	н	14	Resin	_	_	C	)	_	
Accord	H1.9-H5.9	CB1~4.CCseries	H1	H4	Resin	_	_	0	0	_	
	H5.9-H9.9	CD3~6series	H1	H4	Resin	НЗ	Glass	0	0	0	
			н1	н1	Resin	H1	Resin	0	0	0	
	H9.9-H14.10	CF3~5series				_	-		-		
			H1	D2R	Resin			0			
	H13.5-H14.9	CL1	H1	D2R	Resin	H3	Glass	0	_	0	
	H14.10-	CL7~9	H1	D2S	Resin	H11	Resin	0	-	0	
	H20.12-	CU2	HB3	H1	Resin	H11	Resin	0	0	0	
			HB3	D2S	Resin	H11	Resin	0	-	0	
	H23.2-	CU1	HB3	H1	Resin	H11	Resin	0	0	0	
			HB3	D2S	Resin	H11	Resin	0	-	0	
Accord Coupe	H2.3-H6.1	CB6	H1	H4	Glass	-	-	0	0	-	
	H6.2-H11.4	CD7,8	H1	H4	Resin	H3	Glass	0	0	0	
Accord Tourer			HB3	H11	Resin	H11	Resin	0	0	0	
	H20.12-	CW2	HB3	D2S	Resin	H11	Resin	0	_	0	
			HB3	H1	Resin	H11	Resin	0	0	0	
	H23.2-H25.3	CW1	HB3		Resin	H11	Resin	0	_	0	
Accord Wagon	H2.4-H6.3	CB9	H1	H4	Resin	НЗ	Glass	0	0	0	
	H6.3-H9.10	CE1.CF2series	Н1	H4		-	_	0	0	_	
	10.3-19.10	GET.GFZSeries			Resin						
	H9.10-H14.10	CF6.7.CH9.CL2	H1	H1	Resin	_	-	0	0	_	
			H1	D2R	Resin	-	-	0	_	_	
	H14.10-	CM2.3	H1	D2S	Resin	H11	Resin	0	_	0	
	H14.11-H20.11	CM1~3	H1	H1	Resin	H11	Resin	0	0	0	
			H1	D2R	Resin	_	-	0	-	_	
Ascot	H1.9-H5.9	CB1~4	н	14	Resin	НЗ	Glass	C	)	0	
	H5.9-H9.8	CE4.5	н	14	Resin	Н3	Glass	C	<u> </u>	0	
Ascot Innova	H4.3-H8.12	CB3,5 CC4,5	70	2K	Resin	*H3C	Glass	×	×	×	*Fog is yellow lens
Insight	H11.11-	ZE1	н	14	Resin	-	_	C	)	_	
	L					I				I	1

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Image: status         Image: bis status	How to read the compatibility	Chart. O. Can be ins	talled Z. Notes must L			annou	e mscan	eu				1
Image in the state i		H21.2-	ZE2	НВ3	H11	Resin	H11	Resin	0	0	0	
Pair Part Part Part Part Part Part Part Par				HB3	D2S	Resin	H11	Resin	0	-	0	
Image         Image <t< td=""><td>Exclusive</td><td></td><td>ZE3</td><td>HB3</td><td>H11</td><td>Resin</td><td>H11</td><td>Resin</td><td>0</td><td>0</td><td>0</td><td></td></t<>	Exclusive		ZE3	HB3	H11	Resin	H11	Resin	0	0	0	
http://without.product image: state image: stat	Exclusive			HB3	D2S	Resin	H11	Resin	0	-	0	
h12+10.10         UA1-3         H3         D2         Res         H3         C         Res         C         C         C           H10.0-H155         UA45eries         H3         D2         Res         I         Res         C         I         C         I         C         I         C         I         C         I         C         I         C         I         I         I         I         Res         C         I         C         I         I         I         I         I         I         C         I         C         I<		H30.12-	ZE4	LED	LED	Resin	LED	Resin	_	-	-	
H10.0+H5.5         UA4.5eeries         HB         HB         HB         Rein         H         Rein         C <td< td=""><td>Inspire</td><td>H1.9-H7.2</td><td>CB5,CC2,3series</td><td>H1</td><td>H4</td><td>Resin</td><td>H3</td><td>Glass</td><td>0</td><td>0</td><td>0</td><td></td></td<>	Inspire	H1.9-H7.2	CB5,CC2,3series	H1	H4	Resin	H3	Glass	0	0	0	
Harse-         Harse-<		H7.2-H10.10	UA1~3	н	14	Resin	H3C	Resin	C	C	0	
Hi50-         UC1         H63         D28         Rein         L         -         Q         -         Q         -         Q           H1312-H2410         Q3         A         B20         Rein         H1         Rein         Q         -         Q         Q         Q           Integra         H14-H54         Da5-0.00 series         H8         Rein         H3         Rein         H3         Rein         Q         Q         Q         Q         Q         P         K         Proje kyellow lone           H56-H79         H14-H54         Da5-0.00 series         H8         Rein         H3         Rein         Q         Q         Q         Q         Q         Q         P         X         Proje kyellow lone           H13-H168         D14-H186         D14-H186         D14         H8         Rein         H3         Rein         Q         Q         Q         X         Proje kyellow lone           H149-H186         D14-H186         D14-H186         D14-H186         H10         H1         Rein         Rein         Q         Q         Z         X         Proje kyellow lone           H149-H186         D16-H186         D16-H186         D16		H10.10-H15.5	UA4,5series	HB3	D2R	Resin	H1	Resin	0	-	0	
Index         Index <t< td=""><td></td><td>LI 15 6_</td><td>1101</td><td>HB3</td><td>HB4</td><td>Resin</td><td>-</td><td>-</td><td>0</td><td>0</td><td>-</td><td></td></t<>		LI 15 6_	1101	HB3	HB4	Resin	-	-	0	0	-	
Integra         Interface         Integra		H15.0-	001	HB3	D2S	Resin	-	-	0	-	-	
H5.+T.9         H5.+T.9         H5.+T.9         H13         H40         H41         H31         H43         Rein         A3         B         G         O         O           H73-H13.6         H13.4         H1         H21         Rein         H3         Rein         G         G         G         X         Feg is yailow lons           H13.6-H16.8         H13.4-H16.8         H14         H1         Rein         H3         Rein         G         G         G         G         X         Feg is yailow lons           H13.6-H16.8         H13.4-H16.8         H14         H1         Rein         H3         Rein         G         G         G         G         X         Feg is yailow lons           H16.9-H18.6         H14         H1         Rein         H3         Rein         H3         G         X         Feg is yailow lons           H18.9-H18.6         H14         H14         Rein         H3         Rein         H3         G         X         Feg is yailow lons           H18.9-H18.6         H14         Rein         H3         Rein         H3         Rein         K3         K3         K3         K3         K3         K3         K3         K3<		H19.12-H24.10	CP3	HB3	D2R	Resin	H11	Resin	0	-	0	
h13-H13.8         DC12.D86-9         H         He4         Rein         H         Rein         C         C         X         For is velow ines           H13-H13.8         H13-H16.8         H13-H16.8         H         H         Rein         H         Rein         C         C         C         K         For is velow ines           Integra Type R         H63-H18.8         P         H         H         Rein         H         Rein         H         Rein         C         C         C         C         K         For is velow ines           Integra Type R         H16.9-H18.6         P         P         Rein         H         Rein         K         Rein         C         C         C         K         For is velow ines           H16.9-H18.6         P         P         Rein         H         Rein         Rein         K         C         C         C         K         For is velow ines         K           H18.9-H18.6         P         P         Rein         H         Rein         K         Rein         K         K         K         K         K         K         K         K         K         K         K         K         K         K<	Integra	H1.4-H5.4	DA5~8,DBseries	70	12K	Resin	*H3	Glass	;	<	×	*Fog is yellow lens
h79-H13.6         <		H5.5-H7.9		HB3	HB4	Resin	H3	Glass	0	0	0	
Integra Type R         H13-H16.8 H13-H16.8 H13-H16.8 H13-H16.8         Performance Problem         H1 H1         Rein H1         Rein H1 <threin H1         <threin H1         R</threin </threin 			DC1,2,DB6~9	H1	HB4	Resin	*H3	Resin	0	0	×	*Fog is yellow lens
H13-H16.8         DC5         H         DC4         H         DC4         I <thi< th="">         I         I</thi<>		H7.9-H13.6		H1	D2S	Resin	*H3	Resin	0	_	×	*Fog is yellow lens
Integra Type R         Int B0+H18.6         DC5         H         B         D28         Rein         -         -         0         -         -           Integra Type R         H13-HB.12         DB8.DC2         HI         H24         Rein         H3         Rein         0         Image and the second				H1	H1	Resin	_	-	0	0	-	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		H13.6-H16.8	DC5	H1	D2R	Resin	_	_	0	_	_	
H0.1-H13.6         DB.DC2         H1         DC2         Rein         H13         Rein         O         -         X         *Fog is yellow lens           H13.7-H16.8         DC5series         H1         H1         Rein         -         O         O         -         X         *Fog is yellow lens           H16.9-H18.6         DC5series         H1         D2         Rein         -         O         O         -         C		H16.9-H18.6	-	HB3	D2R	Resin	_	_	0	_	_	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Integra Type R	H7.9-H9.12		H1	HB4	Resin	*H3	Resin	0	0	×	*Fog is yellow lens
$ \begin{array}{ c c c c c c } \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$			DB8.DC2	H1	D2S		*H3			_	×	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$										0		
$ \begin{array}{ c c c c c c c c } \hline \begin{tabular}{ c c c c c c } \hline \begin{tabular}{ c c c c c c c } \hline \begin{tabular}{ c c c c c c c c c c c c c c c c c c c$		H13.7-H16.8	DC5series				_	_			_	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		H16.9-H18.6	-				_	_		_	_	
Veze         H25.12-H30.1         H25.12-H30.1         H25.12-H30.1         H25.12-H30.1         H114         H11         Resin         H8         Resin         O         O           H302-         H302-         H302-         H11         Resin         H8         Resin         O         O         O           Airwave         H17.4-         GJ1.2         H83         H11         Resin         H11         Glass         O         O         O           Edix         H16.7-         BE1~4         H83         J2R         Resin         H11         Glass         O         O           Elysion         H16.7-         BE1~4         H2         Resin         H11         Glass         O         O         O           Elysion         H16.7-         H12         D2         Resin         H11         Glass         O         O         O           Elysion         H16.7-         YH2         D2         Resin         H11         Glass         O         O         O           Glassey         H6.10-H9.7         RA1.2         H4         Resin         H11         Glass         O         O         O           H9.8-H11.11         RA3.4 <t< td=""><td>Integra SJ</td><td></td><td>EK3</td><td></td><td></td><td></td><td>_</td><td>_</td><td></td><td> &gt;</td><td>_</td><td></td></t<>	Integra SJ		EK3				_	_		 >	_	
Vezel (Hybrid)         H25.12-H30.1         RU12.3.4         HB3         LE0         Resin         HB         Resin         O $-$ O           H30.2-         H30.2-         H30.2-         HB3         H11         Resin         HB0         Resin         O         O         O         O           Airwave         H17.4-         GJ1.2         HB3         H11         Resin         H11         Glass         O         O         O           Edix         H16.7-         BE1~4         HB3         H11         Resin         H11         Glass         O         O         O           Elysion         H16.5-         R17.4         BE1~4         H1         H1         Resin         H11         Glass         O         O         O           Elysion         H16.5-         R17~4         H1         H1         Resin         H11         Glass         O         O         O           element         H16.5-         R41.2         D2         Resin         H31         Resin         O         O         O         O           olyssey         H6.10-H9.7         RA1.2         H2         Resin         H32         Resin         O								Resin			0	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		H25.12-H30.1		НВЗ	LED					1		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Vezel (Hybrid)		RU1.2.3.4				H8or			0		
Airwave       H17.4-       GJ1.2       HB3       H11       Resin       H11       Glass       O       O       O         Edix       H16.7-       BE1~4       BE1~4       Resin       H11       Glass       O       O       O         Elysion       H16.5-       RR1~4       H1       H1       Resin       H11       Glass       O       O       O         element       H16.4-       YH2       D2R       Resin       H11       Glass       O       O       O         Odyssey       H6.10-H9.7       RA1.2       H4       Resin       H3       Resin       O       O       O         H11.11       RA3.4       H4       Resin       H3       Resin       O       O       O         odyssey       H6.10-H9.7       RA1.2       H4       Resin       H3       Resin       O       O       O         H13.11-H15.9       RA6~9       H1       H1       Resin       H3       Resin       O       O       O       O         H04       D2R       Resin       H3       Resin       O       O       O       O       O       O         H1       D2R       Re		H30.2-					H8or					
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Airwave									0		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		H17.4-	GJ1.2									
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Edix											
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		H16.7-	BE1~4									
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Elveian											
element         H15.4-         YH2         D2R         Resin         -	Elysion	H16.5-	RR1~4									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			2410									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $												
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Udyssey											
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		H9.8-H11.11	RA3.4		1							
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		H11.12-H13.10					HB4 *H1					
H13.11-H15.9         H1         D2R         Resin         H3         Resin         O			RA6~9				HB4 ≁⊓1					
H1         D2R         Resin         H3         Resin         O          O           Odyssey         H1         H1         Resin         H1         Glass         O         O         O		H13.11-H15.9					¥Rf					
				H1	D2R	Resin		Resin				
	Odyssey	H15.10-	RB1.2	H1	H1	Resin	H11	Glass	0	0	0	
H1 D2S Resin H11 Glass O - O				H1	D2S	Resin	H11	Glass	0	_	0	
H20.10- RB3.4 HB3 D2S Resin H11 Resin O - O		H20.10-	RB3.4	HB3	D2S	Resin	H11	Resin	0	-	0	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Tiow to read the compatibility					annoch						
	H25.11-H29.10		HB3	H11	Resin	H8	Resin	0	0	0	
		RC1.2	HB3	LED	Resin	H8	Resin	0	-	0	
	H29.11-R2.10		HB3	LED	Resin	LED	Resin	0	-	-	
	R2.11-		LED	LED	Resin	LED	Resin	-	-	-	
	H28.2-H29.10		HB3	LED	Resin	H8	Resin	0	-	0	
Odyssey Hybrid	H29.11-R2.10	RC4	HB3	LED	Resin	LED	Resin	0	-	-	
	R2.11-		LED	LED	Resin	LED	Resin	-	-	-	
Odyssey Prestige	H9.10-H11.11	RA5	Ŧ	14	Resin	H3C	Resin	C	C	0	
Orthia / Partner	H8.2-H14.1	EL1~3,EYseries	н	14	Resin	—		C	D	-	
Сара	H10.4-H14.1	GA4,6	н	14	Resin	H1	Resin	C	D	0	
Clarity PHEV	H30.7-	ZC5	LED	LED	Resin	-	-		-	-	
Crossroads	H19.2-	RT1~4	HB3	H11	Resin	-	-	0	0	-	
	1113.2	K11 4	HB3	D2R	Resin	-	-	0	-	-	
Grace (Hybrid)	H29.7-	GM4.5.6.9	HB3	H11	Resin	LED	Resin	0	0	-	
Grace (Hybrid)	1123.7	GM4.5.0.9	HB3	LED	Resin	LED	Resin	0	-	-	
Concerto	H3.2-H5.5	MA1~3	70	2K	Resin	H3C	Glass	>	×	0	*HI/LO 702K No setting
That's	H14.2-	JD1	н	14	Resin	*H3a	Resin	C	C	0	*Fog bulbs are 35W
	H27.2-H30.4		HB3	LED	Resin	H8	Resin	0	-	0	
Jade (Hybrid)	1120 5	FR4.5	HB3	LED	Resin	LED	Resin	0	-	-	
	H30.5-		LED	LED	Resin	LED	Resin	-	-	_	
City	S63.10-H6.3	GAseries	70	2K	Resin	_	-	>	<	-	*HI/LO 702K No setting
Civic	S62.9-H3.8	EFseries	70	2K	Glass	_	-	>	×	-	*HI/LO 702K No setting
	H3.9-H7.8	EGseries	70	2K	Resin	_	_	>	×	_	*HI/LO 702K No setting
	H7.9-H12.9	EK,EJseries	H	14	Resin	Н3	Resin	C	C	0	
			H	14	Resin	H11	Resin	C	C	0	
	H12.9-H15.8	EUseries	D	2R	Resin	H11	Resin	-	_	0	
	LI 15 0_17 9	EU3.4	HB3	HB4	Resin	_	-	0	0	-	
projector	H15.9-17.8	EU3.4	HB3	H1	Resin	-	-	0	0	-	
			HB3	HB4	Resin	H11	Glass	0	0	0	
	H17.9-	FD1	HB3	D2R	Resin	H11	Glass	0	-	0	
	H29.7-	FC1 Sedan	LED	LED	Resin	LED	Resin	-	-	-	
	H29.7-	FK7 hatchback	LED	LED	Resin	LED	Resin	-	-	-	
Civic Coupe	H5.2-H7.12	EJ1	70	2K	Resin	_	-	>	<	-	*HI/LO 702K No setting
	H8.1-H12.9	EJ7.8	н	14	Resin	-	_	C	)	-	
Civic Type R	H9.9-H12.11	ЕК9	H	14	Resin	_	_	C	2	-	
			H	14	Resin	-	_	C	C	_	
	H13.12-H15.12	EP3	D	2R	Resin	-	_	-	-	-	
			HB3	H1	Resin	-	_	0	0	-	
	H16.1-H19.2	EP3	HB3	D2S	Resin	-	_	0	-	_	
	H19.3-H22.12	FD2	HB3	D2R	Resin	-	_	0	_	_	
						H11	Resin	0	_	0	
Civic Type R	H27.10-H29.6	FK2 Type R	H7	LED	Resin		Resin	0		- U	
Civic Type R	H27.10-H29.6 H29.7-	Type R FK8	H7 LED	LED LED	Resin Resin	LED	Resin	-	-	-	
Civic Type R Civic Type R Euro		Type R							-	- 0	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

I low to read the compatibility	11117.0						ou .				
			HB3 D2R		Resin	H11	Glass	0	-	0	
Civic Ferio	H3.9-H7.8	EF,EH,EJseries	70	2K	Resin	-	-	×		-	*HI/LO 702K No setting
	H7.9-H12.8	EK2.3.4.9	н	14	Resin	-	-	(	0		
			н	14	Resin	H11	Resin	0		0	
	H12.9-H15.8	ES1,2,3 EU	D	2R	Resin	H11	Resin	-		0	
	H15.9-H17.8	ES1.2.3.ET2	HB3	D2R	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
Civic Shuttle	S62.9-	EFseries	70	702K		-	-	;	×	-	*HI/LO 702K No setting
STEP WGN	H8.5-H11.4		н	H4		H3	Resin	(	C	0	
	H11.5-H13.4	RF1,2series	H1	H1	Resin	*H1	Resin	0	0	0	
			H	14	Resin	-	-	(	C	-	
	H13.4-H15.6		D	2R	Resin	-	-	-	-	-	
		RF3~8	H1	H1	Resin	_	-	0	0	-	
	H15.6-H17.4		H1	D2R	Resin	_	-	0	-	-	
			H1	H11	Resin	_	-	0	0	_	
	H17.5-	RG1~4	H1	D2R	Resin	HB4or H11	Resin	0	-	0	
			HB3	H11	Resin	_	-	0	0	-	
	H21.10-	RK1.2	НВЗ	D2R	Resin	_	_	0	_	_	
SPADA		RK5.7	НВЗ	D2R	Resin	H11	Resin	0	_	0	
stream			H	I  4	Resin	H11	Resin	(	і Э	0	
	H12.10-H15.9		D	2R	Resin	H11	Resin	-	_	0	
		RN1~5	НВЗ	H1	Resin	H3	Resin	0	0	0	
	H15.9-H18.7		HB3	D2R	Resin	H3	Resin	0	_	0	
			н		Resin	H11	Resin		L C	0	
	H18.7-	RN6~9	HB3	D2R	Resin	_	_	0	_	_	
Saber	H7.2-H10.10	UA1~3		14	Resin	H3C	Resin		L C	0	
	H10.10-	UA4,5series	HB3	D2R	Resin	-	_	0	_	_	
Zest			ные		Resin	_	_		L C	_	
Sports included	H18.2-H20.11			2R	Resin	_	_			_	
Sports included		JE1.2	НВЗ	H11	Resin	*H8	Resin	0	0	0	I∗Fog bulbs are 35W
Saankingludge	H20.12-		HB3	D2S		*H8	Resin	0	-	0	*Fog bulbs are 35W
Spark included	S63.2-H4.12	JA2,3,JW3,4		2K	Resin Resin	*	-		×	-	*Fig builds are 5500 *HI/LO 702K No setting
Today	H5.1-H10.10	JA4.5		14		Н3			^ C	0	
Dumuni					Resin		Resin				
Domani	H4.10-H8.12	MA4~7series		2K	Resin	-	-		×	-	*HI/LO 702K No setting
	H9.1-H12.9	MB3~5series	H		Resin	-	-				
Torneo	H9.9-H14.9	CF3~5	H1	H1	Resin	-	-	0	0	-	
		51/07.00	H1	D2R	Resin	H1	Resin	0		0	
partner	H8.3-H18.2	EY6.7.8.9	H		Resin	-	-				
	H18.3-	GJ3	HB3	H11	Resin	-	-	0	0	-	
Vamos	H11.6-	HM1.2	H		Resin	-	-			-	
Bigger	H1.9-H7.2	CB5 CC2.3	H1	H4	Resin	H3	Resin	0	0	0	
beat	H3.5-H8.1	PP1		2K	Resin	H3	Resin		×	-	*HI/LO 702K No setting
fit	H13.6-	GD1~4		14	Resin	H11	Resin		C	0	
	H14.9-		D2R		Resin	H11	Resin			0	
	H19 10-	GF6~9	F	14	Resin	H11	Resin	(	C	0	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

	1110.10		0.1001		annoe b	- modali	<u>–</u>				
			D2R		Resin	H11	Resin	-	-	0	
Fit Aria	H14.12-H21.1	GD6.7.8.9	ŀ	14	Resin	H11	Resin	C	)	0	
	1114.12 1121.1	GD0.7.8.9	D	2R	Resin	H11	Resin	-	-	0	
Fit Hybrid	H22.10-	GP1	F	14	Resin	H11	Resin	C	)	0	
	HZ2.10-		D	2R	Resin	H11	Resin	-	-	0	
Fit Shuttle	H23.6-	GG7.8	F	14	Resin	H11	Resin	C	)	0	
	1123.0	667.5	D	D2R		H11	Resin	-	-	0	
Fit Shuttle Hybrid	H23.6-	GP2	F	H4		H11	Resin	C	)	0	
	1120.0		D	2R	Resin	H11	Resin	-	-	0	
Freed	H20.5-	GB3.4	F	14	Resin	-	-	C	2	-	
	1120.0		D	2R	Resin	-	-	-	-	-	
Freed Hybrid	H23.10-	GP3	F	14	Resin	H11	Resin	C	>	0	
			D	2R	Resin	H11	Resin	-	-	0	
Freed Spike	H22.7-	GB3.4	F	14	Resin	H11	Resin	0	)	0	
			D	2R	Resin	H11	Resin	-	-	0	
Freed Spike Hybrid	H23.10-	GP3	F	14	Resin	H11	Resin	C	)	0	
			D	2R	Resin	H11	Resin	-	-	0	
Prelude	S62.2-H3.8	BA4.5.7	Seale	d Beam	Glass	*H3	Glass	>	<	×	*Fog is yellow lens
	H3.9-H8.11	BB1.4 BA8.9	H1	H4	Resin	-	-	0	0	_	
	H8.11-H12.8	BB5~8series	H1	H1	Resin	НЗС	Resin	0	0	0	
Horizon	H6.2-H11.7	UBSseries	F	14	Glass	-	-	0		-	
Mobilio	H13.12-	GB1.2	F	14	Resin	-	-	0		-	
			D	2R	Resin	-	-	-	-	-	
Mobilio Spike	H14.9-H17.12		H1	H1	Resin	-	-	0	0	-	
		GK1.2	H1	D2R	Resin	-	-	0	-	_	
	H17.12-		F	14	Resin	-	-	C	)	-	
			H1	D2R	Resin	-	-	0	-	-	
life	H9.4-H10.10	JA4	F	14	Resin	*H3a	Resin	C	)	0	*Fog bulbs are 35W
	H10.10-H15.8	JB1.2	F	14	Resin	-	-	C	)	-	
	H15.9-	JB5~8	F	14	Resin	-	-	0	)	_	
			D	2R	Resin	-	-	-	-	-	
	H20.11-H22.10		F	14	Resin	-	-	0	)	-	
		JC1.2	D	2R	Resin	-	-	-	-	-	
	H22.11-		HB3	H11	Resin	-	-	0	0	-	
			HB3	D2S	Resin	H8	Resin	0	-	0	
Life Dunk	H13.1-H15.8	JB3.4	H1	H1	Resin	*H3a	Resin	0	0	0	*Fog bulbs are 35W
Lagreat	H11.6-H15.4	RL1	F	14	Resin	H1	Resin	(	)	0	
	H15.4-		D	2R	Resin	-	-	-	-	_	
Legend	H2.10-H8.2	KA7,8	70	702K		-	-	×		-	*HI/LO 702K No setting
	H8.2-H10.8	KA9	F	H4		H1	Resin	C	)	0	
	H10.9-H16.9		H1 D2R		Resin	H1	Resin	0	-	0	
	H16.10-	КВ1	HB3 D2S		Resin	H11	Resin	0	-	0	
	H20.9-H24.7	KB2	HB3 D2S		Resin	H8	Resin	0	-	0	
logo	H8.10-	GA3	L L	H4		_	_		)	_	

Please be sure to read this before purchasing/installing the valve.

MITSUBISHI

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

How to read the compatibility chart: O: Can be installed  $\Delta$ : Notes must be checked imes Cannot be installed

		1									
Model name	Year Model	Model			nuine bulb			c	halogen ompatibl	le	Remarks
:			Hi HB3	Lo H11	Lens Resin	Fog —	Lens —	Hi O	Lo O	Fog —	
	H18.1-	HA1W				_	_			_	
			HB3	D2S	Resin			0	_		
i-MiEV	H25.11-H30.3	HA4W	HB3	LED	Resin	-	-	0	_	-	
	H30.4-	HD4W	HB3	LED	Resin	H16	Resin	0	_	×	
Outlander	H17.10-H24.9	CW4.5.6W	HB3	HB4	Resin	H11	Resin	0	0	0	
			HB3	D2R	Resin	H11	Resin	0	-	0	
	H24.10-H27.5	GF7.8W	HB3	D4S	Resin	H11	Resin	0	-	0	
	H27.6-R1.9		HB3	LED	Resin	H16	Resin	0	-	×	
	H25.1-H27.6		HB3	H7	Resin	H11	Resin	0	0	0	
Outlander PHEV	1120.1 1127.0	GG2W	HB3	D4S	Resin	H11	Resin	0	_	0	
	H27.7-R2.10		HB3	LED	Resin	LED	Resin	0	-	-	
COLT	H14.11-		H1	H1	Resin	H11	Resin	0	0	0	
		Z2#Aseries	H1	H7	Resin	H11	Resin	0	0	0	
	H16.1-		H1	D2S	Resin	H11	Resin	0	_	0	
COLT Plus			H1	H1	Resin	H11	Resin	0	0	0	
	H16.10-H17.11		H1	D2S	Resin	H11	Resin	0	_	0	
		Z2#Aseries	H1	Н7	Resin	_	_	0	0	_	
	H17.11-		H1	D2S	Resin	_	_	0	_	_	
FTO	H6.10-H11.12		НВЗ	HB4	Resin	H3	Resin	0	0	0	
	H9.2-H11.12	DE2A,3Aseries	НВЗ	D2S	Resin	H3	Glass	0	_	0	
 GTO	H2.10-H5.8		н		Glass	H3	Glass	0	)	0	
	H5.8-H11.12	Z15A,16A	НВЗ	HB4	Glass	НЗ	Glass	0	0	0	
RVR	H9.11-H14.8	N6#,7#series	н		Glass	HB4	Glass	0		0	
			нвз	н11	Resin	H11	Glass	0	0	0	
	H22.2-	GA3W	нвз	D2S	Resin	н11	Glass	0	-	0	
			НВЗ	H11	Resin	H16	Resin	0	0	×	
	H24.10-H29.1		НВЗ	D2S	Resin	H16	Resin	0	-	×	
		GA4W	HB3	H11	Resin	H16or		0	0	×	
	H29.2-R1.8					LED H16or	Resin		0		
			HB3	D2S	Resin	LED	Resin	0	-	×	
RVR Sports Gear	H9.11-H14.8	N6#,7#series	HB3	H7	Resin	_	-	0	0	-	
			HB3	D2R	Resin	_	_	0		-	
ek Active	H16.6-	H81W		4	Resin	_	-	C		-	
eK Wagon (including Active				2R	Resin	_	-		-	-	
and Classy)	H13.10-H18.8	H81W	н	4	Resin	-	-	0	)	-	
			D	2R	Resin	-	-		-	-	
	H18.9-H25.5	H82W	H	14	Resin	-	-	C		-	
	H25.6-H30.2	B11W	H	14	Resin	H16	Resin	C	)	×	
	H28.7-H30.2		D	4R	Resin	H16	Resin	-	-	×	
	H30.3-	B33.36W	н	19	Resin	H16	Resin	>	<	×	
		200.0044	LED	LED	Resin	H16	Resin	-	-	×	
eK Custom	H25.6-H30.2	B11W	D	4S	Resin	H16	Resin	-	_	×	
	1	1				H16					

i.

1

.

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

	100.0	UUT.07.001	LED	LED	Resin	H16	Resin	_	_	×	
	H26.2-H28.11			14	Resin	H16	Resin	C	<u> </u>	×	
eK Space	H28.12-R2.2	B11A		14	Resin	H16or	Resin	0		×	
en space		D04.05.07.004				LED					
	R2.3-	B34.35.37.38A		19	Resin	H16	Resin	× _		×	
eK Cross Space	R2.3-	B34.35.37.38A		ED	Resin	H16	Resin			×	
eK Space Custom	H26.2-H28.11	B11A		4S	Resin	H16 H16or	Resin			×	
	H28.12-R2.2			ED I	Resin	LED	Resin	-		×	
eK Sports	H14.9-	H81W	HB3 HB3	H1 D2S	Resin Resin	-	-	0	0	-	
	H18.9-	H82W	HB3	D2S	Resin	_	_	0	-	-	
Aspire (Galant)	H10.8-	EA1A,EC1Aseries	Н1	H7	Resin	НЗ	Resin	0	0	0	
Airtrek	H13.6-	CU#W	HB3	HB4	Resin	-	-	0	0	-	
	H13.0-	C0#W	HB3	D2R	Resin	-	-	0	_	-	
Airtrek Sports Gear	H15.1-H15.12	CU4W	H	14	Resin	HB4	Resin	C	)	0	
	H16.1-	CU5W	HB3	H1	Resin	HB4	Resin	0	0	0	
	1110.1	005	HB3	D2S	Resin	HB4	Resin	0	-	0	
Eclipse	H4.2-H7.6	D2#series	н	14	Glass	-	-	C	)	-	
	H7.6-H11.8	D32A	HB3	HB4	Resin	H3	Resin	0	0	0	
convertible	H8.5-H11.8	D38A	HB3	H7	Resin	H3	Glass	0	0	0	
		OK 1W	н	IR2	Resin	H8	Resin	×	¢	0	
Eclipse Cross	H30.3-R2.11	GK1W	LED	LED	Resin	H8	Resin	-	-	0	
	R2.12-	GK1W·GL3W	LED	LED	Resin	LED	Resin	-	_	-	
Eclipse Spider	H16.10-H18.3	D53A	н	14	Resin	H1	Resin	C	>	0	
Eterna	S63.10-H4.5	E3#series	H1	H4	Glass	НЗ	Glass	0	0	0	
	H4.5-H8.8	E5#~8#series	H	14	Resin	НЗ	Resin	C	)	0	
Emerald	H4.9-H8.10	E5#~8#series	H1	H4	Resin	H3	Resin	0	0	0	
Galant	S62.10-H4.5	E3#Aseries	H1	H4	Glass	-	-	0	0	-	
	H4.5-H8.8	E5#~8#series	H1	H4	Resin	НЗ	Resin	0	0	0	
	H8.8-H10.8	FA 50	H1	H7	Resin	H3	Resin	0	0	0	
	H10.8-	EA,ECseries	H1	H7	Resin	H3	Resin	0	0	0	
Galant Fortis		0.44	HB3	HB4	Resin	H11	Resin	0	0	0	
	H19.8-	CY4A	HB3	D2S	Resin	H11	Resin	0	_	0	
Grandis			Н9	H1	Resin	-	-	×	0	0	
	H15.5-	NA4W	D	2R	Resin	H11	Resin		-	0	
Chariot Grandis			н	14	Resin	НЗ	Glass	C	)	0	
	H9.10-H15.4	N84,94series	HB3	D2R	Resin	НЗ	Glass	0	_	0	
sigma	H2.10-H6.12	F1#,2#series	Н1	H4	Glass	НЗ	Glass	0	0	0	
Strada	H3.5-H9.6	К34Т	н	14	Glass	-	-	C	)	-	
	H9.6-H11.11	К74Т	н	14	Glass	-	-	C	)	-	
Town Box	H11.4-	U6#series	н	14	Resin	-	-	C	)	-	
	LIDE 0_LIDE 0	DS64W	F	14	Resin	H8	Resin	C	)	0	
	H26.2-H27.2	DS64W	H1	D2R	Resin	H8	Resin	0	-	0	
Town Box		DS17W	F	14	Resin	H16	Resin	C	)	×	
1	H27.3-										

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Town Box Wide	H11.6-	U6#series	H	H4		-	-	0		-	
Challenger	H8.7-H13.12	K9#Wseries	H	14	Glass	-	-	C	<b>)</b>	-	
Diamante	H2.5-H4.10	F1#,2#series	НЗС	H4	Glass	H3	Glass	0	0	0	
	H4.10-H7.1	1 1#,2#361163	H1	H4	Glass	H3	Glass	0	0	0	
	H7.1-	F3#,4#series	H1	H7	Resin	H3	Resin	0	0	0	
Diamante Wagon	H5.1-H5.10	-K45	НЗС	H4	Glass	-	-	0	0	-	
	H5.11-H9.10	145	H1	H4	Glass	-	-	0	0	-	
	H9.10-H13.1	F36W	H1	H7	Resin	-	-	0	0	-	
Dion	H12.1-H14.5	CR#Wseries	H	14	Resin	Н3	Glass	C	5	0	
	H14.6-	CR#Wsenes	HB3	D2R	Resin	-	-	0	-	-	
Dignity	H12.2-H13.5	S43S	H1	D2R	Resin	Н3	Resin	0	-	0	
	H24.7-H28.11	BHGY51	D	2S	Resin	H11	Resin	-	_	0	
Debonair	H4.10-H11.10	S22A S26A	H	14	Resin	*H3	Resin	C	C	×	*Fog is yellow lens
Delica D:2	1100.0	MD150	H	14	Resin	H11	Resin	C	2	0	
	H23.3-	MB15S	D	2S	Resin	H11	Resin	-	_	0	
			ŀ	14	Resin	H11	Resin	C	C	0	
	H27.12-	MB36S	H9	D4R	Resin	H11	Resin	×	_	0	
			u	ED	Resin	H11	Resin	-	_	0	
Delica D:3	H23.10-	BM20	H	14	Resin	H8	Resin	C	2	0	
Delica D:5	H19.1-H23.11		НВ3	D2S	Resin	H11	Resin	0	_	0	
C2			НВ3	D2S	Resin	H11	Resin	0	-	0	
ROADEST	H19.5-H23.11		НВ3	D2S	Resin	H11	Resin	0	_	0	
	H23.12-	CV#W	HB3	D2S	Resin	H11	Resin	0	_	0	
C2			НВ3	D2S	Resin	H11	Resin	0	-	0	
ROADEST	H23.12-H31.1		HB3	D2S	Resin	H11	Resin	0	-	0	
		C∨5W.2W	HB3	D2S	Resin	H11	Resin	0	-	0	
	H31.2-	CV1W	LED	LED	Resin	LED	Resin	_	_	-	
Delica Star Wagon	H3.8-	P0#W~P3#W	H1	НЗ	Glass	_	-	0	0	_	
Delica Space Gear	H6.5-H9.6		H1	H4	Glass	H3	Glass	0	0	0	
	H9.7-H16.9	P##W	H1	H7	Glass	H3	Glass	0	0	0	
	H9.7-H16.9		H1	H7	Glass	H1	Glass	0	0	0	
	H16.10-H18.12	P##W	H1	Н7	Glass	H3	Glass	0	0	0	
Delica Van	H11.11-H23.9	SK#	н	14	Glass	H3	Glass	C	) )	0	
	H23.10-	BVM20	H	14	Resin	H8	Glass	C	2	0	
Торро ВЈ	H10.10-H20.8	H4#series	н	14	Resin	_	_	C	)	-	
Toppo BJ Wide	H11.1-H13.2		н	14	Resin	_	_	C	)	-	
	H13.2-	H43A H48A	н	14	Resin	_	_	C	2	-	
Торро			НВ3	H1	Resin	H11	Resin	0	0	0	
Including Roadest	H20.9-	H82A	НВ3	D2S	Resin	H11	Resin	0	_	0	
Triton	H18.9-	КВ9Т	H	14	Resin	H11	Resin	C	D	0	
I	L		I				I	l			1

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

The corread are compacibling	chart. O. Can be ins		A: Notes must be checked × Ca			o motan					
Pajero	H3.1-H11.8	V1#~4#series	H4		Glass	-	-	(	C	-	
	H11.9-H16.10		H	14	Resin	HB4	Resin	0		0	
	H12.8-H16.10	V6#,7#series	D	2R	Resin	-	-	-		-	
	H16.10-		H9	D2S	Resin	-	-	× –		-	
Pajero Evolution	H9.9-H11.8	∨55W	н	14	Resin	-	-	C	C	-	
Pajero iO	H10.6-	H66,76Wseries	н	H4		H3	Resin	0		0	
Pajero Junior	H7.11-H10.6	H57Aseries	н	14	Glass	-	-	C	C	-	
Pajero Mini	H6.12-H10.12	H51A,H56Aseries	H	H4		-	-	0		-	
	H10.10-H12.11		H	14	Resin	-	-	C	C	-	
Links	H12.11-H14.9	H53A,H58Aseries	HB3	HB4	Resin	-	-	0	0	-	
	H12.11-		H	14	Resin	-	-	C	C	-	
Plaudia	H12.2-H13.5	S32A S33A	H1	H7	Resin	H3	Resin	0	0	0	
Minicab	H11.1-	U6#series	H	14	Resin	-	-	C	) )	-	
Minica	H1.1-H5.8	H2#series	н	14	Glass	H3	Glass	(	C	0	
	H5.9-H10.10	H3#series	н	14	Glass	*H3a	Resin	(	C	0	*Fog bulbs are 35W
	H10.10-	H4#series	H	14	Resin	*H3a	Resin	(	C	0	*Fog bulbs are 35W
Minica Town B	H10.10-H15.9	H4#A	HB3	Н7	Resin	H3	Resin	0	0	0	
	H12.2-H13.5	S32.33A	H1	H7	Resin	H3	Resin	0	0	0	
	H24.7-H28.12	BY51.BKNY51 BKY51	D	2S	Resin	H8	Resin	-	_	0	
	H11.1-H26.1	U6#V U6#T	H	14	Resin	H3	Resin	0		0	
Minicab van Minicab truck	H27.2-	DS17V	F	14	Resin	H8	Resin	0		0	
Minicab MiEV Truck	H25.1-	U68T	F	14	Resin	-	-	0		-	
Minica Toppo	H5.9-H10.10	H3#series	H	14	Glass	*H3a	Resin	(	C	0	*Fog bulbs are 35W
Mirage	H3.10-H7.9	CA~CD	H	14	Glass	-	-	C	C	-	
	H7.10-H12.5	ск~см	н	14	Resin	-	-	C	C	-	
Mirage Asti	H7.12-H12.5	CJseries	H	14	Resin	-	-	C	C	-	
Mirage Dingo	H10.12-H14.8	CQ#A	H	14	Resin	-	-	C	C	-	
Lancer Evo I	H4.10-	CD9A	н	14	Glass	1	-	C	C	-	
Evo II	H6.1-	CE9A	н	14	Glass	-	-	C	C	-	
Evo III	H7.2-	CE9A	н	14	Glass	-	-	C	C	-	
Evo IV	H8.8-	CN9A	н	14	Resin	H3	Resin	C	C	0	
Evo V	H10.1-	CP9A	н	14	Resin	H3	Resin	Ċ	C	0	
Evo VI	H11.1-	CP9A	н	14	Resin	H3	Resin	C	C	0	
Evo VII	H13.2-	СТ9А	HB3	HB4	Resin	-	-	0	0	0	
	H13.2-	CT9A	HB3	D2R	Resin	HB4	Resin	0	-	0	
Evo VIII		0.704	HB3	HB4	Resin	HB4	Resin	0	0	0	
	H15.1-	СТ9А	HB3	D2S	Resin	HB4	Resin	0	-	0	
Evo IX	1117.0	0.704	HB3	H1	Resin	HB4	Resin	0	0	0	
	H17.3-	CT9A	HB3	D2S	Resin	HB4	Resin	0	-	0	
Evo X		0744	HB3	HB4	Resin	HB4	Resin	0	0	0	
	H19.10-	CZ4A			Resin	H11	Resin	-	_	0	
Lancer Evolution Wagon	H17.9-	СТ9W	HB3	D2S	Resin	_	-	0	-	-	
	I	I I	I				I		I	1	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Lancer	H7.10-H12.4	CK,CM,CN,CPseries	н	H4		-	-	0		-				
	H12.4-H15.2	CK#A,CM#A	H4		Resin	-	-	C	2	-				
	H15.2-	CS2A CS5A	н	H4		_	-	0		-				
	1113.2	0324 0334	D	D2R		-	-	-	-	-				
	H12.5-H15.2		HB3	H1	Resin	-	-	0	0	-				
Lancer Cedia (including wagon)	H13.5-H15.2	CS#A,CS#W	н	4	Resin	-	-	C	)	-				
	H13.5-H15.2		D	2R	Resin	-	-	-	-	-				
Libero	H4.5-H12.3	CB#.CD#series	н	H4		H3	Resin	C	)	0				
Regnum	H8.8-H10.8	EA,ECseries	H1	H7	Resin	H3	Resin	0	0	0				
	H10.8-H14.8	LA,LOSENES	H1	H7	Resin	H3	Resin	0	0	0				

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2R", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

MAZDA											-
Model name	Year Model	Model	Hi	Ge Lo	enuine bu	ulb Fog	Lens		halogen compatib Lo		Remarks
AZ-1	H4.10-H5.10	PG6SAseries		14	Glass	<u> </u>	-	(		<u> </u>	
AZ-3	H3.6-H10.10	EC5series	н	14	Resin	H3	Resin	(	0		
AZ-Offroad	H6.7-H10.10	CZ,CY	Η	14	Resin	*H3a	Resin	0		0	*Fog bulbs are 35W
	H10.10-	JM23W	F F	14	Resin	*H3a	Resin	0		0	*Fog bulbs are 35W
AZ-Wagon		0112011	-	14	Resin	H3a	Resin			0	*Fog bulbs are 35W
_	H10.10-H15.9	MD1#.2#S							1		*Fog builds are 55W
RR			HB3	НЗС	Resin	H3a	Resin	0	0	_	
FM-G.G				14	Resin	-	-			-	
	H13.11-H15.9	MD22S	HB3	H3C	Resin	H3a	Resin	0	0	0	*Fog bulbs are 35W
RR-Z			H7	D2S	Resin	H3a	Resin	0	-	0	
	H15.10-H20.8	MJ21.22S	H	14	Resin	-	-	(	C	-	
RR.FX-S Special			D	2S	Resin	H8	Resin	_	-	0	
AZ-Wagon	H20.9-H24.12	MJ23S	H	14	Resin	H8	Resin	C	с С	0	
HID specification vehicle			H7	D2R	Resin	H8	Resin	0	-	0	
AZ-Wagon Custom Style	H19.2-H20.8	MJ22S	HB3	D2S	Resin	H8	Resin	0	-	0	
	H20.9-H24.12	MJ23S	D	2S	Resin	H8	Resin	-	-	0	
CX-5			HB3	H11	Resin	H11	Resin	0	0	0	
	H24.2-H26.12	KEE#W KE2#W	HB3	D4R	Resin	H11	Resin	0	_	0	
	H27.1-H29.1	1127	L	ED	Resin	H11or LED	Resin	-	_	0	
	H29.2-	KFEP.KF5P	u	ED	Resin	LED	Resin	-		_	
CX-7	H18.12-	KF2P ER3P	НВЗ	D2S	Resin	_	_	0	_	_	
	H29.12-	KG2P.KG5P	LED	LED	Resin	LED	Resin	_	_	_	
	R1.10-	DMEP.DMFP.DM8P			Resin	LED	Resin	-	_	_	
	H2.1-H7.9			14	Glass	НЗ	Glass	(	C	0	
	H7.10-H11.5	LVEW.LW#W		14	Resin	*H3a	Resin		- C	0	*Fog bulbs are 35W
	H11.6-H18.1			14	Resin	-	_		) )	_	
		LW#W				_	_		_	_	
	H14.4-H18.1			2R	Resin				-		
	H18.2-	LY3P	HB3	D2S	Resin	H11	Resin	0	-	0	
	H4.1-H7.12	GEseries	H1	H3C	Resin	*H3	Resin	0	0	×	*Fog is yellow lens
MX-30	R2.10-	DREJ3P	LED	LED	Resin	LED	Resin	_	-	-	
RX-7	S60.9-H3.10	FC3S	Sealed	d Beam	Glass	-	-	;	×	×	Cannot be installed on sealed beam vehicles
	H3.10-H15.3	FD3S	H	14	Resin	H3 *H3a	Glass	(	<u>с</u>	0	*Fog bulbs are 35W
RX-8	H15.4-H20.2	SE3P	H9	D2S	Resin	H11	-	×	-	-	*HI H9 No setting
	H20.3-H25.4		Н9	D2S	Resin	HB4	Resin	×	-		
Axela (Sports)	H15.10-H18.5		HB3 HB3	H7 D2S	Resin Resin	H11 H11	Resin Resin	0	0 _	0	
		BK#P	НВЗ	H7	Resin	HB4or	Resin	0	0	0	
	H18.6-H21.5		HB3	D2S	Resin	H11 HB4or	Resin	0	-	0	
			НВЗ	H11	Resin	H11 HB4	Resin	0	0	0	
Including Mazdaspeed Axela	H21.6-H23.8		НВЗ	D2S	Resin	HB4	Resin	0	-	0	
	<u> </u>	BL##FP.BLEAP BL3FW	HB3	H11	Resin	H11	Resin	0	0	0	
	H23.9-H25.10			2S	Resin	H11	Resin	-		0	
Avala (Sporta)			НВЗ			H11or		0	0	0	
Axela (Sports)		BM5FS.BMEFS	пвз	H11	Resin	LED	Resin	0	0		

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

	H25.11-H28.6 BM5AS		O UNOCK								
	H25.11-H28.6	DIVIDAG			Resin	H11or LED	Resin	-	-	0	
		BM2FS	D4	1S	Resin	LED	Resin	-	-	-	
	H28.7-R1.7	BM5FS.BMEFS	HB3	H11	Resin	LED	Resin	0	0	-	
		BM5AS	LE	D	Resin	LED	Resin	-	-	-	
	H28.7-R1.7	BM2FS	LE	D	Resin	LED	Resin	-	-	-	
		BM5FP.BM5AP	HB3	H11	Resin	H11or LED	Resin	0	0	0	
	H25.11-H28.6		D4	ŧs	Resin	H11or LED	Resin	-	-	0	
Axela Sedan		BM2FP	D4	4S	Resin	H11or LED	Resin	-	-	0	
		BM5FP.BM5AP	HB3	H11	Resin	LED	Resin	0	0	-	
	H28.7-		LE	D	Resin	LED	Resin	-	-	-	
		BM2FP	LE	D	Resin	LED	Resin	-	-	-	
	H25.11-H28.6	BYEFP	HB3	H11	Resin	H11or LED	Resin	0	0	0	
Axela Hybrid	1123.11 1120.0		D4	4S	Resin	H11or LED	Resin	-	-	0	
	H28.7-R1.7	BYEFP	HB3	H11	Resin	LED	Resin	0	0	-	
	1120.7 1(1.7		LE	D	Resin	LED	Resin	-	-	_	
Atenza (sedan, wagon, sports)			H1	H1	Resin	*H3	Resin	0	0	×	*Fog is yellow lens
	H14.5-H17.5	GG#.GY#P	H1	D2S	Resin	*H3	Resin	0	×	×	*Fog is yellow lens
		GG#.GY#P	H1	H1	Resin	H11	Resin	×	0	0	*HI H9 No setting
	H16.2-H19.2		H1	D2S	Resin	H11	Resin	0	-	0	
	H20.1-H21.12		Н9	HB4	Resin	H11	Resin	×	0	0	
	H22.1-H24.11	GH#	Н9	H11	Resin	H11	Resin	×	0	0	
AFS specification vehicle	H20.1-H24.11	-	D2S		Resin	H11	Resin	-	-	0	
		GJ##P.GJ##W	HB3	H11	Resin	H11	Resin	0	0	0	
	H24.11-H26.12	GJ2FP.GJ2FW	D4	is	Resin	H11	Resin		-	0	
	H27.1-R1.7	GJ##P.GJ##W	LE	D	Resin	LED	Resin	_	-	_	
Infini MS-6	H3.11-H6.12	GEseries	H1	нзс	Resin	НЗ	Resin	0	0	0	
Infini MS-8	H4.1-H10.2	MBseries	H1	нзс	Resin	*H3a	Resin	0	0	0	*Fog bulbs are 35W
Infini MS-9	H3.5-H5.6		H1	HB4	Resin	-	-	0	0	0	
	H5.6-	HDseries	H1	HB4	Resin	-	-	0	0	-	
Capella	S62.5-H3.11	GD,GE,GVseries	H1	702K	Glass	-	-	0	×	-	*LO 702K No setting
	H6.9-H9.8	CGseries	H1	нзс	Resin	*H3a	Resin	0	0	0	*Fog bulbs are 35W
	H9.8-H14.2	GFseries	H1	H7	Resin	H1 H3	Resin	0	0	0	
Capella Cargo	H3.10-H6.9	GVseries	H1	702K	Glass	НЗ	Glass	0	×	0	*LO 702K No setting
Capella Wagon	H6.10-H9.11	GVseries	н	4	Resin	H1	Resin	C	)	0	
	H9.11-H14.4	GWseries	H1	H7	Resin	H3	Resin	0	0	0	
Carol	H7.10-H10.10	AC6#	н	4	Glass	*H3a	Resin	C	>	0	*Fog bulbs are 35W
	H10.10-H16.9	HB12S HB22S	н	4	Glass	*H3a	Resin	C	>	0	*Fog bulbs are 35W
	H16.9-	HB24S	н	4	Resin	-	-	C	>	-	
Carol	H21.12-H27.1	HB25S	н	4	Resin	-	-	C	<b>&gt;</b>	-	
	H27.1-	HB36S	н	4	Resin	-	_	C	>	-	
Clef	H4.5-H6.12	GA# GE#	н	4	Resin	H3	Resin	C	>	0	
Chronos	H3.10-H7.5	GE#series	H1	НЗС	Resin	H3	Resin	0	0	0	
Scrum Wagon	H11.11-H17.8	DG5#.6#W	н	4	Resin	H3a	Resin	C	)	0	*Fog bulbs are 35W

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

1	i <u>-</u>	1		H1 D2R	_			-		-	
					Resin	H8	Resin	0	-	0	*Fog bulbs are 35W
	H27.3-	DG17W	H		Resin	H16	Resin	C	)	×	
			H1	D4R	Resin	H16	Resin		-	×	
Scrum VAN	H3.9-H11.1	DM51V DM52V	н	4	Glass	-	-	C	)	-	
	H11.1-	DL51V	н	4	Resin	-	-	C	)	-	
	H11.1-H17.8	DG.DH5#V DG.DH6#V	н	4	Resin	H3a	Resin	C	2	0	
	H17.9-	DG64V	н	4	Resin	-	-	C	)	-	
	H27.3-	DG17V	H	14	Resin	-	-	C	)	-	
Scrum Track	H11.1-H17.8	DG.DH5#T DG.DH6#T	н	H4		НЗ	Resin	C	)	0	
	H17.9-H25.8	DG63T	н	H4		-	-	C	)	-	
Spiano	H14.2-H18.3		н	H4		H3a	Resin	C	)	0	
	H18.4-H20.10	HF21S	н	H4		H8	Resin	C	)	0	
Sentia	H3.5-H5.12		H1	HB4	Resin	_	-	0	0	-	Lens cut available
	H5.12-H7.10	HDseries	H1	HB4	Resin	_	-	0	0	-	No Lens Cut
	H7.11-H9.9		н	4	Resin	НЗ	Resin	C	)	0	
	H9.10-	HEseries	н	4	Resin	НЗС	Resin	C	)	0	
Demio	H8.8-H14.7	DW3W DW5W	н	4	Glass	H1	Resin	C	>	0	
		Direit	н	4	Resin	HB4	Resin	C	)	0	
	H14.8-H17.3	DY#W	нвз	D2R	Resin	HB4	Resin	0	_	0	
		DY#Y	н	4	Resin	H11	Resin	C	)	0	
	H17.4-H19.6		нвз	D2S	Resin	H11	Resin	0	_	0	
		DE3#S	H	4	Resin	H11	Resin	0	)	0	
	H19.7-H23.5	DE5FS	НВ3	D2S	Resin	H11	Resin	0	_	0	
SkyActive	H23.6-H26.8	DEJFS	н	4	Resin	H11	Resin		)	0	
			HB3	D2S	Resin	H11	Resin	0	_	0	
	H24.12-H26.8	DEJFS	LED	LED	Resin	H11	Resin	_	_	0	
			н		Resin	H11	Resin		<u>ר</u>	0	
	H26.9-H28.10	DJ3#S.DJ5#S DJLFS	LE		Resin	н11	Resin	_	_	0	
			н							_	
	H28.11-R1.7	DJ3#S.DJ5#S DJLFS	LE		Resin	LED LED	Resin	-	_	_	
					Resin		Resin			_	
Telstar (wagon)	H3.11-H9.8	GE,GFseries	H1	H3C	Glass	-		0	0		
	H9.8-	GFseries	H1	H7	Resin	-	-	0	0	-	
Tribute	H12.11-H15.12	EPFW EPEW	н		Resin	-	-	C		-	
				2R	Resin	-	-	-		-	
	H15.12-	EPFW EPEW		Resin	-	-	C		-		
				2R	Resin	_	-	-		-	
Biante	H20.7-	CC#FW	HB3	H7	Resin	H11	Resin	0	0	0	
			HB3	D2S	Resin	H11	Resin	0	-	0	

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

·····											
Familia	H1.2-H6.7	BG#series	н	4	Resin	-	-	(	C	-	
Astin	a H1.4-H6.5	BG#series	Sealed	l Beam	Glass	*H2	Glass		×	×	Cannot be installed on sealed beam vehicles *Fog H2 No setting
	H6.7-H10.5	BH#series	н	4	Resin	*H3a	Resin	0	С	0	*Fog bulbs are 35W
Ne	o H6.7-H8.10	BH#series	H1	H1	Resin	*H3a	Resin	0	0	0	*Fog bulbs are 35W
	H10.6-	BJ#series	н	4	Resin	-	-	(	S	-	
Familia Van	H11.6-H18.12	Y11	н	4	Resin	-	-	(	С	-	
	H19.1-H28.1	Y12	н	H4		-	-	(	C	-	
	H28.2-H30.5	BVY12.BVZNY12	н	4	Resin	-	_	(	c	-	
	H30.6-	NCP16#	н	4	Resin	H16	Resin	(	C	×	
Familia S Wagon	H10.6-	BJseries	н	4	Resin	-	_	(	C	-	
Familia S Wagon Sport 20	H11.8-H13.11	BJseries	H1	H7	Resin	H3	Resin	0	0	0	
	H13.12-		HB3	D2R	Resin	-	-	0	_	-	
Festival	H5.1-H8.8	D23#.25#	н	4	Resin	_	_	(	с С	_	
Festiva Mini Wagon	H8.8-H11.11		н	4	Glass	H1	Resin	(	c	0	
	H11.12-	DW3,5W	н	4	Resin	H1	Resin	(	C	0	
Frida	H7.6-	SG#W SW#W	н	4	Resin	_	_	(	C	_	
	H24.10-H26.7	MJ34S	H	14	Resin	Н8	Resin	(	c	0	
			H	14	Resin	H8 or	Resin	(	c	0	
	H26.8-H27.8		Н9	D4R	Resin	H16 H8or	Resin	×	_	0	
Flair		MJ34S.MJ44S		14	Resin	H16 H8 or	Resin		Г Э	0	
	H27.9-H29.1		Н9	D4R	Resin	H16 H8 or	Resin	×	_	0	
				4	Resin	H16 H8 or	Resin		Г Э	0	
	H29.2-	MJ55S	HB3	LED	Resin	LED H8 or	Resin	0	_	0	
	H24.10-H26.7	MJ34S		4S	Resin	LED H8	Resin		_	0	
Flair custom style	H26.8-H27.8			4S	Resin	H16	Resin		_	×	
	H27.9-	MJ34S.MJ44S		4S	Resin	LED	Resin		_	_	
	H26.1-H27.11	MS31S		4S	Resin	H8	Resin		_	0	
Flair crossover	H27.12-	MS41S		4S	Resin	H16	Resin		_	×	
Flair Wagon	1127.12	MOTO		10	Resin	H8	Resin		C	0	
	H24.6-	MM21S		2S	Resin	H8	Resin		_	0	
				14	Resin	H8	Resin		C	0	
	H25.4-H27.4		Н7	D4R				0	J 	0	
		MM32S.42S			Resin	H8	Resin				
	H27.5-H28.12			14	Resin	H16	Resin		о Г	×	
			H7	D4R	Resin	H16	Resin	0		×	
	H29.1-H30.1	MM42S		14	Resin	LED	Resin		с Г	-	
			H7	D4R	Resin	LED	Resin	0		-	
	H30.2-	MM53S		14	Resin	LED	Resin		о Г	-	
			HB3	LED	Resin	LED	Resin	0	-	-	
	H25.7-H27.7	MM32S.42S		4S	Resin	H8	Resin		_	0	
Flair Wagon Custom Style	H27.8-H28.12			4S	Resin	LED	Resin		_	-	
	H29.1-H30.1	MM42S		LED	Resin		-	-			
	H30.2-	MM53S	LED	LED	Resin	LED	Resin	-	-	-	
Flair Wagon Tough Style	H30.12-	MM53S	LED	LED	Resin	LED	Resin	-	-	-	
Premacy	H11.4-H17.1	CPRW	н	4	Resin	-	-	(	о 	-	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Proceed Marvier         H11-H83         UV68Reriner         H1         III         UV6Rer UV.6R         HIII         IIII         IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		H13.10-H17.1		D2R Resin — —		-	_	-				
Image: state intermation intermatintermatermation intermation intermation intermation inter		1117.0		HB3	H7	Resin	-	-	0	0	-	
H22-H302         OVEM         HB         DO         HB         DO         I         Rain         O         I         SO		H17.2-	GR#wseries	HB3	D2S	Resin	-	-	0	-	_	
Image         Image <t< td=""><td></td><td>H22.7-H30.2</td><td>CWE#W</td><td>HB3</td><td>H11</td><td>Resin</td><td>H11</td><td>Resin</td><td>0</td><td>0</td><td>0</td><td></td></t<>		H22.7-H30.2	CWE#W	HB3	H11	Resin	H11	Resin	0	0	0	
Proceed Marvine         H1-H43         UVBReview				HB3	D2S	Resin	H11	Resin	0	-	0	
https://product interaction         Html         Fragment interaction         Fragment interacti	Proceed	H2.1-H11.1	UF66M	F	14	Glass	-	-	C	C	-	
Proceedlewante         H911-         TFZV TURUW         IIII         IIII         Para         IIII         Para         IIII         Para         IIIII         Para         IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Proceed Marvie	H3.11-H8.3	UV66Rseries	F	14	Glass	-	-	C	C	-	
Number         Hase         <		H8.3-	UV56R UVL6R	F	14	Glass	-	-	(	C	-	
hls6-         DC3         DC3         Rein         VI         Rein         O         O        O <th< td=""><td>Proceed Levante</td><td>H9.11-</td><td>TF#2W TJ#2W</td><td>F</td><td>14</td><td>Resin</td><td>-</td><td>-</td><td>C</td><td>C</td><td>-</td><td></td></th<>	Proceed Levante	H9.11-	TF#2W TJ#2W	F	14	Resin	-	-	C	C	-	
Image         Image <th< td=""><td>Verisa</td><td>H16.6-</td><td>DC5#</td><td>HB3</td><td>H7</td><td>Resin</td><td>H11</td><td>Resin</td><td>0</td><td>0</td><td>0</td><td></td></th<>	Verisa	H16.6-	DC5#	HB3	H7	Resin	H11	Resin	0	0	0	
H139-         Secretes         H-H         Rein         H-H         Rein         H-H         Rein         J-         I         N         #For is yellow lans           Bongo Wagon         581 11-H11.5         SESseries         H-H         Rein         I         I         I         I         N         I         I         N         I <td></td> <td>1110.0</td> <td>000#</td> <td>HB3</td> <td>D2S</td> <td>Resin</td> <td>H11</td> <td>Resin</td> <td>0</td> <td>-</td> <td>0</td> <td></td>		1110.0	000#	HB3	D2S	Resin	H11	Resin	0	-	0	
H13.9-         H13.9-         H13.9-         H13.9-         H13.9-         H13.9-         H13.9-         ESS deries         H14-         Gals         L         Gals         L         Gals         L         Gals         L         H14-         Second Composition with analod beam vehicles.           Bongo Yuagon         S61.11-H11.5         SE Sisteries         H         Hein         H         Gals         L         H         Hein         H	Bongo Friendee	H7.6-H13.8		F	14	Resin	H3	Resin	C	C	0	
Image: marging bis		LI 1 2 0-	SGseries	F	14	Resin	*H1	Resin	C	C	×	*Fog is yellow lens
H10-KK#seriesH4Rein <td></td> <td>1113.9</td> <td></td> <td>HB3</td> <td>D2R</td> <td>Resin</td> <td>-</td> <td>-</td> <td>0</td> <td>-</td> <td>_</td> <td></td>		1113.9		HB3	D2R	Resin	-	-	0	-	_	
H16-H221         SK4         H         Rein         H3         Rein         J <j< th="">         J<j<j< th="">         SC           MAZDA2         R18-         DUL#SDJ5K         LE0         LE0         Rein         LE0         Rein         J</j<j<></j<>	Bongo Wagon	S61.11-H11.5	SE,SSseries	*	H4	Glass	-	-	C	C	-	*Not compatible with sealed beam vehicles.
Bongo Truck         H22-         SLP2#         H-H         Resin         -         I <td></td> <td>H11.6-</td> <td>SK#series</td> <td>F</td> <td>14</td> <td>Resin</td> <td>-</td> <td>-</td> <td>C</td> <td>C</td> <td>-</td> <td></td>		H11.6-	SK#series	F	14	Resin	-	-	C	C	-	
H22-     SLP2#     H-H     Resin     -     Image     Image     -     Image     -     Image     -     -     -     -     -       MAZDA2     R1.8-     DLIES,DJS#S     LED     LED     Resin     LED     Resin     Image	Panga Turak	H11.6-H28.1	SK#	ŀ	14	Resin	НЗ	Resin	C	C	0	
MAZDA FXSTBACK MAZDAS     R1.8-     BP#P     LED     LED     Resin     LED     Resin     -     -     -     -       MAZDAS     R1.8-     BP#P     LED     LED     Resin     LED     Resin     -     -     -     -       MAZDAS     R1.8-     GJ#FP,GJ2#P     LED     LED     Resin     LED     Resin     -     -     -     -       MAZDAS     R1.8-     GJ#FW,GJ2#W     LED     Resin     LED     Resin     -     -     -     -     -       MAZDAS     R1.8-     GJ#FW,GJ2#W     LED     Resin     -     -     -     -     -     -       MAZDAS     R1.8-     GJ#FW,GJ2#W     LED     Resin     -     -     -     -     -     -       MAZDAS     R1.11-H6.6     BGseries     LED     Resin     -     -     -     -     Cannot be installed on sealed beam vehicles *Fog       Eunos 500     H1.11-H6.8     MAseries     H33     R48     Resin     -     -     C     -     -       Eunos 600     H3.1-H8.4     CAseries     H43     Resin     -     -     -     C     -     -       Eunos 600     H2H7.8     Ge	Bongo Truck	H28.2-	SLP2#	ŀ	14	Resin	-		(	С	-	
FASTBACK FASTBACKRisRisBMPLeDLeDReinReinReinLeDReinReinReinLeDReinReinReinLeDReinReinReinLeDRein	MAZDA2	R1.8-	DJL#S,DJ5#S	LED	LED	Resin	LED	Resin	-	-	_	
MAZDA3 SEDANR1.8-BP#PLEDLEDLEDLEDReinLEDReinMAZDA6 SEDANR1.8-GJ#FP.GJ.2#PLEDLEDReinLEDReinMAZDA6 MAZOA6R1.8-GJ#FW.GJ.2#WLEDLEDReinLEDReinMIleniaH9.7-TaseriesHB3HB4Rein00HILEunos 100H1.11-H6.8BGseriesSeeies-Rein+H3GlassX**Eunos 300H1.11-H6.8MAseriesH3H1ReinH3Rein000Eunos 500H3.11-H6.8MAseriesH32H1ReinH3Rein000Eunos 600H5.10-H9.7TA3.5eriesH32H1Rein000Eunos 600H2.4-H7.8JGseriesH4H8Rein000Eunos 6000H2.4-H7.8JGseriesH4H8Rein00Eunos 6000H2.4-H7.8JGseriesH4H8Rein004Eunos 6000H2.4-H7.8JGseriesH1H3ReinH3Rein- <td>MAZDA3 FASTBACK</br></td> <td>R1.8-</td> <td>BP#P</td> <td>LED</td> <td>LED</td> <td>Resin</td> <td>LED</td> <td>Resin</td> <td>-</td> <td>-</td> <td>_</td> <td></td>	MAZDA3 	R1.8-	BP#P	LED	LED	Resin	LED	Resin	-	-	_	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	MAZDA3	R1.8-	BP#P	LED	LED	Resin	LED	Resin	-	-	_	
MAZOA     R1.8-     GJ#FWG.124W     LED     IED     Rein     LED     Rein     IED     IED     IED     Rein     IED     Rein     IED     IED     IED     Rein     IED     IED     IED     Rein     IED     IED <th< td=""><td>MAZDA6</td><td>R1.8-</td><td>GJ#FP,GJ2#P</td><td>LED</td><td>LED</td><td>Resin</td><td>LED</td><td>Resin</td><td>-</td><td>-</td><td>_</td><td></td></th<>	MAZDA6	R1.8-	GJ#FP,GJ2#P	LED	LED	Resin	LED	Resin	-	-	_	
Millenia     H9.7-     Taseries     HB     HB     Resi       O     O      Method       Eunos 100     H1.11-H6.6     BGseries     Series     Glass     +H2     Glass     +	MAZDA6	R1.8-	GJ#FW,GJ2#W	LED	LED	Resin	LED	Resin	-	-	_	
Link in the fieldDescriptionDes	Millenia	H9.7-	TAseries	HB3	HB4	Resin	_	-	0	0	_	
Eunos 300     H.11-H6.6     MAseries     Image: High series     Resin     H:A     Glass     Image: High series     Figs is yellow lens       Eunos 600     H5.10-H9.7     TA3,5series     HB     HB     Resin     Image: High series     Image:	Eunos 100	H1.11-H6.6	BGseries	Seale	d Beam	Glass	*H2	Glass	:	×	×	
Lunos 800H5.10-H9.7TA3,5seriesHB3HB4Resin $  0$ $0$ $   -$	Eunos 300	H1.11-H6.6	MAseries	ŀ	14	Resin	*H3	Glass	C	C	×	
Eunos CargoH2.9-H5.9SSseriesH4GlassO-Eunos CosmoH2.4-H7.8JCseriesH4ResinH3ResinOOEunos PressoH3.6-H10.1EC8seriesH4ResinH3ResinOOLaputaH13.3-HP11S,HP21SH4Resin*H3aResinOO*Fog bulbs are 35WLantisH5.8-H9.5CB.AseriesH1H3ResinOOO*Fog bulbs are 35WLuceS61.9-H3.5HCseriesH4GlassO-Cannot be installed on sealed beam vehiclesRoadsterH1.6-H10.6NAseriesSelet BeamGlassOO-Cannot be installed on sealed beam vehiclesH10.1-H12.7H1.2.7-H17.8HBH3ResinOOH17.8-NCECH9H7ResinXO-+H1 H9 No settingH2.7-NDSRCLEDLEDLEDResinX	Eunos 500	H4.1-H8.4	CAseries	нзс	H1	Resin	НЗ	Resin	0	0	0	
LandsH2.4-H7.8JCseriesHResinH3Resin $\bigcirc$ OEunos PressoH3.6-H10.1EC8seriesH $\checkmark$ ResinH3Resin $\bigcirc$ OLaputaH13.3-HP11S,HP21SH $\checkmark$ Resin*H3aResin $\bigcirc$ O*Fog bulbs are 35WLantisH5.8-H9.5CB,AseriesH1H3Resin*H3aResinOO*Fog bulbs are 35WLuceS61.9-H3.5HCseriesH $\checkmark$ Glass $\bigcirc$ $\bigcirc$ -RoadsterH1.6-H10.6NAseriesSealed BeamGlass $\bigcirc$ $\bigcirc$ Cannot be installed on sealed beam vehiclesH10.1-H12.7H18-riseHB3HB4Resin $\bigcirc$ $\bigcirc$ -H17.8-NCECH9H7Resin $\bigcirc$ $\bigcirc$ -H2.5-NDSRCLEDLEDResin $\checkmark$	Eunos 800	H5.10-H9.7	TA3,5series	HB3	HB4	Resin	_	-	0	0	_	
Eunos PressoH3.6-H10.1EC8series $H + P11S, HP21S$ $H + P21S$ $H + P2$	Eunos Cargo	H2.9-H5.9	SSseries	F	14	Glass	_	-	C	) C	_	
LaputaH13.3-HP11S,HP21S $H$ Resin $H$ Resin $R$ <td>Eunos Cosmo</td> <td>H2.4-H7.8</td> <td>JCseries</td> <td>F</td> <td>14</td> <td>Resin</td> <td>НЗ</td> <td>Resin</td> <td>C</td> <td>C</td> <td>0</td> <td></td>	Eunos Cosmo	H2.4-H7.8	JCseries	F	14	Resin	НЗ	Resin	C	C	0	
LantisH5.8-H9.5CB.AseriesH1H3Resin*H3aResinOOO*Fog bulbs are 35WLuceS61.9-H3.5HCseries	Eunos Presso	H3.6-H10.1	EC8series	F	14	Resin	НЗ	Resin	C	C	0	
LuceS61.9-H3.5HCseriesH4GlassO-RoadsterH1.6-H10.6NAseriesSealed BeamGlass $\times$ -Cannot be installed on sealed beam vehiclesH10.1-H12.7NBseriesH4ResinOH12.7-H17.8NBseriesH4ResinO-H17.8-NCECH9H7ResinXO-H27.5-ND5RCLEDLEDResinX	Laputa	H13.3-	HP11S,HP21S	F	14	Resin	*H3a	Resin	(	C	0	*Fog bulbs are 35W
LuceS61.9-H3.5HCseriesH4GlassO-RoadsterH1.6-H10.6NAseriesSealed BeamGlass $\times$ -Cannot be installed on sealed beam vehiclesH10.1-H12.7NBseriesH4ResinOH12.7-H17.8NBseriesH4ResinO-H17.8-NCECH9H7ResinXO-H27.5-ND5RCLEDLEDResinX	Lantis	H5.8-H9.5	CB,Aseries	H1	НЗ	Resin	*H3a	Resin	0	0	0	*Fog bulbs are 35W
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Luce	S61.9-H3.5	HCseries	F	14	Glass	-	-	(	ว	-	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Roadster	H1.6-H10.6	NAseries	Seale	d Beam	Glass	-	-	:	×	-	Cannot be installed on sealed beam vehicles
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		H10.1-H12.7		F	14	Resin	-	-	(	C	_	
H17.8- NCEC H9 D2S Resin × *HI H9 No setting		H12.7-H17.8	NBseries	HB3	HB4	Resin	-	-	0	0	-	
H9         D2S         Resin         -         -         ×         -         -         *HI H9 No setting           H27.5-         ND5RC         LED         LED         Dasis         -         -         -         -         *HI H9 No setting			NOTO	Н9	H7	Resin	_	-	×	0	-	*HI H9 No setting
		H17.8-	NGEC	Н9	D2S	Resin	-	-	×	-	-	*HI H9 No setting
		H27.5- H29.2-	ND5RC NDERC	LED	LED	Resin	-	-	_	-	-	

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

SUBARU									halogen	bulb	1
Model name	Year Model	Model	Hi	Ge Lo	enuine bu	ulb Fog	Lens		ompatibl		Remarks
R1				14	Resin	-	-		)	-	
	H17.1-	RJ1.2	D	2S	Resin	-	-	-	-	-	
R2			F	14	Resin	HB4	Resin	C	>	0	
	H15.12-	RC1.2	D	2S	Resin	HB4	Resin	-	_	0	
	H26.8-H29.5		HB3	LED	Resin	H16or LED	Resin	0	_	×	
WRX STI	H29.6-	VAB	LED	LED	Resin	LED	Resin	_	_	-	
	H26.8-H29.6		HB3	LED	Resin	H16or LED	Resin	0	_	×	
WRX S4	H29.7-	VAG	LED	LED	Resin	LED	Resin	_	_	-	
Alcyone SVX	H3.9-H8.12	CXseries	H3	H1	Resin	H3	Resin	0	0	0	
Impreza (including wagon)	H4.11-H12.7	GC# GF#	H	14	Glass	H3	Glass	(	5	0	★Some venicies use special valves, and as the flange shape is different, installation is not
WRXタイプR.RA.RX	H9.1-H12.7	GC8 GF8	H4 S	pecial	Glass	H3	Glass	;	×	0	*No special HI/LO valve settings
			н	14	Glass	H3	Glass	;	×	0	*No special HI/LO valve settings
HID specification vehicle	H12.8-H14.10		HB3	D2S	Resin	H3	-	C	>	0	
		1	HB3	H1	Resin	HB4	-	0	0	0	
HID specification vehicle	H14.11-H17.5	GD#	HB3	D2R	Resin	HB4	-	0	_	0	
		-	HB3	H1	Resin	HB4	-	0	0	0	
HID specification vehicle	H17.6-H19.5		HB3	D2S	Resin	HB4	-	0	_	0	
		0.11	HB3	H7	Resin	HB4	-	0	0	0	
HID specification vehicle	H19.6-H23.11	GH#	HB3	D2S	Resin	HB4	-	0	-	0	
npreza WRX STI	H19.10-	GR# 5-door	HB3	H7	Resin	HB4	Resin	0	0	0	
	H19.10-	hatchback	HB3	D2S	Resin	HB4	Resin	0	-	0	
	H22.7-H26.8	GV# 4-door sedan	HB3	H7	Resin	HB4	Resin	0	0	0	
	HZZ./-HZ0.8	Gv# 4-door sedan	HB3	D2S	Resin	HB4	Resin	0	-	0	
Impreza Wagon	H4.11-H12.8	GF#series	H	14	Glass	H3	Glass	C	D	0	
	H12.8-H14.10		H	14	Resin	H3	-	Ċ	C	0	
			HB3	D2S	Resin	H3	-	0	0	0	
	H14.11-H17.5	GG#	HB3	H1	Resin	H3	-	0	-	0	
	H14.11-H17.5	66#	HB3	D2R	Resin	H3	-	0	0	0	
	H17.6-H19.5		HB3	H7	Resin	H3	-	0	-	0	
	1117.0 1119.5		HB3	D2S	Resin	HB4	-	0	0	0	
Impreza Anesis	H20.10-H23.12	GE#	HB3	H7	Resin	HB4	Resin	0	0	0	
	1120.10 1120.12		HB3	D2S	Resin	HB4	Resin	0	-	0	
Impreza XV	H22.6-H24.2	GH#	HB3	D2S	Resin	HB4	Resin	0	-	0	
Impreza G4	H23.12-H28.9	GJ#	HB3	H11	Resin	PSX 24W	Resin	0	0	×	
	1120.12 1120.3	G0#	HB3	D2R	Resin	PSX 24W	Resin	0	-	×	
	H28.10-	GK2.3.6.7	HB3	H11	Resin	H16	Resin	0	0	×	
		S. 12.0.0.7	LI	ED	Resin	H16	Resin	-	-	×	
Impreza Sports	H23.12-	GP#	HB3	H11	Resin	PSX 24W	Resin	0	0	×	
			HB3	D2R	Resin	PSX 24W	Resin	0	-	×	
	H28.10-R1.10		HB3	H11	Resin	H16	Resin	0	0	×	
		GT2.3.6.7	U	ED	Resin	H16	Resin	-	-	×	
Impreza Sports	R1 11-	G12.0.0.7	HB3	H11	Resin	LED	Resin	0	0	-	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

	141.11		LE	ED	Resin	LED	Resin	-	-	-	
Impreza Sports Hybrid	H27.7-H28.10	GPE	HB3	H11	Resin	PSX 24W	Resin	0	0	×	
	1127.7 1120.10		HB3	D2R	Resin	PSX 24W	Resin	0	-	×	
Impreza hatchback	H19.5-	GH2.3.7.8	HB3	H7	Resin	-	-	0	0	-	
	1113.5	GH2.0.7.0	HB3	D2R	Resin	-	-	0	-	-	
Vivio	H4.3-H10.10	ККЗ,КК4	н	4	Resin	Н3	Resin	(	2	0	
Vivio Bistro	H7.10-H10.10	KW4	н	4	Glass	-	-	(	2	-	
Exiga	H20.6-	YA4.5.9	н	4	Resin	HB4	Resin	(	2	0	
Including Alcantara Edition	1120.0	17(1.0.0	D	2R	Resin	HB4	Resin	-	-	0	
Sambar Dias	H2.3-H11.2	KVseries	н	4	Resin	-	-	(	2	-	
Classic	H5.12-H11.2	KV 3L57Aseries	Sealed	l Beam	Glass	-	-	;	×	×	Cannot be installed on sealed beam vehicles
	H11.2-	TV1.2	н	4	Resin	-	-	(	2	-	
Sambar Truck	H14.9-	TT1.2	H	14	Resin	H3a	Resin	(	2	0	
	H24.4-H29.10		н	14	Resin	-		(	2	-	
Sambar VAN	H29.11-	S321.331#	н	14	Resin	LED	Resin	(	<b>)</b>	-	
			LED	LED	Resin	LED	Resin	-	-	-	
Dias Wagon	H21.9-	S32#.33#N	НВ3	H7	Resin	H8	Resin	0	0	0	
			НВ3	D4R	Resin	H8	Resin	0	-	0	
Chiffon Custom	H28.12-R1.6	LA600F.610F	HB3	LED	Resin	LED	Resin	0	-	-	
	R1.7-	LA650F.660F	LED	LED	Resin	LED	Resin	-	-	-	
Justy	H28.11-	M900F.910F	F	14	Resin	LED	Resin	0	>	-	
			LED	LED	Resin	LED	Resin	-	-	-	
Justy Custom	H28.11-	M900F.910F	LED	LED	Resin	LED	Resin	-	-	-	
Stella			н	4	Resin	-	-	(	<b>)</b>	-	
custom	H18.6-	RN1.2	HB3	H7	Resin	-	-	0	0	-	
HID specification vehicle			HB3	D2S	Resin	-	-	0	-	-	
	H23.5-H24.12	LA100.110F	н	4	Resin	H8	Resin	(	2	0	
	H25.1-H26.11	LA100.110F	F	14	Resin	H16	Resin	(	2	-	
	H26.12-	LA150.160F	H	14	Resin	LED	Resin	(	2	-	
			HB3	LED	Resin	LED	Resin	0	-	-	
Stella Custom	H18.6-H23.4	RN1.2	HB3	H7	Resin	H3	Resin	0		0	
HID specification vehicle			HB3	D2S	Resin	H3	Resin	0	-	0	
	H23.5-H24.12	LA100.110F	HB3	D4S	Resin	H8	Resin	0	_	0	
	H25.1-H26.11		HB3	LED	Resin	H16	Resin	0	-	×	
	H26.12-	LA150.160F	Н9	LED	Resin	LED	Resin	×	-	-	
Subaru XV	H24.10-H29.4	GP7	HB3	H11	Resin	PSX 24W	Resin	0	0	×	
			HB3	D2R	Resin	PSX 24W	Resin	0	-	×	
Subaru XV	H29.5-	GT3.7	HB3	H11	Resin	H16or LED	Resin	0	0	×	
			HB3	LED	Resin	H16or LED	Resin	0	-	×	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

The control of the comparison cy						-					
	H25.6-H29.4	GPE	HB3	H11	Resin	PSX 24W	Resin	0	0	×	
Subaru XV Hybrid	1120.0 1123.4		HB3	D2R	Resin	PSX 24W	Resin	0	-	×	
Subaru XV Hybrid	1100 5	OTE	HB3	H11	Resin	H16or LED	Resin	0	0	×	
	H29.5-	GTE	HB3	LED	Resin	H16or LED	Resin	0	-	×	
Traviq	H13.11-	XM220	НВ3	H7	Resin	_	-	0	0	_	
Trezia		NCP120.125X	н	4	Resin	H11	Resin	C	)	0	
	H22.11-	NSP120X	H11	D4R	Resin	H11	Resin	0	_	0	
Smart Stop Package		NCP120X	н	4	Resin	H11	Resin	C	)	0	
Smart Stop Package	H23.11-H28.3	NSP120X	H11	D4R	Resin	H11	Resin	0	_	0	
BRZ			НВ3	H11	Resin	PSX 24W	Resin	0	0	×	
	H24.3-H28.7	ZC6	НВ3	D4S	Resin	PSX	Resin	0	_	×	
	H28.8-		LE	ED	Resin	24W LED	Resin	_	_	_	
Forester	H9.2-H14.2	SFseries	н	4	Glass	HB4	Resin		)	0	
				4	Resin	НЗ	Resin	0		0	
	H14.2-H17.1			2R	Resin	НЗ	Resin	-		0	
After M/C		SGseries									
After M/C	H17.1-H19.11		HB3	H1	Resin	HB4	Resin	0	0	0	
			HB3	D2R	Resin	HB4	Resin	0	-	0	
	H19.12-	SH5	HB3	H7	Resin	HB4	Resin	0	0	0	
			HB3	D2R	Resin	HB4	Resin	0	-	0	
	H24.11-H27.10	SJ5.SJG	HB3	H11	Resin	H16	Resin	0	0	×	
			HB3	D4R	Resin	H16	Resin	0	-	×	
	H27.11-H30.6	SJ5.SJG	HB3	H11	Resin	H16	Resin	0	0	×	
			HB3	LED	Resin	H16	Resin	0	-	×	
	H30.7-	SK9.SKE	LED	LED	Resin	H16or LED	Resin	-	-	×	
Preo	H10.10-	RA,RV1,2series	Specia	(IH01)	Resin	-	-	>	<	×	*HI/LO IH01 No setting
	H22.4-	L27#.28#	н	14	Resin	-	-	C	)	-	
	H22.4-H30.3	L27#.28#	H	14	Resin	H8	Resin	C	)	0	
Pleo Custom		1.07#.00#	HB3	H7	Resin	H8	Resin	0	0	0	
	H22.4-H29.4	L27#.28#	НВ3	D4R	Resin	H8	Resin	0	-	0	
	H24.12-H29.4	L300F.310F	H	14	Resin	-	-	Ċ	)	-	
Pleo Nesta	H11.6-	RA2	н	4	Resin	НЗ	Resin	C	)	0	
Lukla			н	4	Resin	H8	Resin	C	)	0	
Custom.R Limited	H24.1-	L45#.46#	H7	D4R	Resin	H8	Resin	0	_	0	
Leone	S59.7-	AA,AG,ALseries	special	special	Glass	_	_		<	_	*No special HI/LO valve settings
			HB3	Н11	Resin	H16	Resin	0	0	×	-
	H26.6-H28.5		HB3	LED	Resin	H16	Resin	0	_	×	
		VM4.VMG	НВЗ	H11	Resin	H16	Resin	0	0	×	
Levorg	H28.6-R2.9		LED	LED	Resin	H16	Resin	-	-	×	
			LED	LED		LED		_	_	_	
	P2 10-	VNE			Resin		Resin				
	R2.10-	VN5	LED	LED	Resin	LED	Resin	-	-	-	

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

now conceau une compacionity	chart. O. can be me.		011001			e mean	<u> </u>			1	
Legacy Wagon	H5.10-H10.6	BG3,4,5,7	н	14	Resin	H3	Resin	(	2	0	
	H6.10-H8.6	BD9	H3	H1	Resin	НЗ	Resin	0	0	0	
	H6.10-H10.6	BG5,9,C	H3	H1	Resin	H3	Resin	0	0	0	
	H8.2-H9.9	BG5	Н3	H1	Resin	H3	Resin	0	0	0	
	H10.6-H15.5	BHseries	H1	H7	Resin	H3	Resin	0	0	Δ	
GT-VDC,GT-B	H10.0-H15.5	Driseries	H1	D2R	Resin	H3	Resin	0	-	0	
	H15.5-H18.4		HB3	H7	Resin	H3	Resin	0	0	0	
	1113.5 1116.4	BP5	HB3	D2S	Resin	НЗ	Resin	0	-	0	
	H18.5-H21.5		H9	H7	Resin	-	-	×	0	-	*HI H9 No setting
	n16.3-n21.3		H9	D2S	Resin	-	-	×	-	-	*HI H9 No setting
	1101 5	PD0	HB3	H7	Resin	HB4	Resin	0	0	0	
	H21.5-	BR9	HB3	D2S	Resin	HB4	Resin	0	-	0	
Legacy Sedan		20.4	н	14	Resin	H3	Resin	C	)	0	
RS GT 250T	H5.10-H10.11	BD#	H3	H1	Resin	H3	Resin	0	0	0	
Legacy B4		255 210 255	H1	H7	Resin	H3	Resin	0	0	0	
	H10.12-H15.5	BE5,BH9,BEE	H1	D2R	Resin	H3	Resin	0	-	0	
			НВ3	H7	Resin	НЗ	Resin	0	0	0	
	H15.5-H18.4		НВ3	D2S	Resin	НЗ	Resin	0	-	0	
		BL5	Н9	H7	Resin	_	-	×	0	_	*HI H9 No setting
	H18.5-H21.5		Н9	D2S	Resin	_	-	×	_	_	*HI H9 No setting
		BM#	HB3	H7	Resin	HB4	Resin	0	0	0	
	H21.5-H24.4		HB3	D2S	Resin	HB4	Resin	0	-	0	
	1104.5	BM#	HB3	H7	Resin	H16	Resin	0	0	×	
	H24.5-		HB3	D2S	Resin	H16	Resin	0	_	×	
	H25.5-H26.10		HB3	D2S	Resin	H16	Resin	0	_	×	
	H26.10-	BN9	HB3	LED	Resin	H16	Resin	0	-	×	
Legacy Outback			HB3	H7	Resin	-	-	0	0	-	
	H15.10-H18.4	BPE/BP9	HB3	D2S	Resin	-	-	0	-	-	
		BPE/BP9	Н9	H7	Resin	-	-	×	0	-	*HI H9 No setting
	H18.5-H21.5		Н9	D2S	Resin	-	-	×	-	-	*HI H9 No setting
		PD#	HB3	H7	Resin	HB4	Resin	0	0	0	
	H21.5-H24.4	BR#	HB3	D2S	Resin	HB4	Resin	0	-	0	
	424.5-	BR#	HB3	H7	Resin	H11	Resin	0	0	0	
	H24.5-	DI\#	HB3	D2S	Resin	H11	Resin	0	_	0	
	H25.5-H26.10		HB3	D2S	Resin	H11	Resin	0	_	0	
	H26.10-	BS9	HB3	LED	Resin	H16	Resin	0	_	×	
Legacy Lancaster			H1	H7	Resin	H3	Resin	0	0	0	
	H10.6-H15.5	BH9A	H1	D2R	Resin	НЗ	Resin	0	_	0	
۱											

■Please be sure to read this before purchasing/installing the valve.

SUZUKI

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Model name	Year Model	Model			enuine bu			c	halogen ompatibl	e	Remarks
Kei	H10.10-	NH11S,21Sseries	ні	<u>Lo</u>	Lens Resin	Fog *H3a	Lens Resin	Hi C	<u>Lo</u>	Fog O	*Fog bulbs are 35W
	H14.11-	HN22S	н		Resin	-		0		_	
MR Wagon	H13.12-H17.12		н		Resin	*H8	Resin	C		0	*Fog bulbs are 35W
	H14.6-H17.12	MF21S	D2		Resin	*H8	Resin	-		0	*Fog bulbs are 35W
Sports	H18.1-H23.1	MF22S			Resin	*H8	Glass	C		0	*Fog bulbs are 35W
	H23.1-	MF33S				*H8	Glass			Δ	IPF fog lamps are not compatible due to the yellov
CY4			н		Resin	*	Glass				coating.
SX4	H18.7-	YA.YB11S 41S	н		Resin	_	_			_	
TWIN	H15.1-	EC22S			Resin Resin		_			_	
X-90	H17.11-	CB4S				-					
Alto	H6.12-H10.9	HA~HD11	н		Glass Resin	H3	Glass			0	
	H10.10-H16.8	HA12,22series				-	-	0		_	
	H16.9-H21.11	HA24S		H4		_	-	0		-	
	H21.12-H26.11	HA25#		H4		-	-	C		-	
	H26.12-	HA36S		H4		H16	Resin	0		×	
Alto Turbo RS	H27.3-	HA36S	н		Resin	H16	Resin	C		×	
			D4		Resin	H16	Resin	-	-	×	
Alto van	H26.12-	HA36V	н	4	Resin	-	-	0		-	
Alto Works	H27.12-	HA36S	н	4	Resin	H16	Resin	C	)	×	
			D4	1S	Resin	H16	Resin	-		×	
Alto Eco	H23.12-	HA35S	н	4	Resin	H8	Resin	0		0	
Alto Lapin	H14.1-H20.11	HE21S	н	4	Resin	*H8	Resin	C	)	0	*Fog bulbs are 35W
SS	H15.9-H20.11		н	4	Resin	*H8	Resin	C	)	0	*Fog bulbs are 35W
	H20.11-	HE22S	н	4	Resin	*H8	Resin	C	)	0	*Fog bulbs are 35W
	1120.11	112223	H1	D2R	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
	H27.6-	HE33S	н	4	Resin	H8	Resin	C	)	0	
	1127.0	112333	D4	1S	Resin	H8	Resin	-	-	0	
Escudo	S63.5-H9.11	TA01,TD01series	н	4	Glass	-	-	C	)	-	
	H9.11-H17.5	TA#2W TD#2W	н	4	Resin	-	-	C	)	_	
			HB3	H7	Resin	-	-	0	0	_	
	H17.5-	TD#4W	HB3	D2S	Resin	-	-	0	_	_	
	H18.6-H19.4	TA74W	н	4	Resin	H11	Resin	C	)	0	
SX4 SX4 Sedan	H18.7-	YA.YB#1S	н	4	Resin	H11	Resin	C	)	0	
ox + oodun	H19.7-	YC11S	Н7	D2S	Resin	H11	Resin		_	0	
	H27.2-H29.6		D4	IS	Resin	H11	Resin	-	-	0	
SX4 S-CROSS	H29.7-	YA22S.YB22S	LED	LED	Resin	H11	Resin	-	_	0	
MR Wagon			н	4	Resin	H8	Resin		)	0	
	H13.12-H17.12	MF21S	D2	R	Resin	H8	Resin	-	-	0	
MR Wagon	H18.1-H22.12	MF22S	н	4	Resin	H8	Resin	C	)	0	
	H23.1-		н	4	Resin	H8	Resin	C	)	0	
ECO-L.ECO-X		MF33S	н		Resin	H8	Resin	C		0	
MR Wagon Wit	H25.7-H28.3	MF33S	D2		Resin	H8	Resin	_		0	
		1	1 .				1				

■Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Tiow to read the compatibility	onara O. oan be me		0.000				<u>.</u>				
Grand Escudo	H12.12-H15.5	TYOOW	н	14	Resin	-	-	C	)	-	
	H15.6-	TX92W	н	14	Resin	H3	Resin	Ċ	)	0	
Every / Carry		DA.DB.DC.DD	Sealed	d Beam	Glass	-	-	>	¢	-	Cannot be installed on sealed beam vehicles
	H2.3-H10.12	DE.DF51	H	H4		*H3a	Resin	C	)	0	*Fog bulbs are 35W
	H11.1-H13.9	DA,DB52series	H4		Resin	*H3a	Resin	C	)	0	*Fog bulbs are 35W
Carry excluded	H13.9-H17.7	DA62	н	14	Resin	H3	Resin	C	)	0	
	H17.8-H27.1	DA64# DA63T	н	14	Resin	H8	-	C	)	-	
			н	14	Resin	H16	Resin	C	)	×	
	H27.2-	DA17W	H1	D4R	Resin	H16	Resin	0	_	×	
Every Plus	H11.6-H13.5	DA32W	н	14	Resin	_	-	C	)	-	
Every Landy	H13.5-	DA32W	н	14	Resin	_	-	C	)	-	
cappuccino	H3.10-H10.10	EA11,21series	H1	НЗ	Resin	_	-	0	0	_	
Cultus	H4.1-H6.12	AA.AB.AJ.AK#4S	н	14	Resin	_	-	C	)	_	
Cultus Crescent	H7.1-	GA#1.GSB21	н	14	Resin	_	-	C	)	_	
Cultus Crescent Wagon	H8.1-	GC#1.GD31	н	14	Resin	_	-	C	)	_	
Kizashi	H21.10-	RE.RF91S	H7	D2S	Resin	H11	Resin	0	_	0	
Carry (including Super Carry)	H11.1-H17.7	DA52.62# DB52.62#	н	14	Resin	H3a	Resin	C	)	0	
	H17.8-H25.8	DA63T	н	14	Resin	H8	Resin	C	)	0	
			H	14	Resin	H8	Resin	C	)	0	
	H25.8-H27.7		D4S		Resin	H8	Resin	-		0	
		DA16T	H	14	Resin	H16	Resin	0		×	
	H27.8-		D	4S	Resin	H16	Resin	_		×	
Grand Escudo	H12.12-H17.4	TX92W	н	14	Resin	H3	Resin	0		0	
			н	14	Resin	LED	Resin	C	)	_	
Crosby	H29.12-	MN71S	LED	LED	Resin	LED	Resin	_	_	-	
Chevrolet Cruze	H13.11-	HR51.81S	н	14	Resin	_	-	C	)	_	
Jimny	H2.3-H10.10	JA1#,2#,JB3#	Sealed	d Beam	Glass	_	-	>	¢	_	JA11,12,22,JB31,32 Cannot be installed on sealed beam vehicles
	H10.10-H13.12	120014	н	14	Resin	*H3a	Resin	C	)	0	*Fog bulbs are 35W
	H14.1-	JB23Wseries	н	14	Resin	*H8	Resin	C	)	0	*Fog bulbs are 35W
	1100.7	100414	H	14	Resin	H16	Resin	C	)	×	
	H30.7-	JB64W	LED	LED	Resin	LED	Resin	-	_	-	
Jimny Sierra	H5.5-H9.12	JB3#Wseries	Sealed	d Beam	Glass	_	-	>	¢	-	Cannot be installed on sealed beam vehicles
	H14.1-H16.9	JB43W	н	14	Resin	-	-	C	)	-	
	H16.10-H17.9	15.4014			Resin	H11	Resin	C	)	0	
	H17.10-H30.6	JB43W		Resin	H11	Resin	C	)	0		
	H20.7_ IP74W H4	14	Resin	H16	Resin	C	)	×			
	H30.7-	JB74W	LED	LED	Resin	LED	Resin	-	-	-	
Jimny Wide	H10.1-H14.1	JB33W	н	H4		*H3a	Resin	C	)	0	*Fog bulbs are 35W
		1			Resin		L				

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

How to read the compatibility	onart. O. Gan be ma						ou			
Swift	H12.2-16.10	HT51S	H4 H4		Resin	-	-	0	-	
	H16.11-	ZC11.21S	F	14	Resin	H11	Resin	0	0	
Sports	H17.9-H22.9	70 7021 719	H	14	Resin	H11	Resin	0	0	
	n17.9-n22.9	ZC.ZD31.71S	D	2S	Resin	H11	Resin	-	0	
			H	14	Resin	H11	Glass	0	Δ	IPF fog lamps are not compatible due to the yellow coating.
	H22.9-	ZC.ZD72S	D	2S	Resin	H11	Glass	_	Δ	IPF fog lamps are not compatible due to the yellow coating.
Swift			H	14	Resin	H11	Resin	0	0	
	H23.12-H28.11	ZC32S	D	2S	Resin	H11	Resin	-	0	
		ZC.ZD43S	H	14	Resin	H11	Resin	0	0	
		ZC.ZD53S	LE	ED	Resin	H11	Resin	_	0	
	H28.12-	ZC13S.ZC83S	LE	ED	Resin	H11	Resin	_	0	
		ZC.ZD83S	H	14	Resin	H11	Resin	0	0	
Swift Sport	H29.9-	ZC33S	LED	LED	Resin	H11or	Resin		0	
 Splash	H20.10-	XB32S		  4	Resin	LED —	_	0	_	
Spacia				14	Resin	H8	Resin	0	0	
	H25.3-H27.7	MK32S	H7	D4R	Resin	H8	Resin	0 –	0	
			H	I I4	Resin	H16	Resin	0	×	
	H27.8-H28.11	MK32.42S	H7	D4R	Resin	H16or	Resin	0 –	×	
					Resin	LED H16or	Resin	0	×	
	H28.12-H29.11	MK42S	H7	D4R	Resin	LED H16or	Resin	0 -	×	
				5	Resin	LED LED	Resin	0	_	
	H29.12-	MK53S	НВЗ	LED	Resin	LED	Resin	0 -	_	
Spacia Custom	H25.3-H27.7	MK32S		4S	Resin	H8	Resin		0	
	H27.8-H28.11	MK32.42S		4S	Resin	H16or	Resin	_	×	
	H28.12-H29.10	MK42S		4S	Resin	LED LED	Resin	_	_	
	H29.12-	MK53S	LED	LED	Resin	LED	Resin		_	
Spacia Custom Z	H28.12-H29.11	MK42S		2S	Resin	LED	Resin		_	
Spacia Gear	H30.12-	MK53S	LED	LED	Resin	LED	Resin		_	
Cervo	1100.12			14	Resin	*H8	Resin	0	0	*Fog bulbs are 35W
	H18.11-	HG21S		2S	Resin	*H8	Resin	-	0	*Fog bulbs are 35W
Cervo Mode	H2.7-H10.9	CN,CPseries		14	Resin	*H3a	Resin	0	0	*Fog bulbs are 35W
Cervo Classic	H9.1-H10.9	C#22S		14	Resin			0	-	
Solio	H9.1-H10.9	6#223		14	Resin			0		*Eas hulka ava 25W
30110	H16.4-H22.12	MA34S	HB3	D2S			Resin	0 -	0	*Fog bulbs are 35W
				14	Resin	H3	Resin			
	H23.1-H23.10				Resin	H11	Glass	0		IPF fog lamps are yellow coated
		MA15S		2S	Resin	H11	Glass	-		IPF fog lamps are yellow coated
	H23.11-H27.8			14	Resin	H11	Resin	0	0	
			H4 F H9 D4R F	Resin	H11	Resin	-	0		
	H27.9-H28.10	MA26.36S		Resin	H11	Resin	0	0		
				Resin	H11	Resin	× –	0		
	H28.11-	MA46S.MA36A	H9	D4R	Resin	H11	Resin	× –	0	
	MA36S.MA26S	H	14	Resin	H11	Resin	0	0		

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Them as read and compatibility		1	1								1
Solio	R2.12-	MA37S	н	14	Resin	LED	Resin	(	С Г	-	
			LED	LED	Resin	LED	Resin	-	-	-	
Solio Bandit	H24.6-	MA15S	D	2S	Resin	H11	Resin	-		0	
	H27.9-H28.10	MA36S	LE	ED	Resin	H11	Resin	-	-	0	
	H28.11-H30.6	MA46S.MA36A	LE	ED	Resin	H11	Resin	-	-	0	
	H30.7-	MA36A	LE	ED	Resin	LED	Resin	-	_	-	
	R2.12-	MA37S	LE	ED	Resin	LED	Resin	-	-	-	
Hustler	H26.1-H27.11	MR31S	н	14	Resin	H8	Resin	(	C	0	
			D	4S	Resin	H8	Resin	-	-	0	
	H27.12-R1.12	MR31S.41S	н	14	Resin	H16	Resin	(	C	×	
			D	4S	Resin	H16or LED	Resin	-	-	×	
	R2.1-	MR92S.52S	LE	LED		LED	Resin	-	-	_	
	112.1	1111020.020	н	14	Resin	H8	Resin	(	С	0	
palette	H20.1-	MK21S	н	14	Resin	*H8	Resin	(	C	0	*Fog bulbs are 35W
	1120.1		D	2S	Resin	*H8	Resin	-	_	0	*Fog bulbs are 35W
Palette SW	H20.9-	MK21S	D	2S	Resin	*H8	Resin	-	_	0	*Fog bulbs are 35W
Randy			н	14	Resin	H8	Resin	(	C	0	*Fog bulbs are 35W
	H19.1-H19.12		D	2R	Resin	H8	Resin	-	_	0	*Fog bulbs are 35W
		SC.SNC25	нвз	H11	Resin	H8	Resin	0	-	0	*Fog bulbs are 35W
	H20.1-H22.11		H11	D2S	Resin	H8	Resin	0	0	0	*Fog bulbs are 35W
			нвз	HB4	Resin	H8	Resin	0	0	0	*Fog bulbs are 35W
	H22.12-H24.7	SC26.SNC26	НВ3	D2R	Resin	H8	Resin	0	-	0	*Fog bulbs are 35W
		SC26.SNC26	НВ3	HB4	Resin	H8	Resin	0	0	0	
2.0S set option 2.0G		SHC26.SNC26	НВ3	D2R	Resin	H8	Resin	0	-	0	
2.00			Н9	H11	Resin	H11	Resin	×	0	0	
	H28.12-	SC,SGC.SGNC27	H9	LED	Resin	H11	Resin	×	-	0	
Wagon R	H5.10-H10.9	CT#1 CV#1	н	14	Resin	*H3a	Resin	(	с	0	*Fog bulbs are 35W
	H10.10-H15.8		н	14	Resin	_	_	(	C	_	
		MC11S,21Sseries	НВ3	нзс	Resin	_	_	0	0	_	
C2	H13.11-H15.8		н	I I4	Glass	_	_	(	Г Э	_	
	H10.10-H15.8	MC22S	н	14	Resin	_	_	(	C	_	
RR			HB3	НЗС	Resin	*H3a	Resin	0	0	0	*Fog bulbs are 35W
RR	H13.11-H15.8	MC2#S	H7	D2S	Resin	*H3a	Resin	0	_	0	*Fog bulbs are 35W
	H9.4-H10.8	CV21,CT/CV51		14	Glass	_	_		L C	_	
				14	Resin	*H8	Resin		- C	0	*Fog bulbs are 35W
	H15.9-H20.8	MH21S		2S	Resin	*H8	Resin		_	0	*Fog bulbs are 35W
RR				25 2S	Resin	*H8	Resin		_	0	*Fog bulbs are 35W
				14	Resin	*H8	Resin		C	0	*Fog bulbs are 35W
	H20.9-	MH23S	Н7	D2R	Resin	*H8	Resin	0		0	*Fog bulbs are 35W
				14 12R			Resin		 C	0	
	H24.9-H26.7	MH34S			Resin	H8					
			H4 R	Resin	H8	Resin		- 	0		
	H26.8-H29.1	MH34S.MH44S		Resin	H16	Resin		C I	×		
			H9 D4R		Resin	H16	Resin	×	-	×	

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

Wagon R	H29.2-R1.12	MH35S.MH55S	H4		Resin	LED	Resin	0		-		
	nz9.z-R1.12	MH333.MH333	HB3	LED	Resin	LED	Resin	0	-	_		
	R2.1-	MH95S.MH85S	H4		Resin	LED	Resin	0		_		
	112.1	MI 1955.MI 1655	HB3	LED	Resin	LED	Resin	0	I	-		
Wagon R Stingray	H19.2-H20.8	MH21S.22S	HB3	D2S	Resin	H8	Resin	0	Ι	0	*Fog bulbs are 35W	
	H20.9-H24.8	MH23S	D	2S	Resin	H8	Resin	-	-	0	*Fog bulbs are 35W	
X Idling Stop	H22.8-H24.8	MI 1233	D2S		Resin	H8	Resin	-	-	0		
Enecharge	H24.9-H26.7	MH34S	D4S		Resin	H8	Resin	-	-	0		
	H26.8-H29.1	MH34S.MH44S	D	D4S LED		H16	Resin	-	-	×		
	H29.2-R1.12	MH35S.MH55S	LI			LED	Resin	I	I	-		
	R2.1-	MH95S.MH55S	LED		Resin	LED	Resin	Ι	Ι	-		
Wagon R Solio	H12.11-H14.6	MA64S	Ŧ	14	Resin	-	-	0		-		
	H14.6-H15.9	MA34S	HB3	HB4	Resin	-	-	0	0	0		
			HB3	D2S	Resin	_	-	0	Ι	-		
Wagon R Wide	H9.2-H11.5	MA,B61series	H4		Resin	-	-	Ċ	)	-		
Wagon R Plus	H11.5-H12.11	MA63S	F	H4		*H3a	Resin	0		0	*Fog bulbs are 35W	

Please be sure to read this before purchasing/installing the valve.

DAIHATSU

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

DAIHATSU	1			hele	hull	1					
Model name	Year Model	Model	Hi	Ge	enuine bu	ulb Fog	Lens		halogen ompatib Lo		Remarks
МАХ	H13.11-		H4		Resin	*H3d	Resin		)	×	*No Fog H3d setting
	H14.5-	-L95#S,L96#S	D2R		Resin	_	-	-	-	-	
YRV	H12.8-H14.12	M201G M211G	H4		Resin	*H3d	Resin	(	C	×	*No Fog H3d setting
coo			ŀ	H4		H11	Resin	(	2	0	
	H18.5-	M401S.40#S.411S	H7	D4R	Resin	H11	Resin	0	-	0	
Atrai / Hijet	H2.4-H6.4	S82,83Vseries	ŀ	14	Resin	-	-	(	)	-	
	H6.1-H10.12	S100series	H4		Resin	-	-	(	C	-	S100,110,120,130
	H11.1-H13.1	S220,230	ŀ	14	Resin	H3	Resin	C	2	0	
Atrai 7	H12.7-	S221,231	ŀ	14	Resin	*H3a	Resin	(	C	0	*Fog bulbs are 35W
Atrai Wagon	H17.5-H29.10		HB3	H7	Resin	H8	Resin	0	0	0	*Fog bulbs are 35W
	1117.5 1125.10	- S32#.33#G	HB3	D4R	Resin	H8	Resin	0	_	0	*Fog bulbs are 35W
	H29.11-	332#.33#G	ŀ	14	Resin	LED	Resin	(	5	_	
	1123.11		LED	LED	Resin	LED	Resin	-	_	-	
Altis	H12.3-H13.8	SXV20,SXV25	HB3	HB4	Resin	H3	Resin	0	0	0	
	H13.9-	ACV30,ACV35	HB3	HIR	Resin	١	-	0	×	-	*LO No HIR setting
	H26.12-H28.4		HB3	LED	Resin	H16	Resin	0	-	×	
Wake	H28.5-	LA700.710S	H4		Resin	H16or LED	Resin	(	5	×	
			HB3	LED	Resin	H16or LED	Resin	0	-	×	
Esse	H17.12-	L235S.L245S	H4		Resin	1	-	0		-	
Opti	H4.1-H9.6	L300,310series	H4		Resin	H3	Resin	0		0	
	H9.6-10.10	L300series	H4		Resin	-	-	0		-	
	H10.10-H14.7	L800 L810	H4		Resin	*H3a	Resin	0		0	*Fog bulbs are 35W
Cast Activa, Style, Sports	H27.9-	LA250.260S	H4		Resin	LED	Resin	0		-	
Cast Activa, Style, Sports	1127.5	LA230.2003	L	ED	Resin	LED	Resin	-	-	-	
Copen	H14.6-	L880series	HB3	Н1	Resin	HB4	Resin	0	0	0	
			HB3	D2S	Resin	HB4	Resin	0	-	0	
	H26.6-	-LA400K	Н9	H9 LED		H8	Resin	×	_	0	
	H27.6-		L	LED		H8	Resin	-	-	0	
Storia	H10.2-	M100,110Sseries	ŀ	14	Resin	-	-	(	2	-	
Sonica	H18.6-	L405S.L415S	ŀ	14	Resin	*H8	Resin	(	2	0	*Fog bulbs are 35W
	1110.0		H7	D4R	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
Tanto	H15.11-	L350S.360S	ŀ	14	Resin	*H8	Resin	(	2	0	*Fog bulbs are 35W
	H19.2-	L375.L385S	ŀ	14	Resin	*H8	Resin	(	<b>D</b>	0	*Fog bulbs are 35W
		2070.20000	НВ3	D4R	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
	H25.10-H27.11	LA600S.610S	ŀ	14	Resin	H16	Resin	0	0		
	H27.12-R1.6	LA600S.610S	H4		Resin	H16	Resin	(	2	×	
			HB3	LED	Resin	H16	Resin	0	-	×	
	R1.7-	LA650S.660S	LED	LED	Resin	LED	Resin	-	_	-	
Tanto Custom	H17.6-H19.11	L35#.36#S	HB3	D4R	Resin	H8	Resin	0	_	0	
	H19.2-H24.4	-L37#.38#S	HB3	D4R	Resin	H8	Resin	0	-	0	
	H24.5-H25.9	2071.00#0	HB3	D4R	Resin	H8	Resin	0	-	0	
Tanto Custom	H25.10-H27.11	L A6005 6105	HB3	LED	Resin	H16	Resin	0	-	×	

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID. How to read the compatibility chart: O: Can be installed  $\Delta$ : Notes must be checked × Cannot be installed

H27.12-R1.6 0 HB3 LED Resin LED Resin R1.7-LA650S.660S LED LED Resin LED Resin \_ \_ \_ Tanto Exe H4 Resin \*H8 Resin 0 0 \*Fog bulbs are 35W Custom Overhead Console H21.12-L455.465S H4 Resin \*H8 Resin 0 0 \*Fog bulbs are 35W Custom Overhead Consol H7 D4R Resin \*H8 Resin 0 0 \*Fog bulbs are 35W Tanto Exe Custom H2112-H244 H7 D4R Resin H8 Resin Ο \_ Ο L45#.46#S H24.5-H26.10 0 H7 D4R Resin H8 Resin 0 \_ H9.3-H12.5 H4 0 J100G \*Fog bulbs are 35W Terios Glass \*H3a Resin Ο H12.5-J102G.J122G HB3 HB4 0 0 Resin H10.10-H12.11 H4 0 Terios Kid J111series Resin \*H3d Resin × \*No Fog H3d setting H12.11-J111.131G HB3 HB4 Resin \*H3a \_ × × \*No Fog H3d setting Resin Delta Wide H8.10-H13.10 R40N H4 Resin 0 0 \_ H4 Resin LED Resin H28.11-M900A.910A Thor LED LED Resin LED Resin \_ \_ \_ naked Η4 Resin \_ \_ 0 \_ H11.10-L750,L760Sseries D2R Resin \*H3a Resin 0 \*Fog bulbs are 35W H4 Resin 0 \_ \_ \_ H14.1-L7# Resin \_ \_ D2R \_ \_ 0 Hijet Cargo H11.1-H16.11 S20#.21# H4 Resin \_ \_ \_ Н4 0 \_ \_ \_ H16 12-H29 10 S32#33# Resin H4 0 LED \_ Resin Resin H29.11-S3#1V.W \_ \_ LED LED Resin LED Resin H4 0 Resin LED Resin Hijet Caddy H28.6-LA700.710V HB3 LED Resin LED 0 \_ Resin Hijet Truck H11.1-H16.11 H4 Resin 0 \_ S20#.21# H16.12-H4 \_ 0 \_ Resin \_ H26.9-H29.10 H4 Resin H8 Resin 0 0 H4 Resin H8 Resin 0 0 H29.11-H30.7 S500.510P LED LED Resin H8 Resin \_ 0 0 H4 Resin LED Resin \_ H30.8-LED LED Resin LED \_ \_ \_ Resin H4 Pizer H8.8-H10.7 G303.313series Glass H1 Resin 0 0 H4 0 0 H10.7-H14.7 G311.303series Resin H1 Resin HB3 H11 \*H8 0 0 Resin Resin Ο \*Fog bulbs are 35W Vigo H181-J200G.J210G HB3 \_ D2S Resin \*H8 Resin 0 0 \*Fog bulbs are 35W H4 0 Resin Boon H16.6-H22.1 M30# 310 H7 D2R Resin \_ \_ 0 \_ \_ H22.2-H26.3 H4 H8 Resin 0 0 \*Fog bulbs are 35W Resin M600S M610S Н4 H8 0 0 0 Resin Resin \*Fog bulbs are 35W H26.4-H28.3 HB3 D4R Resin H16 Resin 0 \*Fog bulbs are 35W × H4 Resin LED Resin 0 \_ H28.4-H30.9 M700A.710A \_ 0 \_ HB3 LED Resin LED Resin 0 I FD Boon H4 Resin Resin \_ H30.10-M700A.710A LED Resin 0 \_ HB3 LED Resin

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

									_		
Boon Luminous	H20.12-	M502.512G	H7	4 D4R	Resin Resin	*H8 *H8	Resin Resin	0	> 	0	*Fog bulbs are 35W *Fog bulbs are 35W
			I								-
Midget II	H8.4-H13.7	K100P	Sealed Beam		Glass	-	-		×	-	Cannot be installed on sealed beam vehicles
Mira	H2.3-H4.7	L200series	H4		Glass Glass	-	-		D	-	
	H5.2-H6.8			H4		_	-		C	-	
	H6.9-H10.9	L500series	н	4	Resin	*H3a	Resin	(	2	0	*Fog bulbs are 35W
	H10.10-H14.12	L700series	н	4	Resin	-	-	(	2	-	
AVY	H14.12-	L250 L260	н	4	Resin	-	-	(	C	-	
Miragino	H16.11-	L650.660S	н	4	Resin	-	-	(	C	-	
Miragino		2030.0003	H7	D2R	Resin	-	-	0	-	-	
	H18.12-	L275 L285	н	4	Resin	*H8	Resin	(	) )	0	*Fog bulbs are 35W
custom			HB3	D4R	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
Mira e:S	H23.9-	LA300.310S	н	4	Resin	-	-	(	C	-	
	H29.5-	LA350.360S	н	4	Resin	LED	Resin	(	C	-	
	1123.3	2,000,0000	LED	LED	Resin	LED	Resin	-	-	-	
Mira Cocoa	H21.8-H26.7		н	4	Resin	H8	Resin	(	C	0	*Fog bulbs are 35W
Plus included		L675.685S	н	4	Resin	H8	Resin	(	C	0	
	H26.8-H30.3		HB3	LED	Resin	H8	Resin	0	-	0	
Miragino			н		Glass	H3a	Resin		L D	0	*Fog bulbs are 35W
liniugino	H11.3-H16.10	L70#.71#	D2R		Resin	H3a	Resin		_	0	
			H4						2	0	
	H16.11-H21.4	L65#.66#S			Resin	H8	Resin				
			H7	D2R	Resin	H8	Resin			0	
Move	H7.8-H10.9	L600series	Н		Resin	*H3a	Resin		D	0	*Fog bulbs are 35W
	H10.10-H14.9	L900series	H4		Resin	-	-		C	-	
		weather	Н	4	Resin	-	-		C	-	
	H11.11-H14.9	L910S	н	4	Resin	-	-	(	2	-	
	H13.10-H14.9	L9#2S	D2	?R	Resin	-	-	-	-	-	
	H14.10-	L15#S,L160S	н	4	Resin	-	-	(	C	-	
			HB3	HB4	Resin	-	-	0	0	-	
	H18.10-H20.12	1175011050	н	4	Resin	-	-	(	C	-	
	H20.12-H22.12	L175S.L185S	HB3 H7		Resin	*H8	Resin	0	0	0	*Fog bulbs are 35W
	H22.12-H24.11		н	4	Resin	H8	Resin	(	C	0	*Fog bulbs are 35W
	H24.12-H26.11	LA100.110S	н	4	Resin	H8	Resin	(	C	0	
			н	4	Resin	LED	Resin	(	C	_	
	H26.12-H29.7		HB3	LED	Resin	LED	Resin	0	-	_	
		LA150.160S	н	4	Resin	LED	Resin		Г С	_	
	H29.8-		HB3	LED	Resin	LED	Resin	0	-	-	
Move Custom	H9.10-H10.9	L60#.61#	н	4	Resin	H3a	Resin	(	с	0	
	H10.10-H12.9		н	4	Resin	H3a	Resin	(	C	0	
	H12.10-H14.9	L90#.91#	н	4	Resin	H3a	Resin	(	C	0	
			D2	2R	Resin	H3a	Resin	-	-	0	
Move Custom			HB3	HB4	Resin	H3d	Resin	0	0	×	
	H14.10-H16.11	L15#.16#	HB3	D2R	Resin	H3d	Resin	0	-	×	
			HB3	H11	Resin	H8	Resin	0	0	0	
I	H1612-H189	1 15# 16#	-					-	-		1

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

	1110.12 1110.3	L13#.10#	HB3	D2R	Resin	H8	Resin	0	-	0	
	H18.10-H22.11	L17#.L18#	HB3	H7	Resin	H8	Resin	0	0	0	
	H16.10-H22.11		HB3	D4S	Resin	H8	Resin	0	-	0	
	H22.12-H23.10		HB3	D4S	Resin	H8	Resin	0	-	0	
	H23.11-H24.4	LA100.110S	HB3	D4S	Resin	H8	Resin	0	-	0	
	H24.5-H24.11	-	HB3	D4S	Resin	H8	Resin	0	-	0	
	H24.12-H26.11	-	HB3	LED	Resin	H16	Resin	0	-	×	
	H26.12-H29.7		Н9	LED	Resin	LED	Resin	×	-	-	
	H29.8-	LA150.160S	LED	LED	Resin	LED	Resin	-	-	-	
	1100.0	1 4000 0100	H4		Resin	LED	Resin	0		_	
Move Canvas	H28.9-	LA800.810S	LED		Resin	LED	Resin	-		-	
Move Conte	H20.8-H23.5		H4		Resin	H8	Resin	0		0	*Fog bulbs are 35W
	H23.6-H24.3	L57#.58#	H4		Resin	H8	Resin	0		0	
	H24.4-		H4		Resin	H8	Resin	0		0	
Move Conte Custom	H20.8-H23.5		HB3	D4R	Resin	H8	Resin	0	-	0	
	H23.6-H24.3	L57#.58#	HB3	D4R	Resin	H8	Resin	0	-	0	
	H24.4-		HB3	D4R	Resin	H8	Resin	0	-	0	
Move Latte			H4		Resin	*H3d	Resin	(	D C	×	*No Fog H3d setting
	H16.8-H17.10	-L550.560S	H7	D2R	Resin	*H3d	Resin	0	-	×	*No Fog H3d setting
			н	14	Resin	*H8	Resin	(	) C	0	*Fog bulbs are 35W
	H17.11-H21.4		H7	D2R	Resin	*H8	Resin	0	-	0	*Fog bulbs are 35W
Moebius			HB3	H11	Resin	H11	Resin	0	0	0	
	H25.4-H26.10	ZVW41N	НВ3	LED	Resin	H11	Resin	0	-	0	
	H26.11-	ZVW41N	НВ3	H11	Resin	LED	Resin	0	0	-	
			LED		Resin	LED	Resin	_		-	
Rocky	R1.11-	A200S.A210S	LE	ED	Resin	LED	Resin	_		-	
Lager	H5.5-H9.8	F7#series	*	-14	Glass	_	-	-		_	*Not compatible with sealed beam vehicles.

Please be sure to read this before purchasing/installing the valve.

\*Depending on the vehicle model, year, type and grade, the bulbs shown in this compatibility table may not be used. Before purchasing this product, please be sure to check the type of bulb currently installed.

\*When replacing the bulb, be sure to disconnect the negative battery terminal before proceeding.

\*Vehicles that are not listed in this compatibility chart (or are left blank) are vehicles for which compatibility has not been confirmed.

Therefore, please note that we cannot take any responsibility for any malfunctions that occur due to installation on vehicles that are not listed.

\*This product is manufactured and sold as a product that complies with vehicle inspections.

However, since the light color differs from that of genuine bulbs, please note that some inspectors may deem it to be non-compliant.

\*Do not use anything other than normal bulbs on genuine fog lamps with yellow caps.

\*Do not use bulbs with a power consumption (W) greater than the original specifications for light vehicles.

\*If the genuine bulb column says "D2S", "D2R", "D4S", "D4R", the vehicle is equipped with genuine HID.

ISUZU	J
-------	---

13020											
Model name	Year Model	Model		Ge	nuine bu	ılb			halogen ompatibl		Remarks
			Hi	Lo	Lens	Fog	Lens	Hi	Lo	Fog	
Asuka	H6.3-H9.11	CJ1	H1	H4	Resin	H3	Resin	0	0	0	
	H9.11-H13.2	CJ2,3	H1	H1	Resin	_	-	0	0	-	
	H9.11-H13.2	652,3	H1	D2R	Resin	-	-	0	-	-	
Asuka VIXOSS	H9.4-H12.12	UGS25series	н	14	Resin	_	-	0		-	
Asuka VIXOSS Gemini	H5.9-H9.2	MJ1~3	70	2K	Glass	-	-	×		-	*HI/LO 702K No setting
	H9.2-H12.9	MJ4~6	Ŧ	14	Resin	_	-	C	2	-	
Piazza	H3.9-H6.12	JT221	H1	H4	Glass	_	-	0	0	-	
Bighorn	H7.2-H10.2	UBS25,69series	H4		Glass	-	-	0		-	
lignom	H10.2-H14.8	UBS26,73series	H4		Glass	-	-	0		-	
Fargo	H7.7-H11.8	E24	H4		Glass	H3	Resin	C	C	0	
Fargo Philly	H9.7-H11.8	E50series	Ŧ	14	Glass	Н3	Resin	0		0	
	H11.9-H12.9		Η	14	Glass	H3	Resin	C	2	0	
Philly	H12.10-H14.5	E50	HB3	HB4	Resin	-		0	0	-	
	HT2.10-HT4.5		HB3	D2R	Resin	_	-	0	-	-	
Mew	H1.2-H7.12	UCSseries	Sealed	d Beam	Glass	_	-	>	×	-	Cannot be installed on sealed beam vehicles
	H7.12-H10.6	UCSseries	н	14	Glass			0		-	
Wizard	H10.6-	UES73,25FW	н	14	Glass	_	-	0		-	
Rodeo	S63.6-H6.2	TFS55#series	Sealed	d Beam	Glass	—		>	×	-	Cannot be installed on sealed beam vehicles